

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JANUARY 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of January 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3734 living children, of whom 1931 were male and 1803 female. These births are 38 more than those registered during the previous month, December 1909, but 329 fewer than those registered during the corresponding month of last year. The equivalent annual birth-rate is 23·3 per thousand, a rate which is the same as that for the previous month, but 2·4 less than that of the previous January. It is the lowest January birth-rate for the eight towns recorded in these Reports, the previous lowest being that of January 1909. The birth-rate of the month ranged from 29·0 in Greenock, to 17·8 in Edinburgh. In Dundee it was 25·9, in Glasgow 24·6, in Leith 23·8, in Aberdeen 23·3, in Paisley 22·9, and in Perth 19·9.

Of the 3734 births registered during the month, 272, or 7·3 per cent., were illegitimate. These illegitimate births are 16 fewer than those registered in December, and 25 fewer than those registered in January of last year. The illegitimate rate is 0·5 less than that of December, but it is the same as that of January of last year. The illegitimate rate of the month ranged from 9·8 in Edinburgh, and 9·3 in Aberdeen, to 4·4 in Paisley. In Dundee it was 8·8; in Greenock, 7·7; in Glasgow, 6·4; in Perth, 4·8; and in Leith, 4·6.

Marriages registered in the eight towns during the quarter numbered 1501; they are 306 more than those registered during December, and 22 more than those there registered in January of last year. The equivalent annual marriage-rate is 9·3 per thousand, a rate which is 1·8 more than that of December, but the same as that of January of last year.

Deaths registered during the month in the eight towns numbered 2845; they are 493 fewer than those registered during December, but 47 more than those registered in January of last year. The equivalent annual death-rate is 17·7 per thousand, a rate which is 3·4 less than that of December, but is the same as that of January of last year, which was the lowest January death-rate recorded in these reports. The death-rate of the month ranged from 23·5 in Greenock, to 14·1 in Aberdeen. In Dundee it was 22·9; in Perth, 20·9; in Glasgow, 17·8; in Edinburgh, 16·4; in Leith, 16·4; and in Paisley, 15·4. The death-rates of Dundee, Leith, Greenock, and Perth are higher than those of December, but the death-rates of Glasgow, Edinburgh, Aberdeen, and Paisley are lower than the December death-rates.

Of the 2845 deaths registered during the month, 1006, or 35·4 per cent., were of children of less than five years old, while 826, or 29·0 per cent., were of persons

of over sixty. The former are 265 fewer than those of December, but 50 more than those of January of last year; the latter are 106 fewer than those of December, but 35 more than those of January of last year.

Deaths of children of less than one year old numbered 553; they are 158 fewer than those of December, and 11 fewer than those of January of last year. The infantile mortality rate of the month amounts to 140 per thousand of the monthly average number of births registered in the eight towns during the previous twelve months, a rate which is 38 less than that of December, but 2 more than that of January of last year. The infantile mortality rate of the month ranged from 205 in Dundee, to 115 in Edinburgh, and 118 in Perth. In Greenock it was 149; in Aberdeen, 147; in Leith, 138; in Glasgow, 134; and in Paisley, 125.

Deaths from the principal epidemic diseases numbered 342; they are 43 fewer than those registered during December, but 92 more than those registered during January of last year. The equivalent annual death-rate amounts to 2.1 per thousand, a rate which is 0.3 less than that of December, but 0.5 more than that of January of last year. This death-rate ranged from 3.2 in Glasgow, where 178 deaths from measles were registered, to 0 in Paisley. In Greenock, this death-rate was 2.4; in Dundee, 1.6; in Edinburgh, 1.5; in Aberdeen, 0.8; in Perth, 0.6; and in Leith, 0.5. Of the 342 deaths from epidemic diseases registered in the eight towns during the month, 208 were ascribed to measles, of which 178 were in Glasgow; 26 to scarlet fever; 26 to whooping-cough; 38 to diphtheria; 15 to enteric fever, of which 12 were in Glasgow; 4 to cerebro-spinal meningitis, of which 3 were in Glasgow and 1 in Edinburgh; 23 to diarrhoeas; and 2 to pyrexia of uncertain origin. Compared to the returns of December, deaths from diarrhoeas are 8 more, from cerebro-spinal meningitis of the same number, from diphtheria and enteric fever each 1 fewer, from scarlet fever 4 fewer, from whooping-cough 22 fewer, and from measles 25 fewer.

Deaths from influenza numbered 7; from puerperal septic infection 6; from malignant disease 203, of which 119 were ascribed to carcinoma, 10 to sarcoma, and 74 to other or unspecified form of cancer. Deaths from heart disease numbered 266; from apoplexies 136; from premature birth debility 80; and from alcoholism 8.

Deaths from pneumonia numbered 329; they constituted 11.6 per cent. of the total deaths of the month, and are 197 fewer than in December, but 44 more than in January of last year. Deaths from bronchitis numbered 238, and constituted 8.4 per cent. of the total deaths of the month; they are 226 fewer than those of December, and 12 fewer than those of January of last year.

Deaths from tuberculous diseases numbered 307, and constituted 10.8 per cent. of the total deaths of the month; they are 12 fewer than those of December, and 10 fewer than those of January of last year. Of these deaths 204 were ascribed to phthisis; they constituted 7.2 per cent. of the total deaths of the month, and are 15 fewer than those registered in December, but 3 more than those registered in January of last year.

Deaths from violence numbered 90; of them 6 were ascribed to suicide, 5 being by cutting and 1 by ammonia poisoning.

Among those whose deaths were registered in the eight towns during the month, there were 3 males and 16 females, aged 90 years and upwards, the oldest being a widow aged 100 years.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 14 there is given the usual monthly statement regarding the births, deaths, and marriages registered in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1693, marriages 657, and deaths 1253. The equivalent annual birth-rate is 24.2 per thousand, the marriage-rate 9.4 per thousand, and the death-rate 17.9 per thousand. Compared to the corresponding rates of December, the birth-rate is 0.3 less, the marriage-rate 2.6 more, and the death-rate 2.6 less. Compared to the corresponding rates of January 1909, the birth-rate is 0.7 less, the marriage-rate is the same, the death-rate is 2.7 more.

Among the deaths registered in these selected districts during the month there were 64 from measles, of which 34 were in Govan and 14 in Partick; 8 from scarlet fever; 10 from whooping-cough; 22 from diphtheria; 2 from enteric fever; 28 from diarrhoeas; 2 from croup; 227 from pneumonia, bronchitis, and pleurisy; 132 from tuberculous disease; and 3 from cerebro-spinal meningitis.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, JANUARY 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, . . .	672,872	775,561	884,505	969	880	1849	1730	119	746	675	659	1334
EDINBURGH, . . .	276,652	317,335	360,276	278	265	543	490	53	202	238	264	502
DUNDEE, . . .	155,523	162,982	170,206	173	201	374	341	33	191	157	174	331
ABERDEEN, . . .	124,943	153,503	185,703	182	185	367	333	34	118	126	96	222
PAISLEY, . . .	66,425	79,363	93,584	94	88	182	174	8	88	69	53	122
LEITH, . . .	68,707	77,563	86,767	100	75	175	167	8	64	60	61	121
GREENOCK, . . .	64,175	68,911	73,605	101	80	181	167	14	60	69	78	147
PERTH, . . .	30,775	33,995	37,275	34	29	63	60	3	32	35	31	66
TOTAL, . . .	1,460,072	1,669,213	1,891,921	1931	1803	3734	3462	272	1501	1429	1416	2845

JANUARY 1909, . . .	Mean Temp. 39°·0	2069	1994	4063	3766	297	1479	1384	1414	2798
JANUARY 1908, . . .	Mean Temp. 37°·8	2110	2088	4198	3912	286	1625	1771	1821	3592
JANUARY 1907, . . .	Mean Temp. 38°·5	2108	2062	4170	3845	325	1552	1508	1661	3169
JANUARY 1906, . . .	Mean Temp. 40°·2	2206	2079	4285	3994	291	1728	1411	1483	2894
JANUARY 1905, . . .	Mean Temp. 39°·8	2139	2004	4143	3835	308	1636	1527	1563	3090
JANUARY 1904, . . .	Mean Temp. 39°·9	2030	1986	4016	3731	285	1635	1442	1415	2857
JANUARY 1903, . . .	Mean Temp. 37°·3	2167	1978	4145	3852	293	1715	1590	1701	3291
JANUARY 1902, . . .	Mean Temp. 38°·5	2051	2031	4082	3810	272	1498	1544	1437	2981
JANUARY 1901, . . .	Mean Temp. 38°·1	2109	2067	4176	3830	296	1593	1554	1520	3074
JANUARY 1900, . . .	Mean Temp. 39°·0	2305	2180	4485	4183	302	1873	1674	1715	3389

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of JANUARY 1910.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
Bridgeton, . . .	38	8	1	10	11			St Peter, . . .	—	—	—	—	—	—	—
Camlachie, . . .	12	—	1	—	—	—	1	St Mary, . . .	—	—	—	—	—	—	2
Calton, . . .	12	—	—	—	—	—	—	St Clement, . . .	—	—	2	—	5	—	4
Dennistoun, . . .	4	1	—	—	—	—	—	St Andrew, . . .	—	—	—	2	—	—	1
Garnagadhill, . . .	4	—	—	—	—	—	—	Lochee, . . .	—	—	—	—	2	—	—
Springburn, . . .	4	—	—	—	—	—	—	Mains and Strath-	—	—	—	—	—	—	1
Possilpark, . . .	31	5	1	6	2	—	—	martine, . . .	—	—	—	—	—	—	—
St Rollox, . . .	10	—	—	—	—	—	—	ABERDEEN—							
Milton, . . .	1	—	—	1	—	—	—	St Nicholas, . . .	—	—	—	1	7	1	—
Blythswood, . . .	3	—	—	—	—	—	—	St Machar, . . .	—	—	—	—	1	—	2
Anderston, . . .	22	—	—	—	2	1	—	Woodside, . . .	—	—	—	—	—	—	—
Hillhead, . . .	—	1	—	—	—	—	—	Old Aberdeen, . . .	—	—	—	—	—	—	—
Kelvin, . . .	4	1	2	—	—	—	—	E. Peterculter, . . .	—	—	—	—	—	—	—
Maryhill, . . .	4	1	4	—	—	—	—	Nigg, . . .	—	—	—	—	—	—	—
Hutchesontown, . . .	13	—	—	—	—	1	—	PAISLEY, . . .	—	—	—	—	—	—	—
Govanhill, . . .	6	—	—	—	—	—	—	LEITH—							
Gorbals, . . .	5	—	—	—	1	1	—	North, . . .	—	—	—	1	—	—	—
Pollokshields, . . .	4	—	—	—	—	—	—	South, . . .	—	1	—	1	—	—	1
Cathcart, . . .	—	—	—	—	—	—	—	GREENOCK—							
Eastwood, . . .	1	—	—	—	—	—	—	East, . . .	—	3	—	2	—	—	—
EDINBURGH—								West, . . .	—	—	3	—	—	1	1
St George, . . .	4	—	1	—	—	—	—	Gourock, . . .	—	—	3	—	1	1	—
St Andrew, . . .	—	—	—	—	—	1	—	PERTH—							
Canongate, . . .	—	—	—	—	—	1	—	Kinnoull, . . .	—	—	—	—	—	—	—
St Giles, . . .	4	—	2	—	1	1	—	Perth, . . .	—	—	—	1	—	—	—
Newington, . . .	—	—	—	—	—	2	—	Tibbermore, . . .	—	—	1	—	—	—	—
Morningside, . . .	18	3	1	5	1	—	—								
Portobello, . . .	—	—	—	—	—	—	—								

DEATHS FROM ALL CAUSES at Four Periods of Life.

5

Registered during the Month of JANUARY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	38	4	33	47	122	34	11	40	36	121	47	9	41	50	147	14	4	22	26	66
A. GENERAL DISEASES - -	24	4	13	10	51	22	5	24	10	61	31	7	21	10	69	8	4	12	5	29
B. LOCAL DISEASES:—																				
I. DIS. OF NERVOUS SYSTEM -	2	-	1	2	5	4	-	1	1	6	1	1	3	2	7	1	-	1	3	5
II. „ ORGANS OF SPECIAL SENSE - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
III. „ HEART - - - -	-	-	5	9	14	1	1	5	6	13	-	-	8	13	21	1	-	3	6	10
IV. „ BLOOD VESSELS - -	-	-	1	8	9	-	-	1	5	6	-	-	1	10	11	-	-	2	5	7
V. „ RESPIRATORY SYSTEM	8	-	7	8	23	4	-	2	9	15	8	-	2	2	12	2	-	2	2	6
VI. „ DIGESTIVE SYSTEM -	1	-	2	6	9	2	1	2	2	7	1	1	4	3	9	1	-	1	-	2
VII. „ LYMPHATIC AND DUCT-LESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. „ URINARY SYSTEM -	-	-	3	2	5	-	-	3	-	3	1	-	1	2	4	-	-	-	2	2
IX. „ GENERATIVE SYSTEM -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. „ PREGNANCY AND CHILD-BIRTH - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI. „ LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
XII. „ THE SKIN - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED - -	-	-	1	2	3	-	-	-	1	1	2	-	-	4	6	1	-	-	2	3
E. VIOLENT DEATHS - -	2	-	-	-	2	1	3	2	2	8	2	-	1	4	7	-	-	1	1	2
A. GENERAL DISEASES.																				
Small-pox { Vaccinated - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
German Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	-	1	-	-	1
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Whooping-cough - - -	-	-	-	-	-	2	-	-	-	2	4	1	-	-	5	1	-	-	-	1
Mumps - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Cerebro-spinal Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Asiatic Cholera - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Infective Enteritis—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea (not otherwise defined) -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - - - - -	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1
Gonorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Alba Dolens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal) - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax) - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Phagedæna - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Infective Endocarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar - - - - -	-	3	-	1	4	-	1	2	-	3	2	-	1	1	4	1	-	-	-	1
{ Broncho- - - - -	-	8	-	-	8	4	1	-	1	6	7	-	-	-	7	2	-	1	-	3
{ Epidemic - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not defined - - - - -	-	2	-	1	4	7	5	-	2	3	10	3	-	2	2	7	-	1	1	3
Other Infective Conditions - - - -	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
Pulmonary Tuberculosis (Tuberculous Phthisis) - - - - -	-	-	2	3	5	-	-	3	-	3	-	-	5	-	5	-	-	3	-	3
Phthisis (not otherwise defined) -	-	-	2	5	7	-	-	3	-	3	1	2	3	-	6	-	1	3	1	5
Tuberculous Meningitis - - - - -	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Peritonitis - - - - -	-	-	-	-	-	2	1	1	-	4	-	1	-	-	1	1	-	-	-	1
Tabes Mesenterica - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs - - - -	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
General Tuberculosis - - - - -	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	-	1	-	-	1
Scrofula - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JANUARY 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	4	-	2	-	1	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	7	-	1	2	1	4	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-
Chronic Rheumatism -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	119	-	-	35	21	56	-	-	14	15	29	-	-	9	5	14	-	-	2	4	6
Sarcoma -	10	-	-	1	1	2	-	-	3	-	3	-	-	-	-	-	-	-	1	1	1
Cancer, Malignant Disease (not otherwise defined)	74	-	1	16	12	29	-	-	8	6	14	-	-	4	5	9	-	-	2	3	5
Rickets -	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Purpura -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Anæmia, Leucocythæmia -	12	-	-	5	-	5	-	-	2	1	3	-	-	1	-	1	-	-	1	-	1
Diabetes Mellitus -	11	-	1	2	1	4	-	2	1	1	4	-	-	1	-	1	-	-	-	-	-
Premature Birth -	80	34	-	-	-	34	11	-	-	-	11	9	-	-	-	9	14	-	-	-	14
Congenital Defects -	23	10	-	-	-	10	6	1	-	-	7	1	-	-	-	1	1	-	-	-	1
Injury at Birth -	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Atelectasis -	14	2	-	-	-	2	3	-	-	-	3	3	-	-	-	3	4	-	-	-	4
Want of Breast Milk -	4	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	2	-	-	-	2
Teething -	7	7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	21	11	2	2	-	15	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Softening of Brain -	19	-	-	2	1	3	-	-	2	5	7	-	-	2	-	2	-	-	-	-	-
General Paralysis of Insane -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	4	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Convulsions -	34	18	1	1	-	20	3	-	-	-	3	1	-	-	-	1	5	-	-	-	5
Laryngismus Stridulus -	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Locomotor Ataxy -	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	-	1
Paraplegia, Diseases of Cord -	19	-	-	2	2	4	-	-	4	7	11	-	-	1	1	2	-	-	-	-	-
Neuritis, Peripheral, Polyneuritis -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	9	-	-	6	-	6	-	-	1	-	1	-	-	1	-	1	1	-	-	-	1
Other Dis. of Nervous System	10	3	-	2	1	6	-	1	-	1	2	1	-	-	-	1	-	-	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	8	4	-	-	-	4	-	1	-	-	1	1	-	-	-	1	-	1	-	-	1
Epistaxis, Diseases of Nose -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	93	-	2	18	15	35	-	1	9	7	17	-	1	8	8	17	-	-	3	1	4
Pericarditis -	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2
Hypertrophy of Heart -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	5	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart -	9	-	-	-	2	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Fatty Degeneration of Heart -	7	-	-	1	2	3	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified) -	148	2	1	11	37	51	-	-	7	19	26	1	-	4	11	16	-	1	6	18	25

DEATHS FROM ALL CAUSES at Four Periods of Life.

9

Registered during the Month of JANUARY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	1	3	4	-	-	3	-	3	-	-	5	-	5	-	-	1	1	2
Sarcoma - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	-	1	-	1
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	1	1	2	-	-	-	5	5	-	-	2	6	8	-	-	1	1	2
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Premature Birth - - - - -	4	-	-	-	4	4	-	-	-	4	3	-	-	-	3	1	-	-	-	1
Congenital Defects - - - - -	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Injury at Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain - - - - -	1	-	-	-	1	1	-	-	-	1	-	1	-	1	2	1	-	-	-	1
Softening of Brain - - - - -	-	-	1	1	2	-	-	-	1	1	-	-	1	1	2	-	-	-	2	2
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	1	-	-	-	1	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Paraplegia, Diseases of Cord - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Neuritis, Peripheral, Polyneuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis, Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	-	3	1	4	-	1	1	5	7	-	-	3	-	3	-	-	3	3	6
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	2	2	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified) - - - - -	-	-	2	6	8	1	-	3	1	5	-	-	5	8	13	1	-	-	3	4

11

11

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis -	-	-	-	5	-	-	-	1	2	3	-	-	1	8	9	-	-	1	3	4
Apoplexy, Hemiplegia -	-	-	-	2	-	-	-	1	1	-	-	-	1	1	-	-	-	1	2	-
Aneurism -	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1
Senile Gangrene -	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diptheritic) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis -	8	-	7	8	23	4	-	2	7	13	7	-	1	2	10	2	-	1	2	5
Emphysema, Asthma -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleurisy -	-	-	-	-	-	-	-	-	2	2	1	-	1	-	2	-	-	1	-	1
Fibroid Disease of Lung -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diseases of Mouth, Pharynx, Oesophagus (not Specific) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer -	-	-	-	-	-	-	-	1	-	1	-	-	2	1	3	-	-	-	-	-
Gastric Catarrh -	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Stomach (not Malignant) -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Enteritis (not Infective) -	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis, Perityphlitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction -	-	-	-	1	1	-	-	2	-	2	1	1	-	-	2	-	-	-	-	-
Other Diseases of Intestines -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Peritonitis (not Puerperal) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver -	-	-	1	1	2	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-
Other Diseases of Liver and Gall Bladder -	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Lymphatic System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra-renal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia -	-	-	2	-	2	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-
Chronic Bright's Disease, Albuminuria -	-	-	1	1	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Calculus (not Biliary) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	1	1	-	-	1	-	1	-	-	-	1	1	-	-	-	2	2
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

13

CAUSES OF DEATH.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF GENERATIVE SYSTEM.																				
Ovarian Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Uterus and Vagina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Generative and Mammary Organs -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																				
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LOCOMOTOR SYSTEM.																				
Caries, Necrosis -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Arthritis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Locom. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																				
Ulcer, Bed-sore -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																				
D. CAUSES ILL-DEFINED OR NOT SPECIFIED.																				
Atrophy, Debility -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Old Age -	-	-	2	2	-	-	-	1	1	-	-	-	4	4	-	-	-	2	2	-
Dropsy, Ascites, Anasarca -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified -	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
E. VIOLENT DEATHS.																				
In Mines and Quarries -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weapons and Implements -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds -	2	-	-	2	-	1	-	1	-	1	-	1	1	1	-	-	-	-	-	-
Poisons, Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Drowning -	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Suffocation { From Overlaying	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
{ Otherwise	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Falls -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weather Agencies -	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	-	-	-
Otherwise, or not stated -	-	-	-	-	-	-	1	1	2	1	-	2	3	-	-	1	1	2	-	-
Homicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Execution -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—JANUARY 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fever—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	36	14	36	-	-	-	-	-	-	-	-	6	9
Ayr,	24,944	28,697	67	28	39	-	-	-	-	2	-	12	-	6	4
Banff, with Macduff,	8,927	8,398	16	4	12	-	-	-	-	-	-	-	-	4	1
Blairstown,	4,510	4,282	9	3	5	-	-	-	-	-	-	-	-	1	-
Callander,	2,279	2,171	8	1	0	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	23	4	18	-	-	-	-	-	-	2	-	4	2
Cathcart,*	4,552	7,375	25	2	13	-	-	1	-	1	-	1	-	-	-
Coatbridge,	32,709	39,930	132	48	81	-	-	1	4	1	1	4	1	18	2
Crieff,	5,413	5,706	10	4	4	-	-	-	-	-	-	-	-	2	-
Dumbarton,	18,021	20,205	41	18	35	-	1	-	-	2	-	2	-	5	3
Dunfries, with Troqueer,	23,765	24,745	42	14	63	-	8	-	-	1	-	-	-	14	6
Dunfermline,	28,667	31,697	78	52	74	-	-	3	-	1	-	1	-	12	6
Dunoon,	7,287	8,924	11	7	18	-	-	-	-	-	-	1	1	-	-
Eastwood,*	13,744	15,366	39	11	28	-	-	-	-	-	-	-	-	5	5
Elgin,	10,473	11,560	28	7	20	-	-	-	-	-	-	-	-	3	4
Falkirk,	24,007	33,815	91	47	50	-	-	-	-	-	-	1	-	8	3
Forfar,	13,665	12,879	19	14	8	-	-	-	-	-	-	-	-	-	-
Galashiels,	17,785	13,969	14	3	21	-	-	-	-	1	-	-	-	5	2
Govan—(1) Plantation,	22,571	27,228	73	17	29	-	4	-	-	-	-	-	-	6	1
(2) Govan,	41,187	56,602	161	48	157	-	34	1	-	4	1	-	-	33	23
(3) Partick,	36,538	54,298	122	45	80	-	14	-	-	-	-	2	-	13	8
Haddington,	5,216	5,126	10	1	9	-	-	-	-	-	-	-	-	3	1
Hawick,	20,556	18,502	29	6	23	-	-	-	2	-	-	1	-	4	3
Inverness,	24,186	27,046	39	23	49	-	-	-	-	2	-	2	-	7	6
Kilmarnock, with Riccarton,	31,433	37,170	99	46	61	-	1	-	-	-	-	2	-	8	11
Kilmore and Kilbride (Oban),	5,729	6,301	16	6	7	-	-	-	-	-	-	-	-	-	1
Kirkcaldy and Abbotshall,	17,975	22,997	53	40	30	-	-	-	-	2	-	1	-	7	4
Kirkcudbright,	3,477	3,309	7	1	5	-	-	-	-	-	-	-	-	-	1
Largs, with Skelmorlie,	5,320	5,501	11	4	4	-	-	-	-	-	-	-	-	2	-
Logie (Bridge of Allan),	4,252	4,432	5	4	4	-	-	-	-	-	-	-	-	2	1
Moffat,	2,977	2,799	3	3	5	-	-	-	-	-	-	1	-	1	-
Montrose,	14,591	14,027	19	13	36	-	-	-	-	1	-	1	-	4	-
Moulin (Pitlochry),	2,001	2,192	2	0	2	-	-	-	-	-	-	-	-	-	-
Nairn,	5,250	5,732	6	0	11	-	-	-	-	-	-	-	-	1	-
New Monkland (Airdrie),	33,743	38,786	119	38	51	-	-	-	-	1	-	1	-	15	4
North Berwick,	3,038	3,649	2	1	6	-	1	-	-	-	-	-	-	-	3
Peterhead, with Boddam	15,830	15,146	48	17	28	-	-	-	2	-	-	1	-	2	2
Rothsay,	9,108	9,378	14	6	14	-	-	1	-	-	-	-	-	3	2
St Andrews and St Leonards,	8,755	9,410	8	3	7	-	-	-	1	1	-	-	-	-	-
Shettleston,	12,538	21,955	64	21	36	-	1	1	-	2	-	2	-	3	6
Stirling,	17,002	18,609	50	19	41	-	-	-	1	-	-	-	-	12	4
Stranraer,	6,193	6,036	15	6	10	-	-	-	-	-	-	-	-	3	3
Wick,	12,063	11,326	34	8	23	-	-	-	-	-	-	-	-	5	1

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of JANUARY 1910.

Mean barometric pressure, 29·631 inches; less than the average of 1856–1905 by 0·194 inch.

Mean temperature, $36^{\circ}4$; less by $1^{\circ}6$.

Mean daily range of temperature, $11^{\circ}0$; greater by $2^{\circ}0$.

Rain, number of days, 18; greater by 1 day.

Rain, depth in inches, 3·79; greater by 0·32 inch.

Wind, direction of: a 4 days' excess of winds from SW.

Hence the month of January 1910 was characterised by a very low mean pressure; a low mean temperature, with a high mean daily range; a slightly high mean rainfall; and an excess of winds from SW.

The mean pressure was 29·631 inches, or 0·194 inch below the normal, the sea-level extremes at Leith being 30·444 inches on 6th, and 28·844 inches on 24th.

The mean temperature was $36^{\circ}4$, or $1^{\circ}6$ below the normal, being the lowest January mean since 1897. The days were $0^{\circ}6$ and the nights $2^{\circ}6$ below their respective averages. Temperature conditions covered a very wide range, as may be illustrated by the fact that whilst at Aberdeen the mean temperature of the week ending 8th was as high as $42^{\circ}6$, that of the week ending 29th was as low as $22^{\circ}2$. Very mild weather early in the month, and a close approach to the normal about the middle, were followed by a spell of cold weather which became very acute during the fourth week, when some remarkably low readings occurred. At Perth on 28th the thermometer in screen fell to 4° below zero (a reading equalled, as regards the large towns, by a similar record at Perth in January 1894), whilst the mean temperature of the fourth week was at Aberdeen no less than 15° below the normal, the maximum reading there on 27th being as low as 18° . The highest temperature recorded at the towns was 56° at Leith on 1st, and at Aberdeen on 3rd.

The mean rainfall was 3·79 inches, or 9 per cent. above the normal, the individual variations ranging from a deficiency of 24 per cent. at Dundee to an excess of fully 40 per cent. at Edinburgh. The greater part of the month's precipitation occurred between 8th and 17th, Greenock having about $1\frac{1}{2}$ inch on 15th and more than 1 inch on 17th. At Aberdeen the largest amount on any one day was only 0·25 inch on 23rd, that being the rainfall equivalent of melted snow.

A snowstorm was general towards the middle of the month, and again during the fourth week, when weather of an extremely wintry and stormy character was experienced.

Thunder occurred at Edinburgh on as many as four days, and on one day at least at nearly all the towns.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH.

During the Month of JANUARY 1910.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.								WIND FORCE.						
	Height of Station above Sea-level.	Mean at Station and 32°.	Mean of	Mean of A and B (Mean Temperature).		Difference from Average.	Absolute Maximum and Minimum.		Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.													
				Maximum (A).	Minimum (B).		Maximum.	Day of Month.								Minimum.	Day of Month.	N	NE	E	SE	S		SW	W	NW	Calm or Variable.		
GLASGOW. Medical Officer of Health, Glasgow.	54	29.590	29.651	42.5	31.1	36.8	-2.2	55	2nd	12	28th	37.5	37.5	1.5	.195	87	21	3.64	+0.04	0	3	0	6	0	29	3	10	11	..
EDINBURGH. Professor DYSON, F.R.S., Royal Observatory.	441	29.155	29.647	41.5	31.9	36.7	-0.7	55	2nd	17	26th, 27th, 28th	36.9	36.9	1.3	.194	89	18	2.78	+0.88	1	1	1	0	5	22	25	7	0	4.1
DUNDEE. JOHN CARNOCHAN, Curator of Cemeteries.	164	29.445	29.631	39.9	30.7	35.3	-1.3	53	2nd	10	28th	35.5	35.5	1.0	.189	91	17	1.73	-0.52	0	5	0	0	1	40	5	11	0	2.6
ABERDEEN. PETER HARPER, Superin- tendent, Duthie Park.	44	29.520	29.570	40.8	28.7	34.3	-2.6	56	3rd	4	28th	34.4	34.4	1.8	.164	82	18	2.13	-0.25	2	2	0	0	8	36	8	6	0	3.0
PAISLEY. DONALD MACLEAN, The Coats Observatory.	107	29.524	29.644	43.0	31.5	37.3	-1.6	53	2nd	9	26th	37.6	37.6	1.8	.191	84	19	5.60	+0.87	3	1	1	0	7	8	23	7	12	1.8
LEITH. JAMES BOLAN, Nautical Col- lege, and GEORGE REDFATH.	76	29.551	29.636	42.6	33.4	38.0	-0.9	56	1st	16	28th	38.3	38.3	2.1	.191	83	18	2.49	+0.50	2	0	2	0	8	10	34	4	2	4.0
GREENOCK. DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29.351	29.639	42.7	30.4	36.0	-2.1	54	9th	14	27th 28th	38.2	38.2	1.5	.201	88	20	9.01	+1.11	0	3	0	6	0	18	22	11	2	3.7
PERTH. ALEX. M. RODGER, The Museum.	85	29.529	29.626	41.8	29.1	35.5	-1.8	54	2nd	4	28th	35.3	35.3	1.9	.170	82	15	2.92	-0.07	7	6	1	0	4	23	10	6	5	3.0
Means	151	29.462	29.631	41.9	30.9	36.4	-1.6	36.7	36.7	1.6	.187	86	18	3.79	+0.32	2	3	1	1	4	23	16	8	4	3.2
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.																													

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

FEBRUARY 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of February 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3528 living children, of whom 1818 were male and 1710 female. These births are 206 fewer than those registered in January, and 96 fewer than those registered in February of last year. The equivalent annual birth-rate is 24·3 per thousand of the estimated aggregate population of the eight towns, a rate which is 1·0 more than that of January, but 1·1 less than that of February of last year, and is the lowest February birth-rate recorded in these reports, the previous lowest being those of February 1908, and of February 1909, both of which were 25·4. The birth-rate of the month ranged from 26·2 in Greenock, to 20·0 in Perth, and 20·1 in Edinburgh. In Leith it was 25·9; in Glasgow, 25·8; in Aberdeen, 24·9; in Dundee, 24·4; and in Paisley, 24·3.

Of the 3528 births registered in these towns during the month, 263, or 7·5 per cent., were illegitimate. This illegitimate rate is 0·2 more than that of January, but 0·4 less than that of February of last year. It ranged from 11·5 in Aberdeen, to 3·4 in Paisley. In Edinburgh it was 9·0; in Dundee, 8·8; in Glasgow, 6·8; in Greenock, 5·4; in Perth, 5·3; and in Leith, 4·7.

Marriages registered in these towns during February numbered 750; they are 751 fewer than those registered in January, but 88 more than those registered in February of last year. The equivalent annual marriage-rate is 5·2 per thousand, a rate which is 4·1 less than that of January, but 0·6 more than that of February of last year.

Deaths registered in the eight towns during the month numbered 2520, a number which is 325 less than that of January, and 214 less than that of February of last year. The equivalent annual death-rate is 17·4 per thousand, a rate which is 0·3 less than that of January, and 1·7 less than that of February of last year. It is the lowest February death-rate recorded in these reports, the previous lowest being that of February 1905, which was 18·3. The death-rate of the month ranged from 28·4 in Greenock, and 20·5 in Dundee, to 13·5 in Paisley. In Perth it was 19·3; in Glasgow, 17·3; in Leith, 16·5; in Edinburgh, 15·8; and in Aberdeen, 15·3. Compared to the corresponding death-rates of the previous month, those of Glasgow,

Edinburgh, Dundee, Paisley, and Perth are lower, but those of Aberdeen, Leith, and Greenock are higher.

Of the 2520 deaths, 797, or 31·6 per cent., were of children of less than five years old, and 749, or 29·7 per cent., were of persons of over sixty. The former are 209 fewer than in January, and 133 fewer than in February of last year. The latter are 77 fewer than in January, and 81 fewer than in February of last year.

Deaths of children of less than one year old numbered 437; they are 116 fewer than those of January, and 106 fewer than those of February of last year. The infantile mortality rate of the month amounts to 122 per thousand of the average number of children whose births were registered in these eight towns during the preceding twelve months, a rate which is 18 less than that of January, and 25 less than that of February of last year, and which ranged from 191 in Greenock, to 33 in Perth. In Dundee it was 160; in Aberdeen, 126; in Glasgow, 121; in Edinburgh, 114; in Paisley, 87; and in Leith, 85.

Deaths from the principal epidemic diseases numbered 296; they are 46 fewer than those registered in January, but 10 more than those registered in February of last year. The equivalent annual death-rate from these causes is 2·0 per thousand, a rate which is 0·1 less than that of January, but is the same as that of February of last year. This death-rate ranged from 3·2 in Greenock, to 0 in Perth. In Glasgow it was 2·9; in Leith, 1·8; in Edinburgh, 1·4; in Dundee, 1·2; in Aberdeen, 0·6; and in Paisley, 0·6. Of these deaths from epidemic diseases 169 were ascribed to measles, 128 of them being registered in Glasgow; 26 to scarlet fever, 19 of them being registered in Glasgow; 27 to hooping-cough, 18 of them being registered in Glasgow; 42 to diphtheria; 11 to enteric fever; 16 to diarrhoeas; and 5 to cerebro-spinal meningitis. Compared to the returns of January, deaths from measles are 39 fewer, from diarrhoeas 7 fewer, and from enteric fever 4 fewer; but those from scarlet fever are of the same number, those from diphtheria are 4 more, from hooping-cough 1 more, and from cerebro-spinal meningitis 1 more.

Deaths from influenza numbered 6; from puerperal septic conditions 4; from malignant diseases 155, of which 89 were ascribed to carcinoma, 13 to sarcoma, and 53 to other or unspecified form of cancer. Deaths from heart disease numbered 265; from apoplexies 172; from premature birth debility 68; and from alcoholism 2.

Deaths from pneumonia numbered 247; they constituted 9·8 per cent. of the total deaths of the month; they are 82 fewer than those registered in January, and 70 fewer than those registered in February of last year. Deaths from bronchitis numbered 229; they constituted 9·1 per cent. of the total deaths of the month, and are 9 fewer than those registered in January, and 22 fewer than those registered in February of last year.

Deaths from tuberculous disease numbered 284; they constituted 11·3 per cent. of the total deaths of the month; they are 23 fewer than those registered in January, and 36 fewer than those registered in February of last year. Of these deaths 178 were ascribed to phthisis; they constituted 7·1 per cent. of the total deaths of the month; they are 26 fewer than those registered in January, and 22 fewer than those registered in February of last year.

Deaths from violence numbered 89; of them 9 were ascribed to suicide, 4 being by hanging, 3 by cutting, and 1 each by coal-gas poisoning and opium poisoning.

Among those whose deaths were registered during the month, there were 3 males and 13 females aged 90 years and upwards, the oldest being a widow aged 96 years.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 30 there is given the usual monthly statement regarding births, marriages, and deaths in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1545, marriages 224, and deaths 1063. The equivalent annual birth-rate is 24·4 per thousand, the marriage-rate 3·5 per thousand, and the death-rate 16·8 per thousand. Compared to the corresponding rates of the previous year, the birth-rate is 0·9 less, the marriage-rate 0·3 less, and the death-rate 0·2 less.

Among the deaths registered in these districts during the month there were 42 from measles; 7 from scarlet fever; 11 from hooping-cough; 8 from diphtheria; 4 from enteric fever; 1 from typhus fever, which was registered in Govan; 14 from diarrhoeas; 2 from laryngitis; 214 from pneumonia, bronchitis, and pleurisy; 128 from tuberculous disease; and 1 from cerebro-spinal meningitis.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, FEBRUARY 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW,	672,872	775,561	834,505	916	834	1750	1631	119	389	627	548	1175
EDINBURGH, . . .	276,652	317,335	360,276	276	278	554	504	50	122	221	216	437
DUNDEE,	155,523	162,932	170,206	165	153	318	290	28	68	106	162	268
ABERDEEN, . . .	124,943	153,503	185,703	166	189	355	314	41	73	98	120	218
PAISLEY,	66,425	79,363	93,584	90	84	174	168	6	24	36	61	97
LEITH,	68,707	77,563	86,767	92	80	172	164	8	32	53	57	110
GREENOCK, . . .	64,175	68,911	73,605	85	63	148	140	8	27	87	73	160
PERTH,	30,775	33,995	37,275	23	29	57	54	3	15	23	32	55
TOTAL,	1,460,072	1,669,213	1,891,921	1818	1710	3528	3265	263	750	1251	1269	2520

FEBRUARY 1909,	Mean Temp. 38°·9	1863	1761	3624	3336	288	662	1368	1366	2734
FEBRUARY 1908,	Mean Temp. 41°·3	1969	1736	3705	3412	293	778	1517	1593	3110
FEBRUARY 1907,	Mean Temp. 37°·1	1886	1751	3637	3375	262	807	1459	1479	2938
FEBRUARY 1906,	Mean Temp. 36°·6	1844	1879	3723	3454	269	810	1208	1308	2516
FEBRUARY 1905,	Mean Temp. 40°·1	1877	1731	3608	3346	262	807	1279	1171	2450
FEBRUARY 1904,	Mean Temp. 37°·1	2035	1892	3927	3663	264	869	1439	1479	2918
FEBRUARY 1903,	Mean Temp. 43°·3	1881	1829	3710	3449	261	776	1270	1208	2478
FEBRUARY 1902,	Mean Temp. 34°·5	1892	1749	3641	3419	222	752	1534	1547	3081
FEBRUARY 1901,	Mean Temp. 36°·8	1935	1822	3757	3494	263	748	1410	1501	2911
FEBRUARY 1900,	Mean Temp. 33°·5	2016	1882	3898	3655	243	803	1755	1885	3640

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of FEBRUARY 1910.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
Bridgeton,	31	10	9	14	5	—	—	St Peter,	—	—	—	—	—	—	2
Camlachie,	6	—	2	—	1	—	—	St Mary,	—	—	—	—	1	—	4
Calton,	7	—	—	—	—	—	—	St Clement,	—	—	—	—	3	—	—
Dennistoun,	—	—	—	—	—	—	—	St Andrew,	—	1	—	2	2	—	1
Garnagadhill, . . .	5	—	—	—	—	—	1	Lochee,	—	—	—	—	—	—	—
Springburn,	8	—	—	—	—	—	—	Mains and Strath-	—	—	—	—	—	—	—
Possilpark,	21	8	—	5	4	—	—	martine,	—	—	—	—	—	—	—
St Rollox,	—	—	—	1	—	—	—	ABERDEEN—							
Milton,	2	—	—	—	—	—	—	St Nicholas,	—	—	1	—	4	—	—
Blythswood,	1	—	—	—	—	—	1	St Machar,	—	—	—	1	—	—	2
Anderston,	9	—	—	—	—	—	—	Woodside,	—	—	—	—	—	—	—
Hillhead,	—	—	—	—	—	—	—	Old Aberdeen, . . .	—	—	—	—	—	—	—
Kelvin,	1	—	—	—	—	—	—	E. Peterculter, . . .	—	—	—	—	—	—	—
Maryhill,	6	3	1	—	—	—	—	Nigg,	—	—	—	—	—	—	—
Hutchesontown, . .	10	1	—	—	—	—	—	PAISLEY,	—	—	—	—	2	1	1
Govanhill,	3	—	2	—	—	—	—	LEITH—							
Gorbals,	15	1	1	—	—	—	—	North,	—	—	—	1	2	—	—
Pollokshields, . . .	2	1	—	—	—	—	1	South,	—	—	—	—	—	—	—
Cathcart,	1	—	—	—	—	—	—	GREENOCK—							
Eastwood,	—	—	—	—	—	—	—	East,	—	9	—	1	—	1	—
EDINBURGH—								West,	—	1	—	1	—	—	—
St George,	1	—	2	—	—	—	—	Gourock,	—	—	1	—	1	3	—
St Andrew,	1	—	—	—	—	—	1	PERTH—							
Canongate,	—	—	—	—	—	—	—	Kinnoull,	—	—	—	—	—	—	—
St Giles,	2	—	1	—	—	—	1	Perth,	—	—	—	—	—	—	—
Newington,	—	—	—	—	—	—	1	Tibbermore,	—	—	—	—	—	—	—
Morningside,	16	4	—	5	1	—	—								
Portobello,	—	1	—	—	—	—	—								

DEATHS FROM ALL CAUSES at Four Periods of Life.

21

Registered during the Month of FEBRUARY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	25	6	39	27	97	35	6	33	36	110	55	14	45	46	160	8	4	7	36	55
A. GENERAL DISEASES - -	13	2	22	2	39	19	3	12	8	42	36	12	22	6	76	2	1	3	5	11
B. LOCAL DISEASES:—																				
I. DIS. OF NERVOUS SYSTEM -	5	1	5	1	12	4	-	2	1	7	1	-	2	1	4	1	-	-	-	1
II. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. " HEART - - - -	-	-	4	5	9	-	1	3	6	10	-	-	8	12	20	-	1	-	12	13
IV. " BLOOD VESSELS -	-	-	1	9	10	-	-	4	6	10	1	-	1	6	8	-	1	1	3	5
V. " RESPIRATORY SYSTEM	3	-	2	3	8	7	-	4	6	17	8	1	2	7	18	1	-	1	3	5
VI. " DIGESTIVE SYSTEM -	3	2	2	2	9	1	-	1	2	4	1	-	2	2	5	2	-	-	2	4
VII. " LYMPHATIC AND DUCT-LESS GLANDS -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
VIII. " URINARY SYSTEM -	-	-	1	2	3	1	-	3	3	7	1	-	3	3	7	-	1	1	1	3
IX. " GENERATIVE SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. " PREGNANCY AND CHILD-BIRTH -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
XI. " LOCOMOTOR SYSTEM -	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
XII. " THE SKIN - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED - -	1	-	-	3	4	1	-	2	2	5	7	-	-	7	14	1	-	-	9	10
E. VIOLENT DEATHS - -	-	-	1	-	1	1	1	1	2	5	-	1	5	2	8	1	-	1	1	3
A. GENERAL DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	9	-	-	-	9	10	-	-	-	10	-	-	-	-	-
German Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Whooping-cough	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Mumps	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Pyrexia (origin uncertain)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Enteric Fever	-	-	1	-	1	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-

23

23

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Asiatic Cholera - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa (not otherwise defined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Alba Dolens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
Phagedæna - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis - - - - -	-	-	1	-	1	1	1	1	-	3	5	1	1	-	7	1	-	-	-	1
Pneumonia { Lobar - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Broncho - - - - -	4	-	1	-	5	1	-	-	-	1	4	-	-	-	4	-	-	-	-	-
{ Epidemic - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not defined - - - - -	-	-	2	1	3	-	-	3	1	4	3	-	4	2	9	-	-	-	3	3
Other Infective Conditions - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuberculous Phthisis) - - - - -	-	-	2	-	2	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
Phthisis (not otherwise defined) - - - - -	-	1	9	-	10	-	1	6	-	7	-	1	6	1	8	-	1	1	-	2
Tuberculous Meningitis - - - - -	-	-	-	-	-	2	-	-	-	2	3	4	-	-	7	-	-	-	-	-
Tuberculous Peritonitis - - - - -	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs - - - - -	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
General Tuberculosis - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Scrofula - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Opium, Morphia Habit - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Potomane Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of FEBRUARY 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	2	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	8	-	2	1	1	4	-	1	-	1	2	-	-	-	1	1	-	-	-	-	-
Chronic Rheumatism -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout -																					
Carcinoma -	89	-	-	19	16	35	-	-	12	11	23	-	-	7	6	13	-	-	4	9	13
Sarcoma -	13	-	1	4	1	6	-	2	3	-	5	-	-	-	-	-	-	-	1	1	2
Cancer, Malignant Disease (not otherwise defined)	53	-	-	10	7	17	-	-	6	7	13	-	-	4	1	5	-	-	4	3	7
Rickets -	3	-	1	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Purpura -	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -																					
Anæmia, Leucocythæmia -	13	1	-	5	1	7	-	-	1	3	4	-	-	-	-	1	-	-	-	-	-
Diabetes Mellitus -	14	-	-	6	1	7	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Premature Birth -	68	27	-	-	-	27	14	-	-	-	14	10	-	-	-	10	6	-	-	-	6
Congenital Defects -	20	11	-	-	-	11	3	-	-	-	3	3	-	-	-	3	-	-	-	-	-
Injury at Birth -	3	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Atelectasis -	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	2
Want of Breast Milk -	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Teething -	3	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	18	6	-	-	-	6	1	-	1	-	2	-	1	-	-	1	1	-	1	-	2
Softening of Brain -	14	-	-	-	4	4	-	-	-	2	2	-	1	-	2	3	5	-	1	1	2
General Paralysis of Insane -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Chorea -																					
Epilepsy -	5	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Convulsions -	23	12	-	-	-	12	3	-	-	-	3	-	-	-	-	-	4	-	-	-	4
Laryngismus Stridulus -	4	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Locomotor Ataxy -	3	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	-	-	-	-	-
Paraplegia, Diseases of Cord -	14	-	2	4	1	7	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Neuritis, Peripheral, Polyneuritis -	4	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	4	-	-	2	-	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
Other Dis. of Nervous System	11	2	1	2	-	5	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	9	1	2	4	-	7	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
Epistaxis, Diseases of Nose -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -																					
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	104	-	2	21	5	28	-	1	19	9	29	-	-	7	10	17	-	1	4	4	9
Pericarditis -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	7	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1
Dilatation of Heart -	8	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	9	-	-	1	1	2	-	-	1	3	4	-	-	-	1	1	-	-	-	-	-
Syncope, Heart Disease (not specified) -	134	5	1	29	33	68	2	-	6	12	20	-	2	3	13	18	-	-	3	6	9

25

25

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	1	-	1	-	1	3	4	-	-	-	-	-	-	-	-	-	-	-
Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	4	1	5	-	-	2	2	-	-	2	1	3	-	-	-	1	1	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-
Diabetes Mellitus	-	-	-	-	-	-	-	1	1	-	1	-	2	3	-	-	1	-	-	1
Premature Birth	4	-	-	-	4	1	-	-	1	6	-	-	-	6	-	-	-	-	-	-
Congenital Defects	1	-	-	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Injury at Birth	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	2	1	-	-	3	2	-	-	2	1	-	1	2	-	-	-	-	-	-	-
Softening of Brain	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
General Paralysis of Insane	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions	2	-	-	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord	-	-	2	-	2	-	1	1	2	-	1	-	1	-	-	-	-	-	-	-
Neuritis, Peripheral, Polyneuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System	1	-	1	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	-	3	-	3	-	1	1	2	4	-	-	5	4	9	-	1	-	4	5
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	1	-
Dilatation of Heart	-	-	3	3	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Syncope, Heart Disease (not specified)	-	-	1	1	2	-	-	2	3	5	-	-	2	3	5	-	-	-	7	7

DEATHS FROM ALL CAUSES at Four Periods of Life.

27

Registered during the Month of FEBRUARY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Cerebral	-	-	1	5	6	-	-	3	5	8	1	-	1	6	8	-	1	1	2	4
Embolism or Thrombosis -	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Apoplexy, Hemiplegia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atrophic Gangrene -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebotomy, Thrombosis (not	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral) -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Leucitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Acute Bronchitis -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Chronic Bronchitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheritic) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping Cough (not Spasmodic nor Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
branous) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tracheitis -	3	-	2	3	8	6	-	4	6	16	7	1	2	6	16	1	-	1	3	5
Emphysema, Asthma -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Whooping Cough -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Disease of Lung -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Gastritis, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Œso-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
phagus (not Specific) -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer -	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1
Gastric Catarrh -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Stomach (not	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis (not Infective) -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis, Perityphlitis -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal Obstruction -	-	-	-	1	1	-	-	-	-	-	1	-	1	1	3	-	-	-	1	1
Other Diseases of Intestines -	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Peritonitis (not Puerperal) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Phlebotomy of Liver -	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bladder -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra-renal Capsules -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia -	-	-	-	-	-	1	-	-	-	1	-	-	2	-	2	-	1	-	1	2
Chronic Bright's Disease, Albu-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
minuria -	-	-	-	-	-	-	-	3	3	6	-	-	1	2	3	-	-	1	-	1
Calculus (not Biliary) -	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

29

Registered during the Month of FEBRUARY 1910.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—FEBRUARY 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fevers—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	39	9	27	-	-	-	-	-	-	-	-	6	4
Ayr,	24,944	28,697	70	15	42	-	-	1	-	-	1	1	-	9	7
Banff, with Macduff,	8,927	8,398	15	0	14	-	-	-	-	-	-	-	1	2	2
Blairgowrie,	4,510	4,282	3	1	2	-	-	-	-	-	-	-	-	1	1
Callander,	2,279	2,171	2	0	1	-	-	-	-	-	-	-	-	1	-
Campbeltown,	10,260	10,236	16	2	8	-	-	-	-	-	-	-	-	4	1
Cathcart,*	4,552	7,375	17	3	7	-	1	-	-	-	-	-	-	1	2
Coatbridge,	32,709	39,930	121	9	71	-	-	-	7	-	-	2	-	17	7
Crieff,	5,413	5,706	9	1	8	-	-	-	-	-	-	-	-	-	-
Dumbarton,	18,021	20,205	39	3	41	-	4	-	-	-	1	-	-	11	4
Dumfries, with Troqueer,	23,765	24,745	37	10	51	-	9	-	-	-	-	-	-	8	8
Dunfermline,	28,667	31,697	69	13	52	-	-	1	-	1	1	-	-	11	2
Dunoon,	7,287	8,924	11	3	5	-	-	-	-	-	-	-	-	1	-
Eastwood,*	13,744	15,366	42	0	16	-	-	-	-	-	-	1	-	2	2
Elgin,	10,473	11,560	12	4	16	-	-	-	-	-	-	-	-	3	2
Falkirk,	24,007	33,815	77	6	46	-	-	1	-	-	-	2	-	11	5
Forfar,	13,665	12,879	25	0	12	-	-	-	-	-	-	-	-	3	-
Galashiels,	17,785	13,969	19	9	15	-	-	-	-	-	-	1	-	4	2
Govan—(1) Plantation,	22,571	27,228	59	9	27	-	3	-	1	-	-	-	-	6	1
(2) Govan,	41,187	56,602	150	21	110	-	11	-	-	1	2	1	1	15	26
(3) Partick,	36,533	54,298	124	15	55	-	5	-	-	-	-	-	-	10	10
Haddington,	5,216	5,126	7	1	11	-	-	-	-	-	-	-	-	2	1
Hawick,	20,556	18,502	26	10	24	-	-	-	-	-	-	1	-	4	2
Inverness,	24,186	27,046	52	13	49	-	-	-	-	1	-	-	-	14	5
Kilmarnock, with Riccarton,	31,433	37,170	63	10	52	-	4	1	1	-	-	-	-	6	5
Kilmore and Kilbride (Oban),	5,729	6,301	9	3	9	-	-	-	-	-	-	-	-	2	1
Kirkcaldy and Abbotshall,	17,975	22,997	60	8	24	-	1	-	-	2	-	-	-	7	1
Kirkcudbright,	3,477	3,309	3	1	6	-	-	-	-	-	-	-	-	-	-
Largs, with Skelmorlie,	5,320	5,501	8	0	5	-	-	-	-	-	-	-	-	1	-
Logie (Bridge of Allan),	4,252	4,432	5	0	4	-	-	-	-	-	-	1	-	-	-
Moffat,	2,977	2,799	4	2	5	-	-	-	-	-	-	-	-	-	-
Montrose,	14,591	14,027	15	4	26	-	-	-	-	-	-	-	-	4	2
Moulin (Pitlochry),	2,001	2,192	6	1	5	-	-	-	-	-	-	1	-	-	-
Nairn,	5,250	5,732	7	2	12	-	-	-	-	-	-	-	-	2	1
New Monkland (Airdrie),	33,743	36,786	99	10	41	-	-	-	-	1	-	1	-	10	5
North Berwick,	3,038	3,649	1	0	6	-	-	-	-	-	-	-	-	1	-
Peterhead, with Boddam	15,830	15,146	42	6	26	-	2	2	-	-	-	-	-	3	2
Rothsay,	9,103	9,378	14	3	15	-	-	-	-	-	-	-	-	3	2
St Andrews and St Leonards,	8,755	9,410	18	3	9	-	-	-	-	-	-	-	-	2	-
Shettleston,	12,538	21,955	72	3	30	-	2	1	-	2	-	1	-	6	5
Stirling,	17,002	18,609	47	6	46	-	-	-	2	-	-	1	-	13	7
Stranraer,	6,193	6,036	13	0	7	-	-	-	-	-	-	-	-	2	-
Wick,	12,063	11,326	18	5	25	-	-	-	-	-	-	-	-	6	3

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of FEBRUARY 1910.

Mean barometric pressure, 29·380 inches; less than the average of 1856–1905 by 0·482 inch.

Mean temperature, $39^{\circ}1$; greater by $0^{\circ}4$.

Mean daily range of temperature, $10^{\circ}5$; greater by $0^{\circ}8$.

Rain, number of days, 23; greater by 8 days.

Rain, depth in inches, 3·85; greater by 0·98 inch.

Wind, direction of: a 7 days' excess of winds from S. and SW.

Hence the month of February 1910 was characterised by an abnormally low mean pressure; a slightly high mean temperature, with a slightly high mean daily range; a high mean rainfall; and a large excess of winds from S. and SW.

The mean pressure was 29·380 inches, or 0·482 inch below the normal, being decidedly the lowest mean pressure recorded for the month of February since observations were organised in 1856. The barometer was very unsteady throughout the month, and especially from 17th to 20th. At Leith the sea-level extremes were 30·187 inches on 9th, and 28·379 inches on 20th.

The mean temperature was $39^{\circ}1$, or $0^{\circ}4$ above the normal, the nights being of average temperature, but the days $0^{\circ}8$ above. The third week was decidedly mild, whilst the coldest weather occurred about 9th and towards the end of the month.

There was, however, no period of extreme cold such as had characterised each of the three preceding months. The extreme readings were 53° at Paisley on 5th, and 18° at Perth on 9th.

The mean rainfall was 3·85 inches, or 34 per cent. above the normal, and the month was on the whole the wettest February since 1903. At Dundee and Perth, however, there was a slight deficiency, whilst in the Edinburgh area the excess amounted to fully 60 per cent. At Paisley and Greenock there were only 2 days on which no precipitation occurred, and the month was remarkable rather for the frequency of the rainfall than for the heaviness of individual falls. The wettest period was from 16th to 21st, Greenock having 1·32 inch on 16th.

The weather of the month was extremely unsettled, and from about 16th to 20th of a very stormy character. Snow occurred at times, and fog early in the month.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MARCH 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of March 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 4054 living children, of whom 1980 were male and 2074 female. These births are 526 more than were registered in the previous month, February, but 384 fewer than were registered in March of last year. The equivalent annual birth-rate is 25·2 per thousand of the estimated aggregate population of the eight towns, a rate which is 0·9 above that of February, but 2·8 below that of March of last year, and is the lowest March birth-rate recorded in these reports, the previous lowest being that of March 1907, which was 25·7. The birth-rate of the month ranged from 29·3 in Greenock, to 22·1 in Perth. In Dundee it was 28·1; in Paisley, 26·8; in Glasgow, 25·8; in Aberdeen, 24·8; in Leith, 23·2; and in Edinburgh, 22·3.

Of the 4054 births registered during the month, 287, or 7·1 per cent., were illegitimate. These births are 24 more than those registered in February, but 39 fewer than those registered in March of last year. The illegitimate rate of the month is 0·4 below that of February, and 0·2 below that of March of last year. The illegitimate rate of the month ranged from 8·7 in Edinburgh and Aberdeen, to 2·9 in Leith. In Dundee it was 7·1; in Perth, 7·1; in Glasgow, 7·0; in Greenock, 6·0; and in Paisley, 4·2.

Marriages registered during the month numbered 952. They are 202 more than those registered in February, and 123 more than those registered in March of last year. The equivalent annual marriage-rate is 5·9 per thousand, a rate which is 0·7 above that of February, and the same amount above that of March of last year.

Deaths registered in the eight towns during the month numbered 2680, 1316 being of males, and 1364 of females. These deaths are 160 more than those registered during February, but 765 fewer than those registered during March of last year. The equivalent annual death-rate is 16·7 per thousand, a rate which is 0·7 below that of February, and 5·1 below that of March of last year, and is the lowest March death-rate recorded in these reports, the previous lowest being that of March 1905, which was 18·2. The death-rate of the month ranged from 23·7 in Greenock, and 20·3 in Dundee, to 14·5 in Paisley. In Leith it was 18·1; in Glasgow, 16·5; in Aberdeen, 15·3; in Edinburgh, 15·1; and in Perth, 14·9. Com-

pared with the corresponding death-rates of last year that of Greenock is higher, but those of the remaining seven towns are lower.

Of the 2680 deaths registered during the month, 924, or 34·4 per cent., were of children of less than five years old, and 733, or 27·4 per cent., were of persons of over sixty. The former are 127 more than those of February, but 194 fewer than those of March of last year. The latter are 16 fewer than those of February, and 288 fewer than those of March of last year.

Deaths of children of less than one year old numbered 538; they are 101 more than those of February, but 87 fewer than those of March of last year. The infantile mortality rate of the month amounts to 137 per thousand of the average monthly number of births registered in the eight towns during the preceding twelve months, a rate which is 15 above that of February, but 16 below that of March of last year, and which ranged from 214 in Greenock, to 75 in Perth. In Dundee it was 166; in Paisley, 155; in Leith, 151; in Glasgow, 134; in Edinburgh, 124; and in Aberdeen, 106.

Deaths from the principal epidemic diseases numbered 315; they are 19 more than those of February, but 62 fewer than those of March of last year. The equivalent annual death-rate from these causes is 2·0 per thousand, a rate which is the same as that of February, but 0·4 below that of March of last year. This death-rate ranged from 6·7 in Greenock, to 0·6 in Perth, and 0·8 in Edinburgh and Aberdeen. In Leith it was 3·5; in Dundee, 3·3; in Glasgow, 2·0; and in Paisley, 1·1. Of these deaths from epidemic diseases 193 were ascribed to measles, 97 of them being registered in Glasgow, 32 in Dundee, 29 in Greenock, and 20 in Leith; 20 were ascribed to scarlet fever; 37 to whooping-cough, 21 of which were in Glasgow; 31 to diphtheria; 9 to enteric fever; 23 to diarrhoea; and 2 to cerebro-spinal meningitis. Compared with the returns of February, deaths from measles are 24 more, from whooping-cough 10 more, and from diarrhoea 7 more, but those from diphtheria are 11 fewer, from scarlet fever 6 fewer, from cerebro-spinal meningitis 3 fewer, and from enteric fever 2 fewer.

Deaths from influenza numbered 8; from puerperal septic conditions 9; and from malignant disease 185, of which 109 were ascribed to carcinoma, 14 to sarcoma, and 62 to other or unspecified form of cancer. Deaths from heart disease numbered 255; from apoplexy 176; from premature birth debility 82; and from alcoholism 6.

Deaths from pneumonia numbered 293, and constituted 10·9 per cent. of the total deaths of the month; they are 46 more than in February, but 156 fewer than in March of last year. Deaths from bronchitis numbered 174, and constituted 6·5 per cent. of the total deaths of the month; they are 55 fewer than in February, and 196 fewer than in March of last year.

Deaths from tuberculous diseases numbered 301, and constituted 11·2 per cent. of the total deaths of the month; they are 17 more than in February, but 92 fewer than in March of last year. Of the deaths from tuberculous disease 191 were ascribed to phthisis; they are 13 more than in February, but 59 fewer than in March of last year.

Deaths from violence numbered 99; of them 6 were ascribed to suicide, 4 being by hanging, and 1 each by gunshot and cutting.

Among those whose deaths were registered during the month, 4 males and 14 females were aged 90 years and upwards, the oldest of them being a retired engraver aged 98 years.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 46 there is given the usual monthly statement regarding births, deaths, and marriages in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1719, marriages 321, and deaths 1200. The equivalent annual birth-rate is 24·5, the marriage-rate 4·6, and the death-rate 17·1. Compared with the corresponding death-rate of the previous year, the birth-rate is 3·3 less, the marriage-rate 0·4 more, the death-rate 2·6 less.

Among deaths registered in these districts during the month there were 74 from measles; 10 from scarlet fever; 15 from whooping cough; 12 from diphtheria; 2 from enteric fever; 1 from typhus fever; 15 from diarrhoeas; 1 from croup; 2 from laryngitis; 188 from pneumonia, bronchitis, and pleurisy; 170 from tubercule; and 2 from cerebro-spinal meningitis, which occurred in Dunfermline and in Shettleston respectively.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MARCH 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, . . .	672,872	775,561	884,505	954	965	1939	1804	135	476	633	609	1242
EDINBURGH, . . .	276,652	317,335	360,276	335	346	681	622	59	198	213	243	461
DUNDEE, . . .	155,523	162,982	170,206	194	212	406	377	29	64	139	154	293
ABERDEEN, . . .	124,943	153,503	185,703	186	205	391	357	34	87	115	126	241
PAISLEY, . . .	66,425	79,363	93,534	110	103	213	204	9	35	57	58	115
LEITH, . . .	68,707	77,563	86,767	77	94	171	166	5	38	71	62	133
GREENOCK, . . .	64,175	68,911	73,605	92	91	183	172	11	36	70	78	148
PERTH, . . .	30,775	33,995	37,275	32	38	70	65	5	18	18	29	47
TOTAL, . . .	1,460,072	1,669,213	1,891,921	1980	2074	4054	3767	287	952	1316	1364	2680

MARCH 1909, . . .	Mean Temp. 37°·3	2249	2189	4438	4112	326	829	1686	1759	3445
MARCH 1908, . . .	Mean Temp. 39°·3	2110	2057	4167	3890	277	937	1543	1491	3034
MARCH 1907, . . .	Mean Temp. 43°·1	2047	1910	3957	3662	295	812	1496	1525	3021
MARCH 1906, . . .	Mean Temp. 39°·6	2154	2103	4257	3946	311	781	1390	1422	2812
MARCH 1905, . . .	Mean Temp. 42°·8	2233	2243	4481	4179	302	776	1365	1333	2698
MARCH 1904, . . .	Mean Temp. 39°·3	2234	2135	4369	4072	297	832	1543	1672	3220
MARCH 1903, . . .	Mean Temp. 42°·1	2210	2186	4396	4106	290	877	1401	1379	2780
MARCH 1902, . . .	Mean Temp. 42°·7	2128	2057	4185	3900	285	878	1569	1625	3194
MARCH 1901, . . .	Mean Temp. 39°·6	2114	2016	4130	3865	265	740	1495	1473	2968
MARCH 1900, . . .	Mean Temp. 38°·5	2256	2091	4347	4051	296	792	1641	1630	3271

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of MARCH 1910.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
Bridgeton, . . .	15	4	11	11	3	—	—	St Peter, . . .	—	5	—	1	—	—	2
Camlachie, . . .	6	—	1	—	—	—	2	St Mary, . . .	—	13	—	—	—	—	3
Calton, . . .	4	—	5	—	—	—	1	St Clement, . . .	—	—	—	—	12	—	1
Dennistoun, . . .	—	—	—	—	—	—	—	St Andrew, . . .	22	13	1	—	—	—	1
Garnagadhill, . . .	1	—	—	—	—	—	—	Lochee, . . .	—	—	—	—	—	—	—
Springburn, . . .	11	—	—	—	—	—	—	Mains and Strath-	—	—	—	—	—	—	—
Possilpark, . . .	15	2	—	2	—	—	—	martine, . . .	—	—	—	—	—	—	—
St Rollox, . . .	1	—	—	—	—	1	—	ABERDEEN—							
Milton, . . .	—	—	1	—	—	1	—	St Nicholas, . . .	—	—	1	1	8	—	—
Blythswood, . . .	1	—	—	—	1	—	—	St Machar, . . .	—	—	1	—	—	—	1
Anderston, . . .	9	—	—	—	—	—	—	Woodside, . . .	—	—	—	—	—	—	—
Hillhead, . . .	1	1	—	—	—	1	—	Old Aberdeen, . . .	—	—	—	—	—	—	—
Kelvin, . . .	3	—	—	—	—	—	—	E. Peterculter, . . .	—	—	—	—	—	—	—
Maryhill, . . .	6	—	3	—	—	—	—	Nigg, . . .	—	—	—	—	—	—	—
Hutchesontown, . . .	3	—	—	—	—	1	—	PAISLEY, . . .	—	5	2	—	2	—	—
Govanhill, . . .	5	1	—	—	—	—	—	LEITH—							
Gorbals, . . .	14	—	—	1	—	—	—	North, . . .	—	5	1	1	1	—	1
Pollokshields, . . .	2	—	—	—	—	—	—	South, . . .	—	15	1	—	1	—	—
Cathcart, . . .	—	—	—	1	—	—	—	GREENOCK—							
Eastwood, . . .	—	—	—	—	—	—	—	East, . . .	—	11	—	—	—	—	3
EDINBURGH—								West, . . .	—	18	—	1	—	—	1
St George, . . .	1	—	—	—	1	—	—	Gourock, . . .	—	—	—	1	4	—	—
St Andrew, . . .	—	—	—	3	—	—	1	PERTH—							
Canongate, . . .	—	—	—	1	—	—	—	Kinnoull, . . .	—	—	—	—	—	—	—
St Giles, . . .	1	—	—	—	—	—	—	Perth, . . .	—	—	—	—	—	1	—
Newington, . . .	—	1	2	—	—	—	—	Tibbermore, . . .	—	—	—	—	—	—	—
Morningside, . . .	5	3	1	—	—	—	—								
Portobello, . . .	1	—	—	—	—	—	—								

DEATHS FROM ALL CAUSES at Four Periods of Life.

37

Registered during the Month of MARCH 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	40	8	34	33	115	58	7	29	39	133	70	13	38	27	148	6	4	12	25	47
A. GENERAL DISEASES - -	27	5	17	1	50	46	5	16	15	82	56	10	19	3	88	3	3	5	7	18
B. LOCAL DISEASES:—																				
I. DIS. OF NERVOUS SYSTEM -	4	2	2	-	8	7	-	-	1	8	4	2	1	-	7	1	-	1	-	2
II. „ ORGANS OF SPECIAL SENSE - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. „ HEART - - -	-	-	5	8	13	-	1	5	6	12	-	-	5	13	18	-	1	3	9	13
IV. „ BLOOD VESSELS - -	-	-	1	10	11	-	-	1	12	13	-	-	4	4	8	-	-	-	4	4
V. „ RESPIRATORY SYSTEM	4	-	2	8	14	1	-	-	1	2	4	-	4	3	11	-	-	1	-	1
VI. „ DIGESTIVE SYSTEM -	1	-	2	-	3	2	-	-	1	3	2	-	-	1	3	-	-	2	-	2
VII. „ LYMPHATIC AND DUCT-LESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. „ URINARY SYSTEM -	-	-	2	1	3	1	-	1	1	3	-	-	3	-	3	-	-	-	1	1
IX. „ GENERATIVE SYSTEM -	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
X. „ PREGNANCY AND CHILD-BIRTH - -	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
XI. „ LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. „ THE SKIN - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED - -	4	-	-	5	9	1	-	-	2	3	4	-	-	1	5	2	-	-	3	5
E. VIOLENT DEATHS - -	-	-	3	-	3	-	1	4	-	5	-	-	2	2	4	-	-	-	1	1
A. GENERAL DISEASES.																				
Small-pox { Vaccinated - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Vaccinated - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Doubtful - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	5	-	-	-	5	20	-	-	-	20	28	1	-	-	29	-	-	-	-	-
German Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	2	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Hooping-cough - - -	-	-	-	-	-	-	1	-	-	1	4	-	1	-	4	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-
Cerebro-spinal Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	3	1	-	-	4	-	-	-	1	1

39

39

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MARCH 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	7	-	2	-	-	2	-	1	1	-	2	-	1	-	-	1	-	1	-	1	-
Chronic Rheumatism -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	6	-	-	2	-	2	-	-	1	1	2	-	-	-	-	-	-	-	2	-	2
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	109	-	-	31	21	52	-	-	11	13	24	-	-	4	8	12	-	-	5	5	10
Sarcoma -	14	1	-	4	3	8	-	-	1	-	1	-	-	1	-	1	-	1	2	-	3
Cancer, Malignant Disease (not otherwise defined)	62	-	-	20	12	32	-	-	6	8	14	-	-	4	2	6	-	-	2	2	4
Rickets -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura -	2	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	14	-	-	3	1	4	-	-	3	-	3	-	-	2	1	3	-	-	-	-	-
Diabetes Mellitus -	21	-	1	4	2	7	-	-	3	2	5	-	-	-	3	3	-	-	1	1	2
Premature Birth -	82	39	-	-	-	39	16	-	-	-	16	8	-	-	-	8	2	-	-	-	2
Congenital Defects -	31	15	-	-	-	15	4	1	-	-	5	1	-	-	-	1	2	-	-	-	2
Injury at Birth -	6	4	-	-	-	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Atelectasis -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Want of Breast Milk -	5	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Teething -	6	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	39	14	3	1	-	18	4	-	-	1	5	1	-	1	-	2	2	-	-	-	2
Softening of Brain -	6	-	-	-	1	1	-	-	-	3	3	-	-	1	-	1	-	-	-	-	-
General Paralysis of Insane -	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Insanity (not Puerperal) -	7	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	2	1	3
Chorea -	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Epilepsy -	3	-	-	2	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Convulsions -	36	16	-	-	-	16	3	-	-	-	3	3	-	-	-	3	7	-	-	-	7
Laryngismus Stridulus -	4	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy -	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Paraplegia, Diseases of Cord -	9	-	1	2	-	3	-	-	2	1	3	-	-	-	-	-	-	-	2	-	2
Neuritis, Peripheral, Polyneuritis -	4	-	-	3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Brain Tumour (not Specific) -	8	-	-	2	-	2	-	-	3	-	3	-	-	-	-	-	-	-	2	1	3
Other Dis. of Nervous System	8	2	1	1	-	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	4	2	1	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Epistaxis, Diseases of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	101	1	3	25	8	37	-	2	11	13	26	-	-	2	3	5	-	-	4	6	10
Pericarditis -	2	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart -	11	-	-	1	1	2	-	1	2	-	3	-	-	1	1	2	-	-	-	1	1
Fatty Degeneration of Heart	12	-	-	-	4	4	-	-	3	3	6	-	-	-	1	1	-	-	-	-	-
Syncope, Heart Disease (not specified) -	124	-	-	19	28	47	-	-	6	15	21	1	1	8	7	17	-	2	5	6	13

DEATHS FROM ALL CAUSES at Four Periods of Life.

41

Registered during the Month of MARCH 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarcot - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sarcoma - - - - -	-	-	-	-	-	-	-	1	7	8	-	-	1	-	1	-	-	1	1	2
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	1	-	1	-	-	-	3	3	-	-	1	1	-	-	-	-	1	1
Eclampsia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Æmophilia, Hemorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Æmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	1	1
Diabetes Mellitus - - - - -	-	-	1	-	1	-	-	2	-	2	-	1	-	1	-	-	-	-	-	-
Immature Birth - - - - -	11	-	-	-	11	3	-	-	-	3	2	-	-	2	1	-	-	-	-	1
Congenital Defects - - - - -	1	-	-	-	1	4	-	-	-	4	2	-	-	2	1	-	-	-	-	1
Injury at Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eclampsia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Smothering - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Encephalitis, Inflammation of Brain - - - - -	2	2	1	-	5	5	-	-	-	5	1	1	-	-	2	-	-	-	-	-
Softening of Brain - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Sanity (not Puerperal) - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	2	-	-	-	2	2	-	-	-	2	2	-	-	-	2	1	-	-	-	1
Tetanus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Myelitis, Peripheral, Polyneuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomatitis, Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conjunctivitis, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	-	3	1	4	-	1	3	3	7	-	-	2	3	5	-	1	3	3	7
Myocarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2
Stenosis of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-
Arterio-sclerosis of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Coronary Heart Disease (not specified) - - - - -	-	-	2	7	9	-	-	2	3	5	-	-	3	6	9	-	-	-	3	3

DEATHS FROM ALL CAUSES at Four Periods of Life.

43

Registered during the Month of MARCH 1910.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

45

Registered during the Month of MARCH 1910.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—MARCH 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus and Enteric.	All Diarrheal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	37	9	81	-	-	-	-	-	-	-	-	6	3
Ayr,	24,944	28,697	82	14	53	-	5	-	-	2	-	-	-	7	10
Banff, with Macduff,	8,927	8,398	18	2	20	-	-	-	-	-	-	-	-	2	2
Blairstown,	4,510	4,282	5	1	10	-	-	-	-	-	-	-	-	-	-
Callander,	2,279	2,171	2	2	2	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	17	5	16	-	-	-	-	-	-	-	-	4	2
Cathcart,*	4,552	7,375	13	0	17	-	1	-	-	-	-	1	-	1	4
Coatbridge,	32,709	39,930	135	10	71	-	9	-	5	1	-	-	1	7	6
Crieff,	5,413	5,706	10	2	7	-	-	-	-	-	-	-	-	1	-
Dumbarton,	18,021	20,205	45	6	48	-	3	1	-	1	1	1	-	7	7
Dumfries, with Troqueer,	23,765	24,745	43	13	54	-	6	-	-	-	-	-	1	7	12
Dunfermline,	28,667	31,697	54	10	56	-	2	-	-	2	-	1	-	8	5
Dunoon,	7,287	8,924	9	6	16	-	-	-	-	-	-	-	-	-	5
Eastwood,*	13,744	15,366	27	12	19	-	-	1	-	-	-	1	-	3	2
Elgin,	10,473	11,560	25	9	20	-	-	-	-	-	-	-	-	3	5
Falkirk,	24,007	33,815	86	21	43	-	-	1	-	1	-	-	-	10	7
Forfar,	13,665	12,879	29	10	15	-	-	-	-	-	-	1	-	-	-
Galashiels,	17,785	18,969	24	6	19	-	3	1	-	-	-	-	-	1	4
Govan—(1) Plantation,	22,571	27,228	67	12	25	-	-	-	-	-	-	-	-	5	6
(2) Govan,	41,187	56,602	175	31	113	-	6	3	-	1	1	-	-	21	21
(3) Partick,	36,538	54,298	149	28	92	-	15	1	2	-	-	1	1	26	11
Haddington,	5,216	5,126	12	0	8	-	1	-	-	-	-	-	-	3	2
Hawick,	20,556	18,502	31	8	25	-	-	-	1	-	-	1	-	2	2
Inverness,	24,186	27,046	43	12	41	-	-	-	-	-	-	-	-	8	10
Kilmarnock, with Riccarton,	31,433	37,170	76	22	61	-	6	-	1	-	-	2	-	16	10
Kilmore and Kilbride (Oban),	5,729	6,301	9	1	10	-	-	-	-	-	-	-	-	-	3
Kirkcaldy and Abbotshall,	17,975	22,997	48	8	40	-	-	1	-	2	-	1	-	5	4
Kirkcudbright,	3,477	3,309	13	2	5	-	-	-	-	-	-	-	-	1	1
Largs, with Skelmorlie,	5,320	5,501	11	1	5	-	-	-	-	-	-	-	-	-	-
Logie (Bridge of Allan),	4,252	4,432	8	3	4	-	-	-	-	-	-	-	-	2	-
Moffat,	2,977	2,799	4	1	1	-	-	-	-	-	-	-	-	1	-
Montrose,	14,591	14,027	23	5	24	-	-	-	-	-	-	-	-	3	2
Moulin (Pitlochry),	2,001	2,192	2	1	4	-	2	-	-	-	-	-	-	-	-
Nairn,	5,250	5,732	12	4	18	-	-	-	2	-	-	-	-	4	-
New Monkland (Airdrie),	33,743	36,786	106	8	49	-	1	-	-	1	-	2	-	6	3
North Berwick,	3,038	3,649	6	0	2	-	-	-	-	-	-	-	-	-	-
Peterhead, with Boddam	15,830	15,146	46	5	31	-	5	-	-	-	-	-	-	5	4
Rothsay,	9,108	9,378	21	4	11	-	-	-	-	-	-	1	-	3	2
St Andrews and St Leonards,	8,755	9,410	14	3	14	-	-	-	-	-	-	1	-	-	-
Shettleston,	12,538	21,955	73	10	38	-	8	1	-	1	-	-	-	3	7
Stirling,	17,002	18,609	56	8	31	-	1	-	4	-	-	-	-	5	3
Stranraer,	6,193	6,036	14	2	9	-	-	-	-	-	-	1	-	-	2
Wick,	12,063	11,326	39	4	17	-	-	-	-	-	1	-	-	2	3

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of MARCH 1910.

Mean barometric pressure, 30.055 inches ; greater than the average of 1856-1905 by 0.241 inch.

Mean temperature, $43^{\circ}3$; greater by $3^{\circ}0$.

Mean daily range of temperature, $13^{\circ}1$; greater by $1^{\circ}5$.

Rain, number of days, 11 ; less by 5 days.

Rain, depth in inches, 1.67 ; less by 0.79 inch.

Wind, direction of : a 5 days' excess of wind from between SE. and SW.

Hence the month of March 1910 was characterised by a very high mean pressure ; a decidedly high mean temperature, with a high mean daily range ; a low mean rainfall ; and a considerable excess of winds from a southerly quarter.

The mean pressure was 30.055 inches, or 0.241 inch above the normal, and as much as 0.675 inch above the very low mean recorded for February. The barometer was somewhat unsteady about 9th and 16th, but from 18th onwards stood at a high level with but slight variations. At Leith the sea-level extremes were 30.611 inches on 31st, and 29.296 inches on 9th.

The mean temperature was $43^{\circ}3$, or $3^{\circ}0$ above the normal, the days being $3^{\circ}8$ and the nights $2^{\circ}3$ above their respective averages, and the month the mildest March experienced since 1893. The second and fourth weeks were especially mild, whilst somewhat low night temperatures occurred about 18th and at the end of the month. The extreme readings were 62° at Paisley on 30th, and 27° at Perth on 28th and 29th.

The mean rainfall was 1.67 inch, or 32 per cent. below the normal, the month being the driest March since 1900. The deficiencies at the individual towns ranged from 13 per cent. at Paisley to fully 40 per cent. at Edinburgh, Leith and Dundee. Rather heavy falls occurred on 1st, 0.90 inch at Paisley, and from 6th to 9th, and again about 16th, conditions were rather unsettled. From 18th onwards the weather was extremely fine, and rainless or all but so at all the towns.

High winds occurred at the beginning and about the middle of the month ; slight falls of snow here and there on 18th ; and a little fog at times during the settled weather of the last two weeks.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of MARCH 1910.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE-CIPITATION.		WIND DIRECTIONS.												WIND FORCE.
	Mean at Station and 32°.		Mean of Maximum (A).	Minimum (B).	Mean of A and B (Mean Temperature).	Difference from Average.	Absolute Maximum and Minimum.		Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.											
	inch.	inch.					Maximum.	Day of Month.								Minimum.	Day of Month.	per cent.	inch.	inch.	N	NE	E	SE	S	SW	
GLASGOW, Medical Officer of Health, Glasgow.	54	30.002	30.063	50.6	36.9	43.8	+2.7	59	30th	42.2	2.1	22.5	85	8	1.74	-0.69	1	1	2	8	10	17	10	4	9	..	
EDINBURGH, Professor DYSON, F.R.S., Royal Observatory.	441	29.576	30.063	48.3	36.7	42.5	+2.8	57	29th	41.7	2.5	21.3	82	12	0.85	-0.62	2	1	1	7	6	9	27	4	5	2.4	
DUNDEE, JOHN CARNOGHAN, Curator of Cemeteries.	164	29.873	30.056	48.5	35.6	42.1	+2.5	56	20th, 29th	41.3	1.5	22.9	88	11	1.09	-0.79	3	2	2	11	1	27	6	10	0	2.1	
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44		
PAISLEY DONALD MACLEAN, The Coats Observatory.	107	29.941	30.060	51.6	37.3	44.5	+4.2	62	30th	43.9	3.0	22.3	77	10	2.39	-0.36	3	1	6	0	18	1	17	11	5	1.5	
LEITH, JAMES BOLAM, Nautical Col- lege, and GEORGE REDPATH.	76	29.972	30.057	50.4	38.7	44.6	+2.9	58	29th	43.6	2.6	22.8	80	12	0.94	-0.72	0	0	4	2	8	8	32	8	0	3.5	
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29.783	30.037	49.2	36.2	42.7	+2.5	58	30th	43.0	2.3	22.8	82	14	3.21	-1.52	0	2	3	9	0	14	16	16	2	3.3	
PERTH, ALEX. M. RODGER, The Museum.	85	29.952	30.048	50.9	35.9	43.4	+3.3	59	23rd, 28th, 30th	41.5	2.4	21.3	82	9	1.49	-0.85	3	3	5	5	4	23	6	10	3	2.1	
Means	151	29.871	30.055	49.9	36.8	43.3	+3.0	42.5	2.3	22.3	82	11	1.67	-0.79	2	2	3	6	7	14	16	9	3	2.5	
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'. Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 3'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'.																											

North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

APRIL 1910.

Published by Authority of the Registrar-General.

EDINBURGH : Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of April 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 4116 living children, of whom 2102 were male and 2014 female. These births are 62 more than those registered in these towns in March, but 227 fewer than those registered in April of last year. The equivalent annual birth-rate is 26·5 per thousand of the estimated aggregate population of the eight towns, a rate which is 1·3 above that of March, but 1·9 below that of April of last year. It is the lowest April birth-rate recorded in these reports, the previous lowest being that of April 1909, which was 28·4. The birth-rate of the month ranged from 30·8 in Greenock, to 20·8 in Edinburgh. In Glasgow it was 28·9; in Leith, 28·3; in Perth, 27·8; in Paisley, 26·1; in Dundee, 25·6; and in Aberdeen, 24·4.

Of the 4116 births registered during the month, 285, or 6·9 per cent., were illegitimate. These births are 2 fewer than in March, and 16 fewer than in April of last year. The illegitimate rate is 0·2 less than in March, but is the same as that of April of last year. The illegitimate rate of the month ranged from 8·4 in Edinburgh, and 8·1 in Dundee, to 1·5 in Leith. In Aberdeen it was 7·3; in Glasgow, 7·1; in Paisley, 7·0; in Perth, 4·7; and in Greenock, 4·3.

Marriages registered in the eight towns during the month numbered 1112; they are 160 more than in March, but 52 fewer than in April of last year. The equivalent annual marriage-rate is 7·2 per thousand, a rate which is 1·3 above that of March, but 0·4 below that of April of last year.

Deaths registered in these towns during April numbered 2731; they are 51 more than in March, and 6 more than in April of last year. The equivalent annual death-rate is 17·6 per thousand of the estimated aggregate population, a rate which is 0·9 above that of March, but 0·2 below that of April of last year, and is lower than all corresponding April death-rates with the exception of that of 1905, which was 17·0. The death-rate of the month ranged from 28·8 in Dundee, and 26·3 in Greenock, to 11·7 in Aberdeen. In Glasgow it was 17·7; in Edinburgh, 15·4; in Perth, 14·7; in Paisley, 13·8; and in Leith, 13·3. The death-rates of Glasgow, Edinburgh, Dundee and Greenock, were higher than those of the previous month, but the death-rates of Aberdeen, Paisley, Leith and Perth, were lower than those of the previous month.

Of the 2731 deaths, 1000, or 36·6 per cent., were of children of less than five years old, and 703, or 25·7 per cent., were of persons of over sixty. The former are 76 more than in March, and 81 more than in April of last year. The latter are 30 fewer than in March, and 76 fewer than in April of last year.

Deaths of children of less than one year old numbered 527; they are 11 fewer than in March, and 7 fewer than in April of last year. The equivalent infantile mortality rate per thousand of the average monthly number of births registered in the eight towns during the preceding twelve months is 140, a rate which is 3 above that of March, and 5 above that of April of last year, and which ranged from 259 in Dundee, and 191 in Greenock, in both of which towns there was an epidemic of measles, to 96 in Aberdeen, and 82 in Paisley. In Perth it was 154; in Edinburgh, 141; in Glasgow, 128; and in Leith, 108.

Deaths from the principal epidemic diseases numbered 364; they are 49 more than in March, and 34 more than in April of last year. The equivalent annual death-rate from these causes is 2·3 per thousand, a rate which is 0·3 above that of March, and 0·1 above that of April of last year. This death-rate ranged from 10·2 in Dundee, and 7·6 in Greenock, to 0·3 in Aberdeen and Perth. In Paisley it was 1·7; in Glasgow, 1·5; in Edinburgh, 1·4; and in Leith, 1·3. Of the deaths from epidemic diseases 254 were ascribed to measles, 118 being in Dundee, 57 in Glasgow, and 38 in Greenock; 21 to scarlet fever; 27 to whooping-cough; 28 to diphtheria; 1 to typhus fever, registered in Glasgow; 2 to enteric fever; 27 to diarrhoea and dysentery; and 4 to cerebro-spinal meningitis, 3 being registered in Glasgow and 1 in Edinburgh. Compared with the returns of March, deaths from whooping-cough are 10 fewer, from enteric fever 7 fewer, and from diphtheria 3 fewer, but those from scarlet fever and from typhus fever are each 1 more, those from cerebro-spinal meningitis are 2 more, those from diarrhoea and dysentery are 4 more, and those from measles 61 more.

Deaths from influenza numbered 4; from puerperal septic conditions 10; and from malignant diseases 159, of which 101 were ascribed to carcinoma, 7 to sarcoma, and 51 to other or unspecified form of cancer. Deaths from heart disease numbered 269; from apoplexies 148; from premature birth debility 94; and from alcoholism 8.

Deaths from pneumonia numbered 294, and constituted 10·8 per cent. of the total; they are 1 more than in March, and 11 more than in April of last year. Deaths from bronchitis numbered 170, and constituted 6·2 per cent. of the total deaths of the month; they are 4 fewer than in March, and 53 fewer than in April of last year.

Deaths from tuberculous diseases numbered 356, and constituted 13·0 per cent. of the total deaths of the month; they are 55 more than in March, but 1 fewer than in April of last year. Of these deaths 212 were ascribed to phthisis, being 21 more than in March, but 19 fewer than in April of last year.

Deaths from violence numbered 79; of them 9 were ascribed to suicide, 5 being by hanging, 3 by cutting, and 1 by coal gas poisoning.

Among those whose deaths were registered during the month, there were 4 males and 6 females aged 90 years and over, the oldest of them being a widow, aged 96 years.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 62 there is given the usual monthly statement regarding births, deaths, and marriages registered in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1805, marriages 365, and deaths 1131. The equivalent annual birth-rate is 26·6, the marriage-rate 5·4, and the death-rate 16·7. Compared with the rates of April of last year, the birth-rate is 2·0 less, the marriage-rate 0·1 more, and the death-rate 0·1 more.

Among the deaths registered in these districts there were 91 from measles, of which 24 were in Dumbarton, 12 in Shettleston, and 11 in Kilmarnock; 6 from scarlet fever; 22 from whooping-cough; 11 from diphtheria; 2 from enteric fever; 20 from diarrhoeas; 4 from laryngitis; 181 from pneumonia, bronchitis, and pleurisy; 143 from tuberculous diseases; and 1 from cerebro-spinal meningitis. Among the deaths registered in Dumbarton during the month more than fifty per cent. were ascribed to measles.

Registered during the Month of APRIL 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2731	423	97	449	320	1289	138	88	138	142	456	223	27	80	73	403	53	12	51	62	178
A. GENERAL DISEASES -	1424	297	62	213	84	656	95	22	70	38	225	187	19	39	14	259	34	9	20	9	72
B. LOCAL DISEASES:—																					
I. DIS. OF NERVOUS SYSTEM	107	17	3	11	7	38	9	4	7	10	30	4	2	3	5	14	5	-	2	1	8
II. „ ORGANS OF SPECIAL SENSE - -	12	1	4	2	-	7	2	1	-	-	3	-	1	-	-	1	-	-	-	-	-
III. „ HEART - -	269	-	6	68	54	128	1	5	19	29	54	1	2	10	15	28	-	-	9	15	24
IV. „ BLOOD VESSELS -	186	-	-	33	53	86	-	1	10	25	36	-	-	6	15	21	-	-	2	9	11
V. „ RESPIRATORY SYST.	186	25	1	22	41	89	10	-	4	5	19	10	-	3	9	22	2	-	3	14	19
VI. „ DIGESTIVE SYSTEM	181	46	5	26	18	95	5	1	9	7	22	10	3	8	2	23	4	2	5	3	14
VII. „ LYMPHATIC AND DUCTLESS GLANDS	5	-	1	1	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
VIII. „ URINARY SYSTEM -	116	3	5	26	26	60	-	-	6	17	23	-	-	4	4	8	-	-	6	3	9
IX. „ GENERATIVE SYST.	9	1	-	5	1	7	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
X. „ PREGNANCY AND CHILDBIRTH -	12	-	-	5	-	5	-	-	3	-	3	-	-	2	-	2	-	-	1	-	1
XI. „ LOCOMOTOR SYSTEM	11	-	2	5	-	7	1	1	-	-	2	-	-	-	-	-	-	1	-	-	-
XII. „ THE SKIN - -	3	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED -	131	27	-	6	30	63	13	-	2	9	24	6	-	2	6	14	6	-	-	7	13
E. VIOLENT DEATHS -	79	5	8	26	5	44	2	3	6	1	12	5	-	2	3	10	2	-	3	1	6
F. CAUSES OF SUICIDE -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G. CAUSES OF ACCIDENTAL DEATHS -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H. CAUSES OF UNKNOWN DEATHS -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I. CAUSES OF DEATH BY POISONING -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J. CAUSES OF DEATH BY FIRE -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
K. CAUSES OF DEATH BY DROWNING -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. CAUSES OF DEATH BY FALLING FROM HEIGHTS -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. CAUSES OF DEATH BY COLLISION WITH RAILROADS -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N. CAUSES OF DEATH BY COLLISION WITH TRAMWAYS -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O. CAUSES OF DEATH BY COLLISION WITH MOTOR CARS -	10	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccin. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - -	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Measles - -	254	53	4	-	-	57	28	-	-	-	-	28	118	-	-	118	-	-	-	-	-
German Measles - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	21	6	4	1	1	12	1	1	-	-	2	1	1	-	-	2	1	-	-	1	-
Typhus - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - -	4	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hooping-cough - -	27	12	2	-	-	14	3	-	-	-	3	6	1	-	-	7	-	-	-	-	-
Mumps - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - -	28	14	-	-	-	14	1	1	-	-	2	2	1	-	-	3	2	-	-	-	2
Cerebro-spinal Fever - -	4	1	1	1	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

53

Registered during the Month of APRIL 1910.

CAUSES OF DEATH.					PAISLEY.					LEITH.					GREENOCK.					PERTH.				
					0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -					32	10	40	24	106	35	4	25	31	95	83	7	34	35	159	13	1	15	16	45
I. GENERAL DISEASES - -					21	9	17	6	53	27	3	14	9	53	64	4	12	6	86	10	-	6	4	20
II. LOCAL DISEASES:—																								
I. DIS. OF NERVOUS SYSTEM -					-	-	3	-	3	3	-	1	1	5	3	-	3	1	7	1	1	-	-	2
II. " ORGANS OF SPECIAL SENSE -					-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
III. " HEART - - -					-	-	5	5	10	-	-	2	4	6	-	-	4	10	14	1	-	2	2	5
IV. " BLOOD VESSELS -					-	-	1	5	6	-	-	1	9	10	-	-	4	6	10	-	-	2	4	6
V. " RESPIRATORY SYSTEM					4	-	4	2	10	2	-	1	6	9	5	-	4	6	15	-	-	-	3	3
VI. " DIGESTIVE SYSTEM -					5	-	2	1	8	1	-	2	-	3	6	1	3	2	12	1	-	2	1	4
VII. " LYMPHATIC AND DUCTLESS GLANDS -					-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. " URINARY SYSTEM -					-	-	5	1	6	-	1	3	-	4	1	-	3	-	4	-	-	1	1	2
IX. " GENERATIVE SYSTEM -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
X. " PREGNANCY AND CHILD-BIRTH -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
XI. " LOCOMOTOR SYSTEM -					-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
XII. " THE SKIN - - -					-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - - -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED - -					2	-	-	3	5	1	-	-	2	3	3	1	-	4	8	-	-	-	1	1
E. VIOLENT DEATHS - -					-	1	2	-	3	1	-	1	-	2	1	-	-	-	1	-	-	1	-	1
A. GENERAL DISEASES.																								
Small-pox { Vaccinated -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccination -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -					5	-	-	-	5	8	-	-	8	37	1	-	-	38	-	-	-	-	-	-
German Measles -					-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -					-	1	-	-	1	-	-	-	-	2	-	-	-	2	-	-	1	-	1	-
Typhus -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -					-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Hooping-cough -					1	-	-	-	1	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
Mumps -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -					-	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-
Cerebro-spinal Fever -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) -					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -					-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

55

Registered during the Month of APRIL 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—<i>continued.</i>																				
Epidemic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Diarrhoea, Enteritis-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea (not otherwise defined)-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Syntyphenteria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Staphylococcus - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhoea - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Pyæmia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas Alba Dolens - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal) -	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Pyæmia (not Puerperal) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elephantiasis, Carbuncle (not An-thrax) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chagassia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Infective Endocarditis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lobar Pneumonia { - - - -	-	-	-	-	-	1	-	1	2	4	-	-	1	1	2	-	-	-	1	1
Broncho-pneumonia { Epidemic - - - -	4	-	-	-	4	-	-	-	-	-	4	-	-	-	4	1	-	-	-	1
Not defined - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Infective Conditions -	-	2	4	3	9	-	1	3	4	8	4	-	-	3	7	1	-	1	1	3
Pulmonary Tuberculosis (Tuber-culous Phthisis) - - -	-	1	-	-	1	3	-	2	-	5	-	-	-	-	-	-	-	2	-	2
Phthisis (not otherwise defined) -	-	7	-	-	7	-	-	1	-	1	1	-	5	1	7	-	-	1	-	1
Tuberculous Meningitis - -	-	1	-	-	1	2	-	-	-	2	3	-	-	-	3	1	-	-	-	1
Tuberculous Peritonitis - -	1	1	-	-	2	1	-	-	1	2	1	1	-	-	2	-	-	-	-	-
Abcess Mesenterica - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Suppurative Abscess of other Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	2	-	-	1	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	9	-	3	2	-	5	-	1	1	-	2	-	-	-	1	1	-	-	-	-	-
Chronic Rheumatism -	6	-	-	-	5	5	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	101	-	-	26	24	50	-	-	14	16	30	-	-	5	1	6	-	-	-	5	5
Sarcoma -	7	2	-	2	2	6	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	51	-	-	17	9	26	-	-	4	6	10	-	-	2	3	5	-	-	3	-	3
Rickets -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	16	-	-	6	-	6	-	-	3	3	6	-	-	2	-	2	-	-	-	-	-
Diabetes Mellitus -	9	-	1	2	3	6	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Premature Birth -	94	38	-	-	-	38	17	-	-	-	17	10	-	-	-	10	9	-	-	-	9
Congenital Defects -	26	17	-	-	-	17	5	-	-	-	5	1	-	-	-	1	1	-	-	-	1
Injury at Birth -	5	1	-	-	-	1	2	-	-	-	2	-	-	-	-	1	-	-	-	-	1
Atelectasis -	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk -	11	2	-	-	-	2	-	-	-	-	-	4	-	-	-	4	5	-	-	-	5
Teething -	5	3	-	-	-	3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	33	7	2	3	1	13	4	3	-	-	7	2	1	1	-	4	2	-	1	-	3
Softening of Brain -	19	-	-	2	3	5	-	-	1	5	6	-	1	1	4	4	-	-	1	1	1
General Paralysis of Insane -	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions -	21	9	-	-	-	9	4	1	-	-	5	1	-	-	-	1	3	-	-	-	3
Laryngismus Stridulus -	2	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Locomotor Ataxy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord -	10	-	-	-	-	-	-	-	3	2	5	-	-	1	1	2	-	-	1	-	-
Neuritis, Peripheral, Polyneuritis -	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Brain Tumour (not Specific) -	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Nervous System	9	1	1	1	2	5	-	-	1	2	3	-	1	-	-	1	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	12	1	4	2	-	7	2	1	-	-	3	-	1	-	-	1	-	-	-	-	-
Epistaxis, Diseases of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	95	-	2	28	9	39	-	4	8	11	23	-	1	6	7	14	-	-	6	-	6
Pericarditis -	3	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	11	-	-	2	2	4	-	-	-	3	3	-	-	1	1	-	-	-	2	-	2
Dilatation of Heart -	4	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Fatty Degeneration of Heart	12	-	-	3	1	4	-	-	2	5	7	-	-	-	1	1	-	-	-	-	-
Syncope, Heart Disease (not specified) -	143	-	4	34	40	78	1	1	7	10	19	1	1	4	5	11	-	-	3	13	16

DEATHS FROM ALL CAUSES at Four Periods of Life.

57

Registered during the Month of APRIL 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
umatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
umatism of Heart - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ronic Rheumatism - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
umatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nt - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
cinoma - - - - -	-	-	1	1	2	-	-	3	2	5	-	-	2	-	2	-	-	-	1	1
coma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ncer, Malignant Disease (not otherwise defined) - - -	-	-	2	2	4	-	-	1	-	1	-	-	-	1	1	-	-	-	1	1
ickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
emophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
emia, Leucocythæmia - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
betes Mellitus - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
emature Birth - - - - -	4	-	-	-	4	7	-	-	-	7	6	-	-	-	6	3	-	-	-	3
rogenital Defects - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
ury at Birth - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lectasis - - - - -	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
unt of Breast Milk - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
ingitis, Inflammation of Brain - - - - -	-	-	-	-	-	3	-	-	-	3	-	-	1	-	1	1	1	-	-	2
tening of Brain - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-
eral Paralysis of Insane -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
anity (not Puerperal) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nvulsions - - - - -	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-
ngismus Stridulus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
omotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
aplegia, Diseases of Cord -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
iritis, Peripheral, Poly-neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
in Tumour (not Specific) -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
er Diseases of Nervous System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
is, Mastoid Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
staxis, Diseases of Nose - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
phthalmia, Diseases of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
cular Disease, Endocarditis (not Infective) - - - - -	-	-	2	2	4	-	-	1	1	2	-	-	1	3	4	-	-	2	1	3
icarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hypertrophy of Heart - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
gina Pectoris - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
stagnation of Heart - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
ty Degeneration of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
scope, Heart Disease (not specified) - - - - -	-	-	3	2	5	-	-	1	2	3	-	-	2	7	9	1	-	-	1	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of APRIL 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Cerebral Embolism	114	-	-	23	26	49	-	1	6	18	25	-	-	4	8	12	-	-	2	6	-
Apoplexy, Hemiplegia	34	-	-	3	16	19	-	-	1	4	5	-	-	2	1	3	-	-	-	1	-
Aneurism	13	-	-	6	1	7	-	-	2	-	2	-	-	-	2	2	-	-	-	-	-
Senile Gangrene	4	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	3	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Phlebitis	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	16	-	-	1	6	7	-	-	-	1	1	-	-	-	4	4	-	-	-	2	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	4	2	1	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	170	21	-	18	39	78	8	-	4	5	17	10	-	3	9	22	2	-	3	13	18
Emphysema, Asthma	6	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Pleurisy	3	-	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Fibroid Disease of Lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of Mouth, Pharynx, Esophagus (not Specific)	5	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	11	-	-	7	1	8	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Gastric Catarrh	24	11	-	2	3	16	-	-	-	1	1	2	-	-	-	2	1	-	-	1	2
Other Diseases of Stomach (not Malignant)	7	2	-	1	-	3	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-
Enteritis (not Infective)	29	19	-	1	1	21	-	-	-	1	1	2	-	-	-	2	-	-	-	-	-
Gastro-enteritis	25	7	-	-	1	8	4	-	-	1	5	6	-	-	-	6	3	-	-	-	3
Appendicitis, Perityphlitis	17	2	4	2	1	9	-	1	3	-	4	-	2	2	-	4	-	-	-	-	-
Hernia	6	-	-	1	2	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
Intestinal Obstruction	17	1	-	3	4	8	1	-	2	-	3	-	-	1	-	1	-	1	1	2	4
Other Diseases of Intestines	13	2	-	3	3	8	-	-	-	1	1	-	-	-	-	-	-	-	2	-	2
Peritonitis (not Puerperal)	8	-	1	1	-	2	-	-	1	-	1	-	1	1	1	3	-	1	-	-	1
Cirrhosis of Liver	7	-	-	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	10	-	-	1	-	1	-	-	1	-	1	-	-	2	1	3	-	-	1	-	1
Other Dis. of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	2	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Supra-renal Capsules	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia	37	2	3	9	7	21	-	-	2	2	4	-	-	2	1	3	-	-	1	-	1
Chronic Bright's Disease, Albuminuria	62	1	1	17	13	32	-	-	4	10	14	-	-	1	2	3	-	-	4	3	7
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	15	-	1	-	6	7	-	-	-	5	5	-	-	-	-	-	-	-	1	-	1
Other Dis. of Urinary System	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

59

Registered during the Month of APRIL 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Cerebral	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism or Thrombosis -	-	-	-	3	3	-	-	1	4	5	-	-	4	4	8	-	-	1	3	4
Apoplexy, Hemiplegia -	-	-	1	2	2	-	-	1	1	1	-	-	-	1	1	-	-	1	1	2
Gravel -	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Le Gangrene -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Polymia, Thrombosis (not	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Varicose Veins -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels -	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Angina -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Laryngitis (not	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheritic) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Mem-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
branous) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Tracheitis -	4	-	4	2	10	2	-	1	6	9	4	-	4	5	13	-	-	3	3	3
Pharyngitis, Asthma -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Whooping Cough -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Disease of Lung -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Gastritis, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Esophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(not Specific) -	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-
Gastric Ulcer -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh -	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Other Diseases of Stomach (not	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant) -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis (not Infective) -	2	-	-	-	2	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-
Gastro-enteritis -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	1
Gastro-enteritis, Perityphilitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastro-enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Intestinal Obstruction -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Intestines -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Colitis (not Puerperal) -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Dysentery -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1
Other Diseases of Liver and Gall	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Bladder -	1	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	1	1
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Lymphatic System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Thyroid Body -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Supra-renal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia -	-	-	4	-	4	-	1	1	-	2	1	-	1	-	2	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	-	-	1	1	2	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1
Pyelitis (not Biliary) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

61

Registered during the Month of APRIL 1910.

CAUSES OF DEATH.	PAISLEY.				LEITH.				GREENOCK.				PERTH.			
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	
LOCAL DISEASES—continued.																
DISEASES OF GENERATIVE SYSTEM.																
Ovarian Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Ovary -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Uterine Tumour (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Uterus and Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Disorders of Menstruation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Generative and Mammary Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF PREGNANCY AND CHILDBIRTH.																
Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Eclampsia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epileptic Convulsions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Placenta Prævia, Flooding -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Accidents of Pregnancy and Childbirth -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
DISEASES OF LOCOMOTOR SYSTEM.																
Paralysis, Necrosis -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Osteomyelitis, Periostitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of Locom. System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF THE SKIN.																
Scald, Bed-sore -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Eczema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of the Skin -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
OTHER SPECIFIED DIS.																
DISEASES OF THE RESPIRATORY SYSTEM.																
Consumption -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of the Respiratory	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF THE CIRCULATORY SYSTEM.																
Heart Disease -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stroke -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of the Circulatory	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF THE DIGESTIVE SYSTEM.																
Gastritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of the Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF THE URINARY SYSTEM.																
Nephritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of the Urinary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF THE NERVOUS SYSTEM.																
Epilepsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Paralysis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of the Nervous	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF THE SENSES.																
Deafness -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Diseases of the Senses -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF THE SKIN (continued).																

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—APRIL 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fevers—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	40	15	32	-	-	-	-	-	-	-	-	2	6
Ayr,	24,944	28,697	84	23	54	-	7	1	-	-	-	-	-	8	5
Banff, with Macduff,	8,927	8,398	14	5	12	-	-	-	-	-	-	1	-	2	2
Blairstown,	4,510	4,282	8	0	4	-	-	-	-	-	-	-	-	2	-
Callander,	2,279	2,171	2	0	1	-	-	-	-	-	-	1	-	-	-
Campbeltown,	10,260	10,236	20	2	5	-	-	-	-	-	-	-	-	-	-
Cathcart,*	4,552	7,375	35	3	13	-	-	-	-	-	-	-	-	1	1
Coatbridge,	32,709	39,930	125	22	70	-	9	1	6	1	-	1	1	17	6
Crief,	5,413	5,706	12	2	7	-	-	-	-	-	-	-	-	-	-
Dumbarton,	18,021	20,205	56	5	46	-	24	-	-	-	1	1	-	-	8
Dumfries, with Troqueer,	23,765	24,745	54	16	44	-	2	-	-	-	-	1	-	5	7
Dunfermline,	28,667	31,697	77	17	66	-	7	-	-	3	-	2	-	8	6
Dunoon,	7,287	8,924	8	5	17	-	-	-	-	-	-	1	-	1	-
Eastwood,*	13,744	15,366	56	2	21	-	-	1	-	-	-	-	-	7	1
Elgin,	10,473	11,560	15	7	11	-	-	-	1	-	-	1	-	1	-
Falkirk,	24,007	33,815	97	6	35	-	-	-	-	1	-	-	-	5	10
Forfar,	13,665	12,879	25	2	22	-	-	-	-	-	-	1	-	2	2
Galashiels,	17,785	13,969	30	4	24	-	8	-	-	-	-	1	-	3	3
Govan—(1) Plantation,	22,571	27,228	64	8	24	-	-	-	-	-	-	-	-	4	4
(2) Govan,	41,187	56,602	167	33	121	-	1	1	-	2	1	-	1	34	20
(3) Partick,	36,538	54,298	165	38	62	-	5	-	5	-	-	2	-	11	7
Haddington,	5,216	5,126	9	2	10	-	-	-	1	-	-	-	-	2	-
Hawick,	20,556	18,502	35	11	25	-	-	-	3	-	-	-	-	2	3
Inverness,	24,186	27,046	41	13	50	-	-	-	-	-	-	-	-	9	6
Kilmarnock, with Riccarton,	31,433	37,170	87	23	60	-	11	1	2	1	-	-	-	12	5
Kilmore and Kilbride (Oban),	5,729	6,301	9	4	7	-	-	-	-	-	-	-	-	-	3
Kirkcaldy and Abbotshall,	17,975	22,997	38	13	28	-	-	-	-	1	-	-	-	3	3
Kirkeudbright,	3,477	3,309	6	1	4	-	-	-	-	-	-	-	-	2	-
Largs, with Skelmorlie,	5,320	5,501	7	2	9	-	-	-	-	-	-	-	-	3	1
Logie (Bridge of Allan),	4,252	4,432	5	3	7	-	-	-	-	-	-	1	-	-	-
Moffat,	2,977	2,799	7	3	5	-	-	-	-	-	-	-	-	-	1
Montrose,	14,591	14,027	19	8	23	-	-	-	-	1	-	-	-	3	2
Moulin (Pitlochry),	2,001	2,192	4	0	0	-	-	-	-	-	-	-	-	-	-
Nairn,	5,250	5,732	9	1	6	-	-	-	-	-	-	-	-	1	2
New Monkland (Airdrie),	38,743	36,736	116	14	47	-	1	-	-	-	-	1	1	4	11
North Berwick,	3,038	3,649	3	1	5	-	1	-	-	-	-	-	-	1	1
Peterhead, with Boddam	15,830	15,146	35	4	13	-	-	-	1	-	-	-	-	1	2
Rothsay,	9,108	9,378	21	3	18	-	-	-	-	-	-	-	-	6	2
St Andrews and St Leonards,	8,755	9,410	19	3	6	-	-	-	-	-	-	-	-	-	1
Shettleston,	12,538	21,955	71	12	49	-	12	-	1	1	-	1	-	10	6
Stirling,	17,002	18,609	52	19	46	-	3	1	2	-	-	1	-	7	4
Stranraer,	6,193	6,036	21	4	16	-	-	-	-	-	-	2	-	1	1
Wick,	12,063	11,326	37	6	6	-	-	-	-	-	-	1	-	1	1

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of APRIL 1910.

Mean barometric pressure, 29·746 inches; less than the average of 1856–1905 by 0·147 inch.

Mean temperature, $43^{\circ}3$; less by $1^{\circ}5$.

Mean daily range of temperature, $13^{\circ}5$; less by $0^{\circ}5$.

Rain, number of days, 17; greater by 3 days.

Rain, depth in inches, 3·63; greater by 1·54 inch.

Wind, direction of: a 5 days' excess of wind from between SW. and NW.

Hence the month of April 1910 was characterised by a low mean pressure; a low mean temperature, with a slightly low mean daily range; an extremely high mean rainfall; and a large excess of winds from between SW. and NW.

The mean pressure was 29·746 inches, or 0·147 inch below the normal. The barometer was at times very unsteady, especially about 13th and 23rd, pressure at Leith falling below 29 inches on each of these days. The sea-level extremes there were 30·497 inches on 1st, and 28·906 inches on 13th.

The mean temperature of $43^{\circ}3$, or $1^{\circ}5$ below the normal, was exactly the same as that for the preceeding month. Days were $1^{\circ}8$ and nights $1^{\circ}3$ below their respective averages, and the temperature deficiency appears to have been more decidedly marked in Western districts than in Eastern. During the first week or so there was a close approach to normal conditions, but thereafter temperature was occasionally much below the average, with touches of quite wintry weather under the influence of North-Westerly winds. The extreme readings were 61° at Perth on 30th and 27° at the same place on 8th.

The mean rainfall of 3·63 inches was 74 per cent. above the normal, and the highest mean for April since 1871. There was an excess at all the towns, but whilst that at Dundee amounted to only 8 per cent., Edinburgh and Glasgow had fully twice, and Paisley much more than twice the average for the month. During the last 50 years a wetter April has been experienced at Edinburgh only in 1871, and at Glasgow only in 1867. On the other hand, at Aberdeen, Dundee, and Greenock the month was less wet than April of last year, whilst the number of days with rain was above the average, the greater part of the month's rain was registered between 12th and 16th, when some heavy falls occurred. At Perth on 16th as much as 1·70 inch was registered, and at Edinburgh fully 1 inch.

Stormy weather was experienced about the middle of the month; with snow in many districts on 15th and 16th, and during the fourth week. Thunder at Edinburgh on 18th and 24th.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of APRIL 1910.

OBSERVERS	Height of Station above Sea-level.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.			RAIN, AND OTHER FORMS OF PRE- CIPITATION.			WIND DIRECTIONS.								WIND FORCE.					
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Maximum (A).	Minimum (B).	Difference from Average.	Absolute Maximum and Minimum.			Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.												
								Maximum.	Day of Month.	Minimum.								Day of Month.	N	NE	E	SE	S	SW		W	NW	Calm or Variable.		
GLASGOW, Medical Officer of Health, Glasgow.	54	29.701	29.762	50.5	36.3	43.4	-2.4	53	18th, 30th	31	2nd	42.4	1.9	.231	86	per cent.	18	3.92	+2.04	1	10	9	0	3	11	18	2	6	..	3.2
EDINBURGH, Professor DYSON, F.R.S., Royal Observatory.	441	29.266	29.752	48.2	36.8	42.5	-1.0	57	30th	32	2nd	41.7	2.4	.215	82		17	3.15	+1.64	4	7	2	5	6	10	22	3	1	3.2	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.564	29.747	49.7	35.7	42.7	-1.9	59	30th	30	8th, 15th, 18th	41.9	1.8	.228	87		11	2.08	+0.16	2	12	0	6	1	23	2	14	0	2.7	
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44	29.668	29.718	49.9	36.4	43.2	-1.1	29	8th		13	2.79	+0.68	4	2	4	6	12	8	2	20	2	2.2	
PAISLEY DONALD MACLEAN, The Coats Observatory.	107	29.685	29.754	51.4	36.3	43.9	-1.2	59	8th, 30th	32	1st, 8th, 15th	44.0	3.1	.222	76		20	4.77	+2.80	8	4	6	1	5	4	10	14	8	1.7	
LEITH, JAMES BOLAM, Nautical Col- lege, and GEORGE REDPATH.	76	29.660	29.744	50.3	38.7	44.5	-0.7	58	30th	32	2nd	43.5	2.7	.225	79		16	3.30	+1.54	6	2	16	0	4	6	26	0	0	3.9	
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29.493	29.747	49.1	36.1	42.6	-1.9	56	8th	33	2nd, 15th	42.9	2.5	.224	82		21	5.19	+1.73	0	12	3	0	0	10	16	19	0	3.7	
PERTH, ALEX. M. RODGER, The Museum.	85	29.650	29.745	51.1	36.0	43.6	-1.6	61	30th	27	8th	42.4	3.0	.210	78		17	3.83	+1.71	10	6	3	5	0	14	11	8	3	2.5	
Means	151	29.580	29.746	50.0	36.5	43.3	-1.5	42.7	2.5	.222	81		17	3.63	+1.54	4	7	5	3	4	11	13	10	3	2.8	
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 19'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 4'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 38'; Mean, 3° 30'.																														

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 8'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

MAY 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of May 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 4290 living children, of whom 2121 were male and 2169 female. These births are 174 more than those registered in the eight towns during April, and 7 more than those registered during May of last year. The equivalent annual birth-rate is 26·7 per thousand of the estimated aggregate population of the eight towns, a rate which is 0·2 above that of April, and 0·3 above that of May of last year. The birth-rate of the month is lower than the corresponding rates of all previous Mays with the exception of that of 1909. The birth-rate in the towns varied from 32·3 in Dundee, to 19·3 in Perth. In Leith it was 31·6, in Paisley 30·2, in Greenock 28·3, in Glasgow 27·6, in Aberdeen 23·5, and in Edinburgh 21·9.

Of the 4290 births, 328, or 7·6 per cent., were illegitimate. These births are 3 more than those of April, and 38 more than those of May of last year. The illegitimate rate is 0·7 above that of April, and the same amount above that of May of last year. The illegitimate rate of the month ranged from 11·5 per cent. in Perth, to 5·0 in Paisley. In Aberdeen it was 9·2, in Edinburgh 8·2, in Dundee 7·7, in Glasgow 6·6, in Leith 6·9, and in Greenock 6·2.

Marriages registered in these towns during the month numbered 663; they are 449 fewer than those registered in April, but 54 more than those registered in May of last year. The equivalent annual marriage-rate is 4·1 per thousand, which is 3·1 below that of April, but 0·3 above that of May of last year.

Deaths registered in the eight towns during May numbered 2413, 1177 being of male persons, and 1236 of females. They are 318 fewer than those registered in April, and 139 fewer than were registered in May of last year. The equivalent annual death-rate is 15·0 per thousand, a rate which is 2·6 less than that of April, and 1·1 less than that of May of last year, and is lower than all the May death-rates recorded in these reports, which started in 1855. The death-rates of the eight towns ranged from 23·5 in Dundee, to 10·7 in Aberdeen and 11·1 in Leith. In Greenock it was 17·9, in Glasgow 15·1, in Paisley 14·5, in Perth 13·9, and in Edinburgh 13·7. Compared with the corresponding death-rates of April, that of Paisley is higher, but those of the remaining seven towns are lower.

Of the 2413 deaths registered, 807, or 33·4 per cent., were of children of less than five years old, and 674, or 27·9 per cent., were of persons of over sixty. The former are 193 fewer than in April, and 24 fewer than in May of last year. The latter are 29 fewer than in April, and 16 fewer than in May of last year.

Deaths of children of less than one year old numbered 435; they are 92 fewer than in April, and 57 fewer than in May of last year. The infantile mortality rate is 111 per thousand of the average number of births registered monthly in the eight towns during the last twelve months, a rate which is 29 less than that of April, and 9 less than that of May of last year. This rate ranged from 199 in Dundee, where there was an epidemic of measles, to 29 in Perth. In Greenock it was 114, in Glasgow 113, in Edinburgh 104, in Leith 103, in Paisley 84, and in Aberdeen 59.

Deaths from the principal epidemic diseases numbered 276; they are 88 fewer than those of April, but 21 more than those of May of last year. The equivalent annual death-rate from these causes is 1·7 per thousand, a rate which is 0·6 less than that of April, but 0·1 more than that of May of last year. In the towns this rate varied from 8·4 in Dundee and 2·9 in Greenock, to 0·1 in Aberdeen. In Paisley it was 1·8, in Glasgow 1·3, in Edinburgh 0·6, in Leith 0·5, and in Perth 0·3.

There were no deaths from small-pox registered in the towns during the month. Deaths from measles numbered 184, 104 of them being registered in Dundee, where these deaths amounted to 30·6 per cent. of the total deaths of the month; the total deaths from measles are 70 fewer than in April, but 159 more than in May of last year. Deaths from scarlet fever numbered 20; from hooping-cough, 36; from diphtheria, 14; from enteric fever, 3; from diarrhoea and dysentery, 18; and from cerebro-spinal meningitis, 1. The last-named are 3 fewer than in April, and 7 fewer than in May of last year.

Deaths from influenza numbered 6; from puerperal septic conditions 12; and from malignant disease 145, of which 84 were ascribed to carcinoma, 9 to sarcoma, and 52 to other or unspecified form of cancer. Deaths from heart diseases numbered 242; from apoplexies 114; from premature birth debility 86; and from alcoholism 2.

Deaths from pneumonia numbered 224, and constituted 9·3 per cent. of the total deaths of the month; they are 70 fewer than in April, and 39 fewer than in May of last year. Deaths from bronchitis numbered 166, and constituted 6·9 per cent. of the total deaths of the month; they are 4 fewer than in April, but 10 more than in May of last year.

Deaths attributed to tuberculous disease numbered 314, and constituted 13·0 per cent. of the total deaths of the month; they are 42 fewer than in April, and 28 fewer than in May of last year. Of the deaths from tuberculous disease 189 were ascribed to phthisis, a number which is 23 fewer than in April, and 24 fewer than in May of last year.

Deaths from violence numbered 71; of them 7 were suicidal, 2 being by hanging, 2 by drowning, 2 by coal-gas poisoning, and 1 by burning.

Among those whose deaths were registered in these towns during the month there were 4 males and 6 females aged 90 years and upwards, the oldest being a commercial traveller aged 100 years.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 78 there is given the usual monthly statement regarding the births, deaths, and marriages registered in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1938, marriages 167, and deaths 1133. The equivalent annual birth-rate is 27·7, the marriage-rate 2·4, and the death-rate 16·2. Compared with the corresponding rates of last year, the birth-rate is 0·8 less, the marriage-rate 0·3 less, and the death-rate 0·9 more.

Among the deaths registered in these districts during the month there were 40 from measles; 9 from scarlet fever; 30 from hooping-cough; 9 from diphtheria; 7 from enteric fever; 19 from diarrhoeas; 1 from croup; 191 from pneumonia, bronchitis, and pleurisy; and 173 from tubercle. There were no deaths from cerebro-spinal meningitis registered in these districts during the month, and this is the first month in which that has been the case since February 1909.

ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES, MAY 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, . . .	672,872	775,561	834,505	1002	1072	2074	1917	157	343	573	561	1134
EDINBURGH, . . .	276,652	317,335	360,276	333	336	669	614	55	138	199	219	418
DUNDEE, . . .	155,523	162,982	170,206	237	229	466	430	36	35	157	133	290
ABERDEEN, . . .	124,943	153,503	185,703	194	176	370	336	34	56	72	96	168
PAISLEY, . . .	66,425	79,363	93,534	107	133	240	223	12	39	55	60	115
LEITH, . . .	63,707	77,568	86,767	123	110	233	217	16	21	40	42	82
GREENOCK, . . .	64,175	68,911	73,605	91	86	177	166	11	25	59	53	112
PERTH, . . .	30,775	33,995	37,275	34	27	61	54	7	6	22	22	44
TOTAL, . . .	1,460,072	1,660,213	1,891,921	2121	2169	4290	3962	328	663	1177	1236	2413

MAY 1909,	Mean Temp. 50°·1	2112	2071	4183	3893	290	609	1255	1297	2552
MAY 1908,	Mean Temp. 52°·0	2131	2101	4232	3949	283	571	1230	1204	2434
MAY 1907,	Mean Temp. 48°·0	2246	2182	4428	4146	282	534	1451	1439	2890
MAY 1906,	Mean Temp. 43°·2	2217	2193	4410	4104	306	527	1409	1325	2734
MAY 1905,	Mean Temp. 50°·6	2448	2363	4811	4484	327	652	1440	1339	2779
MAY 1904,	Mean Temp. 49°·0	2256	2187	4443	4150	293	612	1399	1262	2661
MAY 1903,	Mean Temp. 49°·5	2337	2221	4558	4269	289	553	1293	1204	2497
MAY 1902,	Mean Temp. 46°·7	2235	2085	4320	4040	280	513	1415	1320	2735
MAY 1901,	Mean Temp. 52°·2	2260	2176	4436	4163	273	497	1471	1371	2842
MAY 1900,	Mean Temp. 50°·2	2209	2159	4368	4083	235	472	1418	1213	2636

DEATHS from Small-pox, Measles, Scarlet Fever, Hooping-Cough, Diphtheria, Fevers, and Diarrhoea, registered in each District of the several Towns during the Month of MAY 1910.

TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.	TOWNS AND DISTRICTS.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers.	Diarrhoea.
GLASGOW—								DUNDEE—							
Bridgeton, . . .	-	8	6	11	3	1	-	St Peter, . . .	-	17	-	-	1	-	2
Camlachie, . . .	-	4	2	-	1	-	-	St Mary, . . .	-	22	1	1	-	-	13
Calton, . . .	-	-	1	1	-	1	2	St Clement, . . .	-	21	13	1	-	-	-
Dennistoun, . . .	-	-	-	-	-	-	-	St Andrew, . . .	-	34	-	3	-	-	-
Garnagadhill, . . .	-	2	-	-	-	-	-	Lochee, . . .	-	10	-	-	-	-	1
Springburn, . . .	-	-	-	1	-	-	2	Mains and Strathmartine, . . .	-	-	-	-	-	-	-
Possilpark, . . .	15	4	1	3	-	-	-	ABERDEEN—							
St Rollox, . . .	-	1	-	-	-	-	1	St Nicholas, . . .	-	-	-	2	-	-	-
Milton, . . .	-	-	-	-	-	-	-	St Machar, . . .	-	-	-	-	-	-	-
Blythwood, . . .	-	-	-	-	-	-	-	Woodside, . . .	-	-	-	-	-	-	-
Anderston, . . .	1	-	1	-	-	1	-	Old Aberdeen, . . .	-	-	-	-	-	-	-
Hillhead, . . .	-	-	-	-	-	-	-	E. Peterculter, . . .	-	-	-	-	-	-	-
Kelvin, . . .	2	-	1	-	-	-	-	Nigg, . . .	-	-	-	-	-	-	-
Maryhill, . . .	4	-	4	-	-	-	1	PAISLEY, . . .	-	9	-	1	2	-	2
Hutchesontown, . . .	3	-	1	-	-	-	1	LEITH—							
Govanhill, . . .	-	-	-	2	-	-	1	North, . . .	-	-	-	-	-	-	2
Gorbals, . . .	1	-	1	-	-	-	-	South, . . .	-	1	-	-	1	-	-
Pollokshields, . . .	-	-	1	1	-	-	-	GREENOCK—							
Cathcart, . . .	-	-	-	-	-	-	-	East, . . .	-	3	-	-	-	-	-
Eastwood, . . .	-	-	-	-	-	-	-	West, . . .	-	11	1	-	-	1	-
Paisley, . . .	-	-	-	-	-	-	-	Gourock, . . .	-	1	-	-	1	-	-
EDINBURGH—								PERTH—							
St George, . . .	-	-	-	-	1	-	-	Kinnoull, . . .	-	-	-	-	-	-	-
St Andrew, . . .	-	1	-	-	-	-	-	Perth, . . .	-	-	-	-	-	-	1
Canongate, . . .	-	-	-	-	-	-	1	Tibbermore, . . .	-	-	-	-	-	-	-
St Giles, . . .	13	-	-	-	-	-	-								
Newington, . . .	7	2	1	-	-	-	-								
Morningside, . . .	2	-	-	-	-	-	-								
Portobello, . . .	2	-	-	-	-	-	-								

DEATHS FROM ALL CAUSES at Four Periods of Life.

69

Registered during the Month of MAY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	30	14	34	37	115	29	5	23	25	82	42	10	33	27	112	4	1	20	19	44
GENERAL DISEASES - -	24	9	19	3	55	20	2	14	7	43	29	6	15	3	53	2	-	9	5	16
LOCAL DISEASES:—																				
I. DIS. OF NERVOUS SYSTEM -	-	-	1	2	3	3	-	1	-	4	2	-	5	2	9	-	-	1	-	1
I. „ ORGANS OF SPECIAL SENSE -	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I. „ HEART - - - -	-	1	-	10	11	-	-	4	5	9	-	-	2	4	6	-	-	1	6	7
V. „ BLOOD VESSELS -	-	-	4	2	6	-	-	-	7	7	-	-	1	7	8	-	-	4	-	4
V. „ RESPIRATORY SYSTEM	3	1	4	1	9	3	-	1	2	6	5	1	2	2	10	-	-	1	-	1
I. „ DIGESTIVE SYSTEM -	1	-	1	1	3	1	1	1	1	4	3	2	4	2	11	1	1	1	-	3
I. „ LYMPHATIC AND DUCT-LESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
I. „ URINARY SYSTEM -	-	-	1	4	1	6	-	-	1	2	3	-	1	-	1	2	-	1	-	1
X. „ GENERATIVE SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
X. „ PREGNANCY AND CHILD-BIRTH -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I. „ LOCOMOTOR SYSTEM -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ THE SKIN - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER SPECIFIED DISEASES - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES ILL-DEFINED OR NOT SPECIFIED - -	1	-	-	16	17	-	-	-	-	-	3	-	1	3	7	1	-	-	7	8
VIOLENT DEATHS - -	-	1	-	1	2	2	2	1	1	6	-	-	2	1	3	-	-	2	1	3
A. GENERAL DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Doubtful -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox, Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	9	-	-	-	9	1	-	-	-	1	14	1	-	-	15	-	-	-	-	-
German Measles - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Diphtheria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	-	-	-	-	-										

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Epidemic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis-Diarrhoea, Infective	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea (not otherwise defined)	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Rabies, Hydrophobia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlatina - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Typhus (Splenic Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pharyngitis - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhoea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia Alba Dolens - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal) - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pyæmia (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empyema, Carbuncle (not Abscess)	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Furunculosis - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lobar Pneumonia { - - - - -	-	-	-	-	-	-	-	3	-	3	1	-	1	-	2	-	-	1	-	1
Broncho-Epidemic { - - - - -	-	4	-	-	4	2	-	1	-	3	2	1	-	-	3	1	-	-	-	1
Not defined - - - - -	-	2	1	7	10	-	1	-	2	3	1	-	2	-	3	-	-	-	2	2
Other Infective Conditions - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuberculous Phthisis) - - - - -	-	2	2	-	4	-	-	4	-	4	1	-	1	-	2	-	-	3	-	3
Phthisis (not otherwise defined) -	-	3	4	-	7	-	-	2	-	2	-	2	5	-	7	-	-	2	-	8
Cerebral Meningitis - - - - -	-	-	-	-	-	-	3	-	-	3	3	-	-	-	3	1	-	-	-	1
Cerebral Peritonitis - - - - -	-	-	1	-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
Acute Mesenterica - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Scrophulous - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophulous Tubercle of other Organs	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
General Tuberculosis - - - - -	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Scrophulous - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophulous - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of MAY 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	5	-	1	2	-	3	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Gout	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	84	-	-	23	18	41	-	7	5	12	-	-	3	6	9	-	-	4	9	13	-
Sarcoma	9	-	1	3	-	4	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	52	-	-	12	10	22	-	6	8	14	-	-	2	5	7	-	-	1	4	5	-
Rickets	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	13	-	1	6	-	7	-	3	-	3	-	-	1	-	1	-	-	1	1	2	-
Diabetes Mellitus	15	-	-	2	2	4	-	3	3	6	-	-	-	-	-	-	-	1	-	-	-
Premature Birth	86	37	-	-	-	37	17	-	-	17	9	-	-	-	9	10	-	-	-	-	10
Congenital Defects	24	12	-	-	-	12	4	-	-	4	5	-	-	-	5	-	-	-	-	-	-
Injury at Birth	4	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Atelectasis	8	6	-	-	-	6	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
Want of Breast Milk	4	1	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Teething	4	3	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain	20	8	-	-	-	8	6	-	1	-	7	-	-	-	-	1	-	-	1	2	-
Softening of Brain	18	-	-	3	4	7	-	-	7	7	-	-	-	1	1	-	-	-	1	1	-
General Paralysis of Insane	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Insanity (not Puerperal)	2	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	12	-	1	2	1	4	-	1	1	2	-	-	1	-	1	-	-	2	-	2	-
Convulsions	27	11	-	-	-	11	5	-	-	5	4	-	-	-	4	3	1	-	-	4	-
Laryngismus Stridulus	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
Paraplegia, Diseases of Cord	14	-	1	5	1	7	-	2	1	3	-	-	-	1	1	-	-	-	1	-	-
Neuritis, Peripheral, Polyneuritis	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	8	-	1	1	-	2	-	2	1	3	-	-	-	-	-	-	1	-	-	1	-
Other Dis. of Nervous System	5	2	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease	8	2	1	1	-	4	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Epistaxis, Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective)	96	1	3	27	12	43	-	-	13	7	20	-	-	5	8	13	-	1	2	2	5
Pericarditis	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	6	-	-	2	-	2	-	2	-	2	-	-	-	-	-	-	-	-	2	2	-
Dilatation of Heart	3	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
Fatty Degeneration of Heart	11	-	-	2	3	5	-	1	2	3	-	-	-	1	1	-	-	-	-	-	-
Syncope, Heart Disease (not specified)	125	1	1	21	32	55	2	-	4	22	28	-	-	6	7	13	-	-	7	7	14

DEATHS FROM ALL CAUSES at Four Periods of Life.

73

Registered during the Month of MAY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	2	1	3	-	-	1	1	2	-	-	1	1	2	-	-	1	1	2
Sarcoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	1	1	-	-	2	2	2	-	-	-	-	-	-	-	1	-	1
Premature Birth - - - - -	3	-	-	-	3	6	-	-	-	6	4	-	-	-	4	-	-	-	-	-
Congenital Defects - - - - -	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Injury at Birth - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Encephalitis, Inflammation of Brain - - - - -	-	-	-	-	-	2	-	-	-	2	-	-	1	-	1	-	-	-	-	-
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Convulsions - - - - -	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Strabismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Locomotor Ataxia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Paraplegia, Diseases of Cord - - - - -	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Neuritis, Peripheral, Polyneuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conjunctivitis, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Myocardial Disease, Endocarditis (not Infective) - - - - -	-	1	-	5	6	-	-	1	3	4	-	-	2	-	2	-	-	-	3	3
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Arterio-sclerotic Degeneration of Heart - - - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Coronary Heart Disease (not specified) - - - - -	-	-	-	5	5	-	-	2	-	2	-	-	-	4	4	-	-	1	3	4

75

75

[illegible]

77

77

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—MAY 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	47	1	26	-	-	-	1	-	-	-	-	4	2
Ayr,	24,944	28,697	81	5	56	-	3	-	-	1	-	12	-	8	7
Banff, with Macduff,	8,927	8,393	17	2	11	-	-	-	-	-	-	-	-	2	3
Blairstown,	4,510	4,282	8	1	2	-	-	-	-	-	-	-	-	1	-
Callander,	2,279	2,171	1	0	1	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	25	0	17	-	-	-	1	-	-	-	-	3	3
Cathcart,*	4,552	7,375	21	1	11	-	-	-	-	-	-	1	-	1	3
Coatbridge,	32,709	39,930	137	10	91	-	5	2	11	1	1	2	-	20	12
Crief,	5,413	5,706	13	0	8	-	-	-	-	-	-	-	-	2	-
Dumbarton,	18,021	20,205	57	2	38	-	4	1	-	-	2	-	-	5	5
Dumfries, with Troqueer,	23,765	24,745	41	6	53	-	-	-	-	1	-	-	-	5	12
Dunfermline,	28,667	31,697	85	4	42	-	-	-	-	2	-	1	-	3	6
Dunoon,	7,287	8,924	12	0	14	-	-	-	-	-	-	-	-	-	3
Eastwood,*	13,744	15,366	51	4	20	-	-	2	-	1	1	1	-	3	1
Elgin,	10,473	11,560	22	5	15	-	-	-	-	-	-	1	-	2	-
Falkirk,	24,007	33,815	116	12	52	-	-	2	-	-	-	1	-	11	11
Forfar,	13,665	12,379	34	8	21	-	-	-	-	-	-	-	-	4	3
Galashiels,	17,785	13,969	20	2	15	-	-	-	-	-	-	1	-	-	2
Govan—(1) Plantation,	22,571	27,228	69	7	28	-	-	-	2	-	-	-	-	9	1
(2) Govan,	41,187	56,602	162	18	105	-	3	-	-	-	-	1	-	16	33
(3) Partick,	36,538	54,293	198	22	76	-	2	-	5	-	-	1	-	16	3
Haddington,	5,216	5,126	3	3	8	-	-	-	-	-	-	-	-	-	4
Hawick,	20,556	18,502	30	5	25	-	-	-	-	-	-	-	-	1	5
Inverness,	24,136	27,046	71	9	46	-	-	-	-	1	-	-	-	4	5
Kilmarnock, with Riccarton,	31,433	37,170	83	7	54	-	4	-	1	-	-	2	-	14	4
Kilmore and Kilbride (Oban),	5,729	6,301	10	0	12	-	-	-	-	-	-	-	-	2	3
Kirkcaldy and Abbotshall,	17,975	22,997	51	6	24	-	-	1	-	1	-	1	-	1	3
Kirkcudbright,	3,477	3,309	10	0	8	-	-	-	-	-	-	-	-	4	1
Largs, with Skelmorlie,	5,320	5,501	15	1	5	-	-	-	-	-	-	-	-	1	-
Logie (Bridge of Allan),	4,252	4,432	5	0	2	-	-	-	-	-	-	-	-	1	-
Moffat,	2,977	2,799	2	0	3	-	-	-	-	-	-	-	-	1	-
Montrose,	14,591	14,027	21	2	22	-	2	-	-	-	-	-	-	2	5
Moulin (Pitlochry),	2,001	2,192	3	0	2	-	-	-	-	-	-	-	-	1	-
Nairn,	5,250	5,732	13	2	12	-	-	-	-	-	-	-	-	3	1
New Monkland (Airdrie),	33,743	36,786	113	6	54	-	6	1	2	-	-	-	-	11	7
North Berwick,	3,038	3,649	7	1	2	-	-	-	-	-	-	-	-	-	-
Peterhead, with Boddam,	15,830	15,146	47	2	22	-	1	-	-	1	-	1	-	5	2
Rothsay,	9,108	9,373	19	0	13	-	-	-	-	-	-	-	-	2	4
St Andrews and St Leonards,	3,755	9,410	10	0	9	-	-	-	-	-	-	-	-	2	2
Shettleston,	12,538	21,955	99	4	44	-	5	-	-	1	1	-	-	12	8
Stirling,	17,002	18,609	57	5	33	-	2	-	7	-	-	-	-	5	2
Stranraer,	6,193	6,036	23	1	13	-	2	-	-	-	-	1	1	-	1
Wick,	12,063	11,326	29	3	18	-	-	-	-	-	2	1	-	4	1

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of MAY 1910.

Mean barometric pressure, 29·876 inches; less than the average of 1856–1905 by 0·072 inch.

Mean temperature, $49^{\circ}9$; greater by $0^{\circ}5$.

Mean daily range of temperature, $14^{\circ}4$; less by $0^{\circ}6$.

Rain, number of days, 15; greater by 1 day.

Rain, depth in inches, 1·93; less by 0·24 inch.

Wind, direction of: a 3 days' excess of winds from between NW. and NE.

Hence the month of May 1910 was characterised by a rather low mean pressure; a slightly high mean temperature, with a slightly low mean daily range; a slightly low mean rainfall; and an excess of winds from between NW. and NE.

The mean pressure was 29·876 inches, or 0·072 inch below the normal, the sea-level extremes at Leith being 30·394 inches on 24th and 29·146 inches on 6th.

The mean temperature was $49^{\circ}9$, or $0^{\circ}5$ above the normal, the days being $0^{\circ}2$ and the nights $0^{\circ}8$ above their respective averages. There was a slight excess at most of the towns, as much as $1^{\circ}5$ at Perth, but at Edinburgh and Leith a slight deficiency. Generally speaking, temperature was low during the first half of the month, but fairly high thereafter. In the Edinburgh area, however, under the influence of easterly winds, decidedly cold weather was experienced until the end of the third week, the maximum thermometer at Leith failing to reach 50° on several days after the middle of the month. The extreme readings were 75° at Paisley on 21st, and 29° at Perth on 9th.

The mean rainfall was 1·93 inches, or 11 per cent. below the normal. Perth, with an aggregate of hardly more than 1 inch, had only half its normal amount, Greenock exactly the average, and Aberdeen an excess of 19 per cent. The month was notable for the absence of very heavy falls, the greatest daily amount at any of the towns being 0·52 inch at Dundee on 8th, where there were only two other days with falls of more than 0·10 inch. There was a large number of rainless days, whilst on several "days with rain" the amounts registered were but trifling. The wettest general days were 12th and 18th.

Hail was rather frequent early in the month. Thunder at Perth on 13th, 21st and 26th; at Dundee on 21st; and in the west on 16th.

A good deal of "haar" was experienced in the Edinburgh area, especially during the third week.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of May 1910.

OBSERVERS	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.										WIND FORCE.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	Height of Station above Sea-level.		Mean at Station and 32°.		Mean at Sea-Level and 32°.		Mean of		Difference from Average.		Absolute Maximum and Minimum.			Mean at 9 A.M. and 9 P.M.		Number of Days.		Total Fall.		Difference from Average.		Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
											Maximum.	Day of Month.	Minimum.									Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.		Humidity.	Calm or Variable.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																												°	°	°	°	°	°	°	°	N	NE	E	SE	S	SW	W	NW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
feet.	inch.	inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

FOR OFFICIAL USE.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JUNE 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of June 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 4055 living children, of whom 2078 were male and 1977 female. These births are 235 fewer than were registered in these eight towns in May and 157 fewer than those there registered in June of last year. The equivalent annual birth-rate is 26·1 per thousand of the estimated aggregate population of the eight towns, a rate which is 0·6 less than that of May, 1·4 less than that of June of last year, and is the smallest June birth-rate of the eight towns yet recorded, the previous lowest being that of June last, which was 27·5. The birth-rate of the month varied from 33·6 in Greenock, and 31·3 in Leith to 21·8 in Edinburgh, and 22·5 in Perth. In Glasgow it was 27·0, in Paisley, 26·7, in Dundee, 26·4, and in Aberdeen, 24·8.

Of the 4055 births, 290, or 7·2 per cent., were illegitimate. These illegitimate births are 38 fewer than in May and 29 fewer than in June of last year. The illegitimate rate is 0·4 less than in May, and the same amount less than in June of last year. The illegitimate rate of the month varied from 9·5 in Dundee, to 3·6 in Leith. In Edinburgh it was 8·7, in Perth 8·7, in Aberdeen 8·5, in Glasgow 6·6, in Paisley 6·3, and in Greenock 5·4.

Marriages registered in the eight towns during the month numbered 1977; they are 1314 more than in May but 3 fewer than in June of last year. The equivalent annual marriage-rate is 12·7 per thousand, a rate which is 8·6 more than that of May, but 0·2 less than that of June of last year.

Deaths registered in the eight towns during the month numbered 2163; they are 250 fewer than were there registered in May and 51 fewer than in June of last year. The equivalent annual death-rate is 13·9, which is 1·1 less than that of May, 0·5 less than that of June of last year, and is the lowest aggregate June death-rate of these eight towns yet recorded, the previous lowest being that of June of last year. The death-rate of the month varied from 20·4 in Dundee, to 11·0 in Aberdeen. In Greenock it was 15·1, in Perth 15·0, in Leith 14·0, in Glasgow 13·8, in Paisley 13·5, and in Edinburgh 12·5. Compared with the corresponding May death-rate those of Aberdeen, Leith, and Perth are higher, but those of the remaining five towns are lower.

Of the 2163 deaths registered in the eight towns during the month, 629, or 29·1 per cent., were of children of less than five years old, and 598, or 27·6 per cent., were of persons of over sixty. The former are 178 fewer than in May, and 32 fewer than in June of last year; the latter are 76 fewer than in May, and 5 fewer than in June of last year.

Deaths of children of less than one year old numbered 382; they are 53 fewer than in May, and 1 fewer than in June of last year. The infantile mortality rate is 101 per thousand of the average number of births registered monthly during the previous twelve months, a rate which is 10 less than that of May, but 4 more than that of June of last year. This rate varied from 139 in Dundee to 69 in Leith. In Paisley it was 120, in Glasgow 103, in Edinburgh 92, in Aberdeen 88, in Greenock 80, and in Perth 77.

Deaths from the principal epidemic diseases numbered 177; they are 99 fewer than in May, and 8 fewer than in June of last year, and are equal to an annual death-rate from these causes of 1·1 per thousand, a rate which is 0·6 less than that of May, and 0·1 less than that of June of last year. In the towns this death-rate varied from 3·0 in Dundee, where measles was prevalent, to 0·3 in Aberdeen. In Paisley it was 2·2, in Leith 1·4, in Perth 1·3, in Glasgow 1·1, in Edinburgh 0·5, and in Greenock 0·5.

There were no deaths from small-pox registered in the eight towns during the month. Deaths from measles numbered 56, of which 22 were in Dundee. From scarlet fever deaths numbered 20; from whooping-cough, 38; from diphtheria, 20; from typhus fever, 5, all of which were registered in Leith; from enteric fever, 4; from cerebro-spinal meningitis, 4; and from diarrhoea and dysentery, 30. Compared with the returns of the previous month deaths from measles are 128 fewer, but those from scarlet fever are of the same number, from enteric fever 1 more, from whooping-cough 2 more, from cerebro-spinal meningitis 3 more, from typhus fever 5 more, from diphtheria 6 more, and from diarrhoea and dysentery 12 more.

The total deaths from diarrhoeal diseases, including those registered as diarrhoea, dysentery, infective enteritis, enteritis and gastro enteritis, numbered 83; they are 23 more than in May and 19 more than in June of last year.

Deaths from influenza numbered 2; from puerperal septic conditions 6; and from malignant disease 158, of which 93 were ascribed to carcinoma, 6 to sarcoma, and 59 to other or unspecified form of cancer. Deaths from heart disease numbered 217; from apoplexies 127; from premature birth debility 66; and from alcoholism 2.

Deaths from pneumonia numbered 170, and constituted 7·9 per cent. of the total deaths of the month; they are 54 fewer than in May, and 33 fewer than in June of last year. Deaths from bronchitis numbered 100, and constituted 4·6 per cent. of the total deaths of the month; they are 66 fewer than in May, and 13 fewer than in June of last year.

Deaths from tuberculous disease numbered 336, and constituted 15·5 per cent. of the total deaths of the month; they are 22 more than in May, but 18 fewer than in June of last year. Of these deaths 212 were ascribed to phthisis, which number is 23 more than in May, and 15 more than in June of last year.

Deaths from violence numbered 89; of them 10 were suicidal, 5 being by hanging, 2 by poisoning, and one each by precipitation, cutting, and by unstated means.

Among those whose deaths were registered during the month, 2 males and 3 females were aged 90 years and upwards, the oldest being a retired flax-merchant, aged 94 years.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 94 there is given the usual monthly statement regarding the births, deaths, and marriages in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1798, marriages 664, and deaths 968. The equivalent annual birth-rate is 26·5, the marriage-rate 9·8, and the death-rate 14·3. Compared with the corresponding rates of June 1909, the birth-rate is 2·2 less, and the marriage-rate 1·6 less, but the death-rate is 0·8 more.

Among the deaths registered in these districts during the month there were 32 from measles; 8 from scarlet fever; 22 from whooping-cough; 9 from diphtheria; 4 from enteric fever; 22 from all diarrhoeal diseases; 1 from croup; 126 from pneumonia, bronchitis, and pleurisy; 152 from tuberculous disease; and 4 from cerebro-spinal meningitis.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES,
JUNE 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	672,872	775,561	884,505	979	984	1963	1834	129	925	518	482	1000
EDINBURGH, . .	276,652	317,335	360,276	351	294	645	589	56	425	184	185	369
DUNDEE, . . .	155,523	162,982	170,206	185	184	369	334	35	134	139	146	285
ABERDEEN, . .	124,943	153,503	185,703	201	177	378	346	32	218	80	88	168
PAISLEY, . . .	66,425	79,363	93,584	116	89	205	192	13	71	56	48	104
LEITH,	68,707	77,563	86,767	115	108	223	215	8	99	51	49	100
GREENOCK, . .	64,175	68,911	73,605	98	105	203	192	11	60	49	42	91
PERTH,	30,775	33,995	37,275	33	36	69	63	6	45	22	24	46
TOTAL,	1,460,072	1,669,213	1,891,921	2078	1977	4055	3765	290	1977	1099	1064	2163

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
FOR JUNE 1910.

TOWNS.	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Births per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION.					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.	Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases (including Pneumonia).	Number.	Rate per 1000 Births.
GLASGOW, . .	27·0	6·6	12·7	13·8	1·1	2·2	1·4	2·1	191	103
EDINBURGH, . .	21·8	3·7	14·4	12·5	0·5	1·9	1·1	1·4	55	92
DUNDEE, . . .	26·4	9·5	9·6	20·4	3·0	3·6	2·4	2·1	51	139
ABERDEEN, . .	24·8	8·5	14·3	11·0	0·3	1·7	1·0	1·2	32	88
PAISLEY, . . .	26·7	6·3	9·2	13·5	2·2	1·4	0·9	2·3	22	120
LEITH,	31·3	3·6	13·9	14·0	1·4	2·8	1·5	2·1	13	69
GREENOCK, . .	33·6	5·4	9·9	15·1	0·5	1·5	0·7	1·8	13	80
PERTH,	22·5	8·7	14·7	15·0	1·3	2·0	1·6	1·6	5	77
TOTAL,	26·1	7·2	12·7	13·9	1·1	2·2	1·4	1·8	382	101

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JUNE 1910, and for the
Corresponding Month of the Preceding Ten Years, in Eight of the Principal Towns.

	Birth-Rate.	Illegitimate Births per 100 Births.	Death-Rate.	Marriage-Rate.	DEATHS FROM							Mean Temperature.	Infantile Mortality.
					Small-pox.	Measles.	Scarlet Fever.	Hooping- Cough.	Diphtheria.	Enteric Fever.	All Diarrhoeal Diseases.		
JUNE 1910, . .	26·1	7·2	13·9	12·7	-	56	20	38	20	4	83	55°·8	101
JUNE 1909, . .	27·5	7·6	14·4	12·9	-	29	14	80	21	6	64	54°·0	97
JUNE 1908, . .	30·0	6·9	14·5	14·5	-	38	9	60	15	6	52	56°·1	99
JUNE 1907, . .	27·3	7·7	16·3	18·4	-	25	3	175	12	7	65	52°·5	117
JUNE 1906, . .	29·7	6·9	15·4	14·5	-	59	7	50	23	12	87	57°·6	102
JUNE 1905, . .	30·7	6·7	16·1	13·9	-	84	6	109	10	9	69	56°·3	110
JUNE 1904, . .	31·4	6·8	16·6	14·9	9	63	9	105	19	12	91	55°·0	110
JUNE 1903, . .	34·2	5·8	18·6	15·7	-	36	20	99	14	10	75	54°·4	132
JUNE 1902, . .	30·6	6·5	18·4	16·9	-	78	18	67	14	10	72	53°·5	117
JUNE 1901, . .	30·7	6·9	17·4	14·8	4	90	14	160	17	10	82	55°·4	107
JUNE 1900, . .	33·0	6·9	18·0	16·9	4	81	20	87	13	10	81	56°·7	125

DEATHS FROM ALL CAUSES at Four Periods of Life.

85

Registered during the Month of JUNE 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	37	8	31	28	104	27	8	36	29	100	19	9	29	34	91	9	4	11	22	46
I. GENERAL DISEASES - -	25	6	11	3	45	19	6	19	6	50	10	7	13	7	37	4	2	5	7	18
II. LOCAL DISEASES:—																				
I. DIS. OF NERVOUS SYSTEM -	1	-	2	-	3	2	-	-	2	4	2	-	1	2	5	-	-	1	1	2
II. " ORGANS OF SPECIAL SENSE - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1
III. " HEART - - -	-	-	5	7	12	-	-	9	7	16	-	-	6	10	16	-	-	2	2	4
IV. " BLOOD VESSELS - -	-	-	2	7	9	-	1	1	6	8	-	-	3	6	9	-	-	-	4	4
V. " RESPIRATORY SYSTEM	1	-	5	4	10	1	-	-	3	4	-	1	-	1	2	2	-	-	2	4
VI. " DIGESTIVE SYSTEM -	3	1	2	2	8	-	-	-	-	-	1	-	1	1	3	1	1	2	2	6
VII. " LYMPHATIC AND DUCT-LESS GLANDS -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
VIII. " URINARY SYSTEM -	-	-	1	3	4	2	-	1	2	5	-	1	-	2	3	-	-	-	1	1
IX. " GENERATIVE SYSTEM -	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. " PREGNANCY AND CHILD-BIRTH - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
XI. " LOCOMOTOR SYSTEM -	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
XII. " THE SKIN - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
III. OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. CAUSES ILL-DEFINED OR NOT SPECIFIED - - -	6	-	-	1	7	1	-	1	1	3	4	-	2	5	11	2	-	-	1	3
V. VIOLENT DEATHS - - -	1	1	1	-	3	1	-	4	1	6	1	-	3	-	4	-	-	1	1	2
A. GENERAL DISEASES.																				
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough, Effects of Vaccination - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	12	1	-	-	13	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2
German Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	-	-	-	-	-	-	4	1	5	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid (origin uncertain) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epidemic Diarrhœa, Infective Enteritis - - -	4	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	
Diarrhœa (not otherwise def.)	26	10	1	1	-	12	-	-	-	1	1	4	-	-	1	5	1	-	-	1	
Dysentery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malaria - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rabies, Hydrophobia - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glanders - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anthrax (Splenic Fever) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tetanus - - -	2	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Syphilis - - -	4	2	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
Gonorrhœa - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerp. Septicæmia, Sapræmia	5	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmasia Alba Dolens -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Fever (not otherwise defined) - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - -	6	2	-	2	-	4	-	-	-	-	1	-	1	-	2	-	-	-	-	-	
Septicæmia (not Puerperal) -	6	1	1	-	-	2	-	1	-	-	1	1	-	1	-	2	-	-	-	-	
Pyæmia (not Puerperal) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmon, Carbuncle (not Anthrax) - - -	8	-	-	3	1	4	-	-	-	1	1	-	1	-	1	-	-	1	-	1	
Phagedæna - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infective Endocarditis - -	4	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Pneumonia { Lobar - - -	33	1	1	10	3	15	1	-	3	1	5	-	4	1	5	1	-	-	-	3	
{ Broncho - - -	64	25	1	5	4	35	10	-	-	1	11	6	-	-	6	2	-	-	-	2	
{ Epidemic - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
{ Not defined - - -	73	9	2	20	7	38	3	1	2	6	12	2	1	1	1	5	1	-	3	4	
Other Infective Conditions -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	
Pulmonary Tuberculosis (Tuberculous Phthisis) -	95	4	9	26	4	43	2	2	14	-	16	-	8	14	1	23	-	-	3	3	
Phthisis (not otherwise def.) -	117	1	7	49	2	59	2	3	12	1	18	-	3	7	1	11	-	1	10	19	
Tuberculous Meningitis - -	63	25	6	-	-	31	8	4	-	-	12	3	1	-	-	4	3	1	2	-	
Tuberculous Peritonitis - -	30	8	1	5	-	14	2	1	-	-	3	3	1	1	-	5	2	-	-	6	
Tabes Mesenterica - - -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
Lupus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tubercle of other Organs -	12	-	2	-	-	2	-	1	2	-	3	1	1	1	-	3	-	1	1	2	
General Tuberculosis - -	16	3	3	2	-	8	-	1	-	1	2	3	-	1	-	4	-	1	-	1	
Scrofula - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Parasitic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scurvy - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Alcoholism, Delirium Tremens	2	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	
Opium, Morphia Habit - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ptomaine Poisoning - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Industrial Poisoning :—																					
By Lead - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
„ Phosphorus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

87

Registered during the Month of JUNE 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Asiatic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa (not otherwise defined)	1	-	-	-	1	2	-	1	-	3	1	-	-	-	1	1	-	-	1	2
Dysentery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rinders - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tanus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhœa - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eclampsia Alba Dolens - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal) -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas, Carbuncle (not An-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thrax) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar - - - -	-	-	1	-	1	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-
{ Broncho- - - - -	3	-	-	-	3	4	-	2	-	6	1	-	-	1	-	-	-	-	-	-
{ Epidemic - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not defined - - - -	1	-	3	-	4	1	-	1	3	5	1	-	2	1	4	-	-	-	1	1
Other Infective Conditions -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuber-	-	-	2	-	2	-	3	2	1	6	-	-	-	-	-	-	1	1	-	2
culous Phthisis) - - - -	-	2	3	-	5	-	-	5	-	5	-	1	2	1	4	-	-	2	-	3
Phthisis (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - -	1	1	-	-	2	3	1	-	-	4	1	2	-	-	3	1	-	-	-	1
Tuberculous Peritonitis - -	-	-	1	-	1	2	1	-	-	3	-	2	-	-	2	-	-	-	-	-
Typhus Mesenterica - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
General Tuberculosis - - -	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Prophylaxis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Curvy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium Poisoning - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Industrial Poisoning :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism -	3	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	93	-	-	20	19	39	-	-	16	8	24	-	-	11	3	14	-	-	3	5	8
Sarcoma -	6	-	-	4	1	5	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	59	-	-	9	13	22	-	-	5	9	14	-	-	3	6	9	-	-	1	3	4
Rickets -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Purpura -	3	-	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	16	-	-	2	3	5	-	2	2	4	-	-	2	-	2	-	-	1	2	3	8
Diabetes Mellitus -	12	-	1	4	1	6	-	2	1	3	-	-	1	-	1	-	-	1	-	-	1
Premature Birth -	66	33	-	-	-	33	12	-	-	-	12	7	-	-	-	7	7	-	-	-	7
Congenital Defects -	20	6	-	-	-	6	3	-	-	-	3	3	-	-	-	3	3	-	-	-	3
Injury at Birth -	3	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Atelectasis -	5	3	-	-	-	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1
Want of Breast Milk -	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Teething -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	29	13	1	1	1	16	3	1	1	2	7	-	1	-	-	1	1	-	-	-	1
Softening of Brain -	19	-	-	1	4	5	-	1	2	4	7	-	-	1	2	3	-	-	-	-	-
General Paralysis of Insane -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	4	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	2	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions -	26	11	-	-	-	11	5	-	-	-	5	2	1	-	-	3	5	-	-	-	5
Laryngismus Stridulus -	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Locomotor Ataxy -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord -	12	2	1	4	-	7	-	-	1	1	2	-	-	2	-	2	-	-	-	-	-
Neuritis, Peripheral, Polyneuritis -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	8	-	1	1	-	2	-	-	3	-	3	-	-	-	-	-	-	-	1	1	2
Other Dis. of Nervous System	5	1	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	5	2	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Diseases of Nose -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	93	-	1	17	11	29	-	2	6	11	19	-	4	7	7	18	-	-	4	2	6
Pericarditis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	7	-	-	1	2	3	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Dilatation of Heart -	7	-	-	-	-	-	-	1	-	1	2	-	-	-	1	1	-	-	-	-	-
Fatty Degeneration of Heart -	12	-	-	2	3	5	-	-	2	1	3	-	-	-	1	1	-	-	-	-	-
Syncope, Heart Disease (not specified) -	95	-	-	16	22	38	-	-	5	9	14	-	-	7	7	14	-	1	2	10	13

DEATHS FROM ALL CAUSES at Four Periods of Life.

89

Registered during the Month of JUNE 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarcinoma - - - - -	-	-	-	1	1	-	-	1	1	2	-	-	2	1	3	-	-	1	1	2
Carcinoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	4	3	7	-	-	-	2	2
Eclampsia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Æmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Immature Birth - - - - -	-	4	-	-	4	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Congenital Defects - - - - -	1	-	-	-	1	2	-	-	-	2	2	-	-	-	2	-	-	-	-	-
Injury at Birth - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Electecasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lack of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Starvation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Encephalitis, Inflammation of Brain - - - - -	1	-	-	-	1	-	-	-	-	-	2	-	1	-	3	-	-	-	-	-
Softening of Brain - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	1	2
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
Coryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Comotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Neuritis, Peripheral, Poly-neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Stenosis, Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthia, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	-	1	3	4	-	-	5	4	9	-	-	3	3	6	-	-	1	1	2
Myocarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	1	1	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-
Arterio-sclerotic Degeneration of Heart - - - - -	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-
Coronary Heart Disease (not specified) - - - - -	-	-	3	2	5	-	-	3	1	4	-	-	2	3	5	-	-	1	1	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JUNE 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—contd.																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Cerebral Embolism	80	-	-	13	26	39	-	-	4	9	13	-	-	2	5	7	-	-	-	4	3
Apoplexy, Hemiplegia	47	-	-	7	19	26	-	-	1	6	7	-	-	-	3	3	-	-	-	-	3
Aneurism	7	-	-	2	-	2	-	-	1	1	-	-	-	-	-	-	-	-	1	1	
Senile Gangrene	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Embolism, Thrombosis (not Cerebral)	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Blood Vessels	13	-	-	2	5	7	-	-	1	3	4	-	-	-	2	2	-	-	-	-	
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Croup (not Spasmodic nor Membranous)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Dis. of Larynx & Trachea	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Bronchitis	100	14	-	12	24	50	1	-	2	5	8	3	-	6	4	13	2	-	3	4	
Emphysema, Asthma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pleurisy	6	1	-	4	-	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Fibroid Disease of Lung	4	-	-	1	1	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
Other Dis. of Respiratory Syst.	3	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Mouth, Pharynx, (Esophagus (not Specific))	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
Gastric Ulcer	9	-	-	4	-	4	-	1	-	1	2	-	1	-	1	1	-	-	-	-	
Gastric Catarrh	17	7	-	1	4	12	-	-	-	-	-	1	-	-	-	1	3	-	-	3	
Other Diseases of Stomach (not Malignant)	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteritis (not Infective)	32	15	-	1	4	20	4	-	-	-	4	2	-	-	-	2	2	-	-	2	
Gastro-enteritis	21	12	-	-	-	12	2	-	-	-	2	3	-	-	-	3	3	-	-	3	
Appendicitis, Perityphlitis	21	-	4	4	-	8	-	2	2	2	6	-	2	-	-	2	-	1	-	1	
Hernia	7	-	-	4	-	4	-	-	2	-	2	-	-	-	1	1	-	-	-	-	
Intestinal Obstruction	8	2	2	-	-	4	1	-	-	-	1	-	1	-	1	2	-	-	1	-	
Other Diseases of Intestines	7	-	1	2	-	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	
Peritonitis (not Puerperal)	7	-	3	1	-	4	1	-	1	-	2	-	-	-	-	-	-	1	-	1	
Cirrhosis of Liver	8	-	-	3	1	4	-	-	1	-	1	-	-	1	1	2	-	-	1	1	
Other Diseases of Liver and Gall Bladder	10	1	-	1	1	3	-	-	3	2	5	-	-	1	-	1	-	-	1	1	
Other Dis. of Digestive System	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Other Dis. of Lymphatic Syst.	4	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	2	
Diseases of Thyroid Body	5	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	2	2	
Dis. of Supra-renal Capsules	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uræmia	34	1	3	15	4	23	1	1	4	-	6	1	-	-	1	2	-	1	-	1	
Chronic Bright's Disease, Albuminuria	50	-	-	13	7	20	-	-	6	6	12	-	-	3	2	5	-	-	1	3	
Calculus (not Biliary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dis. of Bladder and of Prostate	14	-	-	2	4	6	-	-	-	3	3	-	-	-	2	2	-	-	-	1	
Other Dis. of Urinary System	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

91

Registered during the Month of JUNE 1910.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

93

Registered during the Month of JUNE 1910.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—JUNE 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fever—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	44	31	25	-	1	1	-	-	-	3	-	3	3
Ayr,	24,944	28,697	86	30	47	-	1	-	-	-	1	2	-	5	8
Banff, with Macduff,	8,927	8,398	12	7	7	-	-	-	-	-	-	1	-	-	1
Blairgowrie,	4,510	4,282	8	4	6	-	-	-	-	-	-	-	-	1	1
Callander,	2,279	2,171	0	1	1	-	-	-	-	-	-	-	-	1	-
Campbeltown,	10,260	10,236	24	10	9	-	-	-	-	-	-	-	-	-	3
Cathcart,*	4,552	7,375	25	7	9	-	-	-	-	-	-	-	-	-	2
Coatbridge,	32,709	30,930	135	42	79	-	9	-	9	1	-	-	-	16	10
Crieff,	5,413	5,706	11	1	11	-	-	-	-	-	-	-	-	1	2
Dumbarton,	18,021	20,205	51	21	33	-	-	-	-	2	1	1	-	2	10
Dumfries, with Troqueer,	23,765	24,745	38	18	38	-	-	-	-	-	-	1	-	3	8
Dunfermline,	23,667	31,697	83	31	43	-	1	1	-	-	-	-	1	4	5
Dunoon,	7,287	8,924	12	5	12	-	-	-	-	-	-	-	-	3	-
Eastwood,*	13,744	15,366	36	15	17	-	-	-	-	-	-	-	-	4	1
Elgin,	10,473	11,560	16	17	21	-	-	-	-	-	-	-	-	3	2
Falkirk,	24,007	33,815	98	29	51	-	1	3	-	1	-	-	-	7	10
Forfar,	13,665	12,879	23	18	13	-	1	-	-	-	-	-	-	1	2
Galashiels,	17,785	13,969	14	12	20	-	-	-	-	-	-	1	-	1	4
Govan—(1) Plantation,	22,571	27,228	77	19	26	-	-	-	-	-	-	-	-	3	4
(2) Govan,	41,187	56,602	170	47	86	-	1	-	-	1	1	-	-	15	20
(3) Partick,	36,538	54,298	152	42	41	-	-	-	-	-	-	2	-	8	6
Haddington,	5,216	5,126	11	2	5	-	-	-	-	1	-	-	-	1	-
Hawick,	20,556	18,502	33	28	27	-	-	-	-	-	-	1	-	2	4
Inverness,	24,186	27,046	43	21	30	-	-	-	-	-	-	-	-	3	5
Kilmarnock, with Riccarton,	31,433	37,170	99	37	48	-	-	-	2	-	-	1	-	6	10
Kilmore and Kilbride (Oban),	5,729	6,301	11	6	6	-	-	-	-	-	-	-	-	-	2
Kirkcaldy and Abbotshall,	17,975	22,997	50	25	22	-	-	-	1	1	-	-	-	3	2
Kirkcudbright,	3,477	3,309	4	1	5	-	-	-	-	-	-	-	-	2	1
Largs, with Skelmorlie,	5,320	5,501	11	1	7	-	-	-	1	1	-	-	-	2	2
Logie (Bridge of Allan),	4,252	4,432	5	5	5	-	-	-	-	-	-	1	-	-	1
Moffat,	2,977	2,799	5	5	3	-	-	-	-	-	-	-	-	-	-
Montrose,	14,591	14,027	17	13	31	-	-	-	-	-	-	-	-	3	5
Moulin (Pitlochry),	2,001	2,192	3	3	1	-	-	-	-	-	-	-	-	-	-
Nairn,	5,250	5,732	10	2	7	-	-	-	1	-	-	1	-	-	-
New Monkland (Airdrie),	33,743	36,786	112	17	50	-	7	-	1	-	-	2	-	9	4
North Berwick,	3,038	3,649	14	5	3	-	-	-	-	-	-	-	-	1	-
Peterhead, with Boddam	15,830	15,146	54	9	18	-	4	-	-	1	-	1	-	-	-
Rothsay,	9,108	9,378	19	4	8	-	-	-	-	-	-	-	-	1	2
St Andrews and St Leonards,	8,755	9,410	7	6	2	-	-	-	-	-	-	-	-	1	-
Shettleston,	12,538	21,955	89	25	33	-	2	1	1	-	1	2	-	3	6
Stirling,	17,002	18,609	45	28	37	-	4	-	6	-	-	-	-	4	5
Stranraer,	6,193	6,036	15	10	8	-	-	-	-	-	-	1	-	-	-
Wick,	12,063	11,326	26	4	17	-	-	2	-	-	-	-	-	4	1

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of JUNE 1910.

Mean barometric pressure, 29.884 inches; less than the average of 1856-1905 by 0.065 inch.

Mean temperature, $55^{\circ}8$; greater by $0^{\circ}4$.

Mean daily range of temperature, $16^{\circ}2$; greater by $0^{\circ}9$.

Rain, number of days, 12; less by 1 day.

Rain, depth in inches, 1.67; less by 0.58 inch.

Wind, direction of: a 5 days' excess of winds from between N. and E.

Hence the month of June 1910 was characterised by a rather low mean pressure; a slightly high mean temperature, with a slightly high mean daily range; a rather low mean rainfall; and an excess of winds from NE.

The mean pressure was 29.884 inches, or 0.065 inch below the normal, being almost the same as that for May. There were no very rapid movements of the barometer, and at Leith pressure was above 30 inches from 5th-8th and from 14th-20th, the sea-level extremes there being 30.368 inches on 16th and 29.300 inches on 28th.

The mean temperature was $55^{\circ}8$, or $0^{\circ}4$ above the normal, the nights practically agreeing with their average but the days being $0^{\circ}8$ above. Paisley had an excess of $1^{\circ}3$, Edinburgh, Aberdeen, and Perth practically agreed with the normal, and the mean for Dundee was deficient by $0^{\circ}7$. Early in the month, with light North-Easterly winds, temperature was rather below the average, but thereafter the weather was as a rule rather warmer than the normal with highest temperatures from 10th to 12th. The extreme readings were 79° at Perth on 12th, and 35° , also at Perth, on 6th.

The mean rainfall was 1.67 inch, or 26 per cent. below the normal. Aberdeen had only one-quarter of its average amount and the other Eastern towns a deficiency of from 40 to 50 per cent. In the west, Greenock had a slight deficiency, Paisley practically the average, and Glasgow (Belvidere) an excess of 15 per cent, but Glasgow Observatory a deficiency. From 1st to 18th there were many rainless days, but rather heavy falls at Paisley and Greenock on 10th with a thunderstorm. From 19th onwards conditions were rather unsettled especially between 20th and 23rd: at Dundee the wettest day of the month was the 28th.

Thunder, or thunderstorms, occurred in the West on 9th and 10th, and very generally between 20th and 23rd. The accompanying rainfalls were of considerable intensity but comparatively short duration, and, as regards the chief towns, the heaviest fall in one day was $0^{\circ}74$ inch at Glasgow (Belvidere) on 22nd.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JUNE 1910.

OBSERVERS	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.			RAIN, AND OTHER FORMS OF PRE-CIPITATION.		WIND DIRECTIONS.										WIND FORCE.			
	Height of Station above Sea-level.		Mean of		Absolute Maximum and Minimum.				Mean at 9 A.M. and 9 P.M.			Number of Days.		Total Fall.		Difference from Average.		Number of Observations at 9 A.M. and 9 P.M.									
Mean at Station and 32°.	Mean at Sea-Level and 32°.	°	°	°	°	°	°	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	in.	inch.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.					
GLASGOW, Medical Officer of Health, Glasgow.	54	29.835	29.884	66.1	48.1	57.1	+0.9	76	10th	40	15th	55.1	2.8	.356	82	11	2.96	+0.41	0	18	11	3	2	6	10	5	5
EDINBURGH, Professor DYSON, F.R.S., Royal Observatory.	441	29.414	29.830	60.7	47.7	54.2	+0.2	71	12th	42	3rd, 15th	53.4	2.6	.337	83	14	1.13	-0.78	4	21	5	2	0	5	21	1	1
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.716	29.885	62.7	47.2	55.0	-0.7	78	12th	40	1st	54.4	2.9	.343	81	10	1.35	-0.64	1	14	5	17	1	13	1	8	0
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29.837	29.885	60.6	48.5	54.6	0.0	73	12th	41	1st, 2nd	8	0.47	-1.33	0	14	2	22	10	2	6	4	0
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.754	29.870	67.4	47.9	57.7	+1.3	75	10th, 13th	41	2nd	57.1	4.4	.343	74	15	2.27	+0.05	4	0	23	0	2	..	13	5	9
LEITH, JAMES BOLAM, Nautical College, and GEORGE REDPATH.	76	29.802	29.885	63.1	49.4	56.3	+0.5	76	12th	42	15th	55.5	3.2	.352	80	15	0.99	-1.01	6	8	24	0	0	0	16	6	0
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.616	29.863	64.3	47.5	55.9	+0.9	73	10th	42	2nd, 3rd	54.5	3.8	.323	76	12	2.93	-0.51	0	13	14	2	0	3	13	10	0
PERTH, ALEX. M. RODGER, The Museum.	85	29.769	29.891	66.5	46.4	56.0	+0.1	79	12th	35	6th	55.1	3.8	.331	76	10	1.27	-0.84	6	13	12	4	0	6	13	4	2
Means	151	29.722	29.884	63.9	47.7	55.8	+0.4	55.0	3.4	.341	79	12	1.67	-0.58	3	13	12	6	2	5	12	5	2
North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 19'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'; Mean, 3° 30'.																											

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

JULY 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of July 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3725 living children, of whom 1855 were males and 1870 females. These births are 330 fewer than were registered in these towns in June, and 183 fewer than were there registered in July of last year. The equivalent annual birth-rate is 23·2 per thousand of the estimated aggregate population of the eight towns, a rate which is 2·9 below the birth-rate for June, and 1·5 below the rate for July of last year. It is the lowest July birth-rate recorded in these Reports, the previous lowest being that for July of last year, which was 24·7 per thousand. The birth-rate for the month varied from 31·2 in Greenock to 17·6 in Edinburgh. In Perth it was 27·5, in Dundee, 25·5, in Glasgow, 24·4, in Paisley, 24·3, in Aberdeen, 22·7, and in Leith, 20·6.

Of the 3725 births, 284, or 7·6 per cent., were illegitimate. These illegitimate births are 6 fewer than were registered in June and 21 fewer than were registered in July of last year. The illegitimate rate is 0·4 higher than in June, but 0·2 less than in July of last year. The illegitimate rate varied from 10·0 in Edinburgh to 2·6 in Greenock. In Dundee it was 8·4, in Glasgow, 7·9, in Aberdeen, 7·5, in Perth, 6·9, in Paisley, 5·2, and in Leith, 3·9.

Marriages registered in the eight towns during the month numbered 1763; they are 214 fewer than were registered in the previous month, but 14 more than were registered in the corresponding month of last year. The equivalent annual marriage-rate is 11·0 per thousand, a rate which is 1·7 below that for June, but is the same as that for July of last year.

Deaths registered in the eight towns during the month numbered 1888; they are 275 fewer than in June, and 93 fewer than in July of last year. The equivalent annual death-rate is 11·8, which is 2·1 less than in June, and 0·7 less than in July of last year. It is the lowest death-rate for these towns recorded in any of these monthly reports, the previous lowest being that for October of last year, which was 12·2. The death-rate for the month varied from 14·2 in Perth to 9·6 in Leith. In Greenock it was 13·6, in Dundee, 13·5, in Glasgow, 12·2, in Edinburgh, 11·3, in Paisley, 10·1, and in Aberdeen, 9·7. Compared with the corresponding death-rate for June, the rates for all these towns are lower.

Of the 1888 deaths registered in the eight towns during the month, 565, or 29·9 per cent., were of children of less than five years old, and 503, or 26·6 per cent., were of persons of over sixty. The former are 64 fewer than in June, and 23 fewer than in July of last year; the latter are 95 fewer than in June, and 47 fewer than in July of last year.

Deaths of children of less than one year old numbered 341; they are 41 fewer than in June, and 15 fewer than in July of last year. The infantile mortality rate is 88 per thousand of the average monthly number of births registered in the eight towns during the past twelve months, a rate which is 13 less than in June, but 1 more than in July of last year. This rate varied from 116 in Perth to 67 in Aberdeen. In Glasgow it was 99, in Dundee 97, in Leith 79, in Paisley 74, in Greenock 70, and in Edinburgh 68.

Deaths from the principal epidemic diseases numbered 141; they are 36 fewer than in June, and 7 fewer than in July of last year, and are equal to an annual death-rate from these causes of 0·9 per thousand, a rate which is 0·2 below that for June and is the same as that for July of last year. In the towns this death-rate varied from 1·5 in Dundee to 0·3 in Perth. In Greenock it was 1·3, in Glasgow 1·1, in Edinburgh 0·5, and in Aberdeen, Paisley, and Leith it was 0·4.

No deaths from small-pox were recorded in the eight towns during the month. Deaths from measles numbered 23; from scarlet fever 19; from whooping-cough, 30, of which 25 occurred in Glasgow; from diphtheria, 28; from enteric fever, 11; from cerebro-spinal meningitis, 3; and from diarrhoea and dysentery, 27. Compared with the returns for the previous month, deaths from measles are 33 fewer, from whooping-cough 8 fewer, from diarrhoea and dysentery 3 fewer, from scarlet fever and from cerebro-spinal meningitis each 1 fewer, but those from enteric fever are 7 more, and those from diphtheria are 8 more.

The total deaths from diarrhoeal diseases, including those registered as due to diarrhoea, dysentery, infective enteritis, enteritis, and gastro-enteritis, numbered 76; they are 7 fewer than in June, but are 16 more than in July of last year.

Deaths from influenza numbered 2; from puerperal septic conditions 6; and from malignant disease 145, of which 87 were ascribed to carcinoma, 4 to sarcoma, and 54 to other or unspecified form of cancer. Deaths from heart disease numbered 200; from apoplexies 102; from premature birth debility 63; and from alcoholism 1.

Deaths from pneumonia numbered 161, and constituted 8·5 per cent. of the total deaths for the month; they are 9 fewer than in June, but are 3 more than in July of last year. Deaths from bronchitis numbered 81, and constituted 4·3 per cent. of the total deaths for the month; they are 19 fewer than in June, but 5 more than in July of last year.

Deaths from tuberculous disease numbered 284, and constituted 15·0 per cent. of the total deaths; they are 52 fewer than in June, and 2 fewer than in July of last year. Of these deaths 167 were ascribed to phthisis, those deaths being 45 fewer than in June, but 4 more than in July of last year.

Deaths from violence numbered 77; of them 7 were suicidal, 4 being by hanging, 2 by gunshot wounds, and 1 by cutting.

Among those whose deaths were registered during the month, 3 males and 8 females were aged 90 years and upwards, the oldest being a housekeeper aged 97 years.

BIRTHS, DEATHS, ETC., IN OTHER REGISTRATION DISTRICTS.

On page 110 is given the usual monthly statement regarding the births, deaths, and marriages recorded in forty-eight registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1716, marriages 667, and deaths 879. The equivalent annual birth-rate is 24·5, the marriage-rate 9·5, and the death-rate 12·5. Compared with the corresponding rates for July of last year, the birth-rate is 0·5 less, the marriage-rate 1·1 more, and the death-rate 0·5 more.

Among the deaths registered in these districts during the month there were 12 from measles; 7 from scarlet fever; 13 from whooping-cough; 8 from diphtheria; 3 from enteric fever; 29 from all diarrhoeal diseases; 1 from croup; 101 from pneumonia, bronchitis, and pleurisy; 132 from tubercle; and 2 from cerebro-spinal meningitis, which occurred in Dumbarton and in Govan respectively.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES,
JULY 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, . . .	672,872	775,561	884,505	923	910	1833	1688	145	831	465	448	913
EDINBURGH, . . .	276,652	317,335	360,276	265	274	539	485	54	346	171	175	346
DUNDEE, . . .	155,523	162,982	170,206	192	176	368	337	31	193	96	99	195
ABERDEEN, . . .	124,943	153,503	185,703	166	192	358	331	27	150	85	63	153
PAISLEY, . . .	66,425	79,363	93,584	93	100	193	183	10	64	34	46	80
LEITH, . . .	68,707	77,563	86,767	72	80	152	146	6	62	36	35	71
GREENOCK, . . .	64,175	68,911	73,605	102	93	195	190	5	80	37	43	85
PERTH, . . .	30,775	33,995	37,275	42	45	87	81	6	37	23	22	45
TOTAL, . . .	1,460,072	1,669,213	1,891,921	1855	1870	3725	3441	284	1763	947	941	1888

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
FOR JULY 1910.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Births per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 OF POPULATION.					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.	Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases (including Pneumonia).	Number.	Rate per 1000 Births.
GLASGOW, . . .	24·4	7·9	11·1	12·2	1·1	2·0	1·1	1·7	189	99
EDINBURGH, . . .	17·6	10·0	11·3	11·3	0·5	1·6	1·1	1·6	41	63
DUNDEE, . . .	25·5	8·4	13·4	13·5	1·5	1·9	1·2	1·8	37	95
ABERDEEN, . . .	22·7	7·3	9·5	9·7	0·4	1·2	0·8	0·8	25	67
PAISLEY, . . .	24·3	5·2	8·1	10·1	0·4	1·5	0·9	1·6	14	74
LEITH, . . .	20·6	3·9	8·4	9·6	0·4	1·2	0·5	1·2	15	79
GREENOCK, . . .	31·2	2·6	12·8	13·6	1·3	1·8	0·8	2·1	12	70
PERTH, . . .	27·5	6·9	11·7	14·2	0·3	1·9	0·9	0·9	8	116
TOTAL, . . .	23·2	7·6	11·0	11·8	0·9	1·8	1·0	1·6	341	88

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JULY 1910, and for the Corresponding Month of the Preceding Ten Years, in Eight of the Principal Towns.

	Birth-Rate.	Illegitimate Births per 100 Births.	Death-Rate.	Marriage-Rate.	DEATHS FROM							Mean Temperature.	Infantile Mortality.
					Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Enteric Fever.	All Diarrhoeal Diseases.		
JULY 1910, . . .	23·2	7·6	11·8	11·0	-	23	19	30	28	11	76	56°·7	88
JULY 1909, . . .	24·7	7·8	12·5	11·0	-	31	14	57	14	6	60	57°·0	87
JULY 1908, . . .	27·3	7·3	13·4	12·0	-	14	7	86	10	4	122	58°·6	102
JULY 1907, . . .	28·0	7·0	14·5	15·0	-	28	8	103	14	11	71	56°·5	101
JULY, 1906 . . .	26·9	7·6	14·1	14·3	-	42	6	53	17	9	89	57°·4	94
JULY 1905, . . .	28·9	6·7	14·8	13·1	-	67	4	84	12	5	101	60°·5	112
JULY 1904, . . .	28·1	7·0	14·5	13·0	6	32	11	92	10	16	91	58°·2	101
JULY 1903, . . .	30·6	6·5	15·7	14·0	1	40	18	66	15	26	117	57°·0	119
JULY 1902, . . .	31·0	6·5	16·2	12·1	-	66	14	60	13	15	80	55°·7	113
JULY 1901, . . .	32·3	6·3	19·1	14·3	2	94	28	99	8	15	266	62°·5	159
JULY 1900, . . .	31·4	7·3	17·8	14·3	7	90	25	82	17	22	159	60°·6	135

DEATHS FROM ALL CAUSES at Four Periods of Life.
Registered during the Month of JULY 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	1888	312	81	307	213	913	72	24	148	102	346	65	17	58	55	195	35	14	50	54	153
A. GENERAL DISEASES -	904	207	47	163	51	468	50	13	74	27	164	42	12	25	16	95	21	5	27	11	64
B. LOCAL DISEASES :-																					
I. DIS. OF NERVOUS SYSTEM	110	29	4	6	7	46	6	-	13	5	24	4	-	4	3	11	4	-	4	-	8
II. „ ORGANS OF SPECIAL SENSE - -	5	-	1	-	-	1	1	1	-	-	2	1	-	-	-	1	-	-	-	-	-
III. „ HEART - - -	200	1	2	34	42	79	-	1	17	20	38	-	3	9	8	20	-	3	8	14	25
IV. „ BLOOD VESSELS -	120	-	1	18	33	52	-	-	5	14	19	-	-	3	17	20	-	-	1	8	9
V. „ RESPIRATORY SYST.	91	9	2	17	18	46	6	-	4	8	18	1	-	1	2	4	1	1	-	2	4
VI. „ DIGESTIVE SYSTEM	149	32	9	24	11	76	4	2	12	5	23	9	-	6	6	21	3	2	2	3	10
VII. „ LYMPHATIC AND DUCTLESS GLANDS	4	-	1	-	1	2	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
VIII. „ URINARY SYSTEM -	90	2	3	23	15	43	1	2	5	6	14	-	2	6	1	9	-	-	4	6	10
IX. „ GENERATIVE SYST.	9	-	-	2	1	3	-	1	4	-	5	-	-	1	-	1	-	-	-	-	-
X. „ PREGNANCY AND CHILDBIRTH -	13	-	1	1	-	2	-	-	6	-	6	-	-	-	-	-	-	-	1	-	1
XI. „ LOCOMOTOR SYSTEM	6	-	1	1	2	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
XII. „ THE SKIN - -	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C. OTHER SPECIFIED DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED -	107	19	1	2	25	47	3	-	1	14	18	6	-	1	2	9	2	1	-	9	12
E. VIOLENT DEATHS -	77	12	8	15	7	42	1	3	6	3	13	1	-	2	-	3	3	2	3	1	9
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccin. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	23	9	1	-	-	10	3	-	-	-	3	8	-	-	-	8	1	-	-	-	1
German Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	19	7	-	-	-	7	2	1	-	-	3	-	2	-	-	2	-	-	1	-	1
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hooping-cough - - -	30	25	-	-	-	25	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	28	8	6	-	-	14	2	2	-	-	4	4	1	-	-	5	2	2	-	-	4
Cerebro-spinal Fever -	3	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	11	-	-	7	-	7	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

101

Registered during the Month of JULY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	19	11	30	20	80	22	6	25	18	71	29	8	21	27	85	11	5	15	14	45
A. GENERAL DISEASES - -	11	8	13	2	34	13	5	6	2	26	12	6	12	4	34	6	3	4	6	19
B. LOCAL DISEASES:—																				
I. DIS. OF NERVOUS SYSTEM -	1	1	2	-	4	5	-	-	3	8	5	-	-	2	7	-	-	1	1	2
II. " ORGANS OF SPECIAL SENSE -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
III. " HEART - - - -	-	-	4	9	13	-	1	5	3	9	-	1	1	6	8	-	-	5	3	8
IV. " BLOOD VESSELS - -	-	-	1	3	4	-	-	4	3	7	-	-	1	5	6	-	-	2	1	3
V. " RESPIRATORY SYSTEM	2	1	1	3	7	-	-	3	2	5	2	-	-	5	7	-	-	-	-	-
VI. " DIGESTIVE SYSTEM -	1	1	4	1	7	1	-	1	-	2	3	1	1	2	7	3	-	-	-	3
VII. " LYMPHATIC AND DUCT-LESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. " URINARY SYSTEM -	-	-	2	-	2	1	-	5	4	10	-	-	1	-	1	-	-	1	1	1
IX. " GENERATIVE SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. " PREGNANCY AND CHILD-BIRTH - - - -	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	1	-	-	1
XI. " LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
XII. " THE SKIN - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED - -	3	-	3	2	8	-	-	-	-	-	5	-	1	3	9	2	-	-	2	4
E. VIOLENT DEATHS - -	1	-	-	-	1	1	-	-	1	2	2	-	1	-	3	-	1	3	-	4
A. GENERAL DISEASES.																				
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
German Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	-	1	-	-	1	-	1	-	-	1	1	2	-	-	3	-	1	-	-	1
Diphtheria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Dumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Cerebro-spinal Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Asiatic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis - - - -	7	4	-	-	4	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-
Diarrhœa (not otherwise def.) - - -	20	11	-	-	13	2	-	-	-	2	2	-	-	2	1	-	-	-	-	-	-
Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - - - -	3	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-
Syphilis - - - - -	11	7	-	-	8	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
Gonorrhœa - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerp. Septicæmia, Sapræmia - - -	4	-	-	3	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Alba Dolens - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - -	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal) - - -	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal) - - - - -	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax) - - - -	4	2	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Phagedæna - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis - - - - -	3	-	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar - - - - -	34	1	1	8	12	-	-	6	2	8	1	1	4	2	8	1	-	2	1	-	-
{ Broncho- - - - -	63	26	-	4	33	7	-	2	1	10	8	-	2	1	11	3	-	-	-	-	-
{ Epidemic - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not defined - - - - -	64	9	-	20	35	4	1	8	-	13	-	1	1	1	3	-	-	2	-	-	-
Other Infective Conditions - - -	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuberculous Phthisis) - - -	64	3	11	14	1	29	1	1	12	1	15	1	5	7	13	-	1	2	-	-	-
Phthisis (not otherwise def.) - - -	103	-	10	42	3	55	-	1	16	1	18	-	3	2	5	-	2	8	-	-	-
Tuberculous Meningitis - - - - -	52	27	4	-	31	6	-	-	-	6	3	1	-	-	4	2	-	2	-	-	-
Tuberculous Peritonitis - - - - -	33	10	4	1	1	16	3	1	2	-	6	2	-	-	2	2	-	-	-	-	-
Tabes Mesenterica - - - - -	5	3	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs - - - -	13	1	3	2	6	-	2	2	-	4	1	-	1	-	2	-	-	-	-	-	-
General Tuberculosis - - - - -	14	3	2	3	8	1	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-
Scrofula - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens - -	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

103

Registered during the Month of JULY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Epidemic Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Infective Enteritis—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea (not otherwise defined)	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bubonic Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eclampsia, Albida Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Empyema, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagel's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
{ Broncho-	2	-	-	-	2	1	-	-	-	1	1	-	-	-	1	1	1	-	-	2
{ Epidemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not defined	1	1	1	-	3	1	1	-	1	3	1	-	4	-	5	-	-	-	-	-
Other Infective Conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuberculous Phthisis)	-	-	1	-	1	1	-	1	-	2	-	-	-	-	-	-	-	1	-	1
Phthisis (not otherwise defined)	-	3	3	-	6	-	1	1	-	2	-	-	3	2	5	-	-	2	-	2
Tuberculous Meningitis	-	2	-	-	2	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-
Tuberculous Peritonitis	-	1	-	1	2	1	-	-	-	1	1	-	-	-	1	1	1	-	1	3
Typhoid Mesenterica	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	1	-	-	1	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
Profusa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drunkenness	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of JULY 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	4	-	1	2	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	6	-	-	1	1	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism -	2	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	2	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	87	-	1	24	14	39	-	8	13	21	-	-	5	6	11	-	-	6	4	-	-
Sarcoma -	4	-	-	2	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	54	-	-	17	10	27	-	8	5	13	-	-	-	2	2	-	-	2	4	-	-
Rickets -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura -	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	10	-	1	1	3	5	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus -	17	-	-	4	1	5	-	-	3	-	-	-	-	1	1	-	-	1	2	-	-
Premature Birth -	63	33	-	-	-	33	9	-	-	9	6	-	-	-	6	6	-	-	-	-	-
Congenital Defects -	11	5	-	-	-	5	3	-	-	3	-	-	-	-	-	1	-	-	-	-	-
Injury at Birth -	5	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Atelectasis -	4	2	-	-	-	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Want of Breast Milk -	5	1	-	-	-	1	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-
Teething -	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	40	20	2	-	-	22	2	-	4	-	6	2	-	1	-	3	-	-	-	-	-
Softening of Brain -	11	-	-	1	-	1	-	-	1	2	3	-	-	1	1	-	-	1	-	-	-
General Paralysis of Insane -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	6	-	-	1	1	2	-	2	-	2	-	-	-	-	-	-	-	1	-	-	-
Convulsions -	18	8	-	-	-	8	2	-	-	2	2	-	-	-	2	3	-	-	-	-	-
Laryngismus Stridulus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord -	11	-	1	2	2	5	-	-	1	1	-	2	1	3	-	-	-	-	-	-	-
Neuritis, Peripheral, Polyneuritis -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	9	1	1	1	-	3	1	-	3	1	5	-	1	-	1	-	-	-	-	-	-
Other Dis. of Nervous System	10	-	-	1	2	3	1	-	2	1	4	-	-	1	1	1	-	1	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	3	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Epistaxis, Diseases of Nose -	2	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	86	1	1	16	19	37	-	1	9	7	17	-	2	5	3	10	-	1	1	1	-
Pericarditis -	2	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
Dilatation of Heart -	6	-	-	-	2	2	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-
Fatty Degeneration of Heart	5	-	-	-	1	1	-	-	2	2	4	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified) -	96	-	1	17	19	37	-	-	4	8	12	-	1	4	5	10	-	2	6	12	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

105

Registered during the Month of JULY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	2	1	3	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-
Sarcoma - - - - -	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	1	-	1	-	-	-	-	-	-	2	1	3	-	-	-	2	2	-
Tickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes Mellitus - - - - -	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	-	2	-	2	-
Premature Birth - - - - -	2	-	-	-	2	2	-	-	2	2	-	-	-	2	3	-	-	-	-	3
Congenital Defects - - - - -	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Injury at Birth - - - - -	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Menigitis, Inflammation of Brain - - - - -	1	1	-	-	2	3	-	-	3	4	-	-	-	4	-	-	-	-	-	-
Softening of Brain - - - - -	-	-	1	-	1	-	-	1	1	-	-	-	2	2	-	-	1	1	-	-
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Convulsions - - - - -	-	-	-	-	-	2	-	-	2	1	-	-	-	1	-	-	-	-	-	-
Strabismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord - - - - -	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Neuritis, Peripheral, Poly-neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Nistagmus, Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phthiria, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	-	4	4	8	-	1	3	2	6	-	1	-	1	-	-	3	1	4	-
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Myocarditis, Heart Disease (not specified) - - - - -	-	-	4	4	-	-	2	-	2	-	-	1	6	7	-	-	2	2	4	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

107

Registered during the Month of JULY 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
LOCAL DISEASES— <i>continued.</i>																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis—	-	-	1	1	2	-	-	2	2	4	-	-	1	3	4	-	-	2	1	3
Apoplexy, Hemiplegia -	-	-	-	1	1	-	-	2	-	2	-	-	2	-	2	-	-	-	-	-
Neurism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrombosis (not Cerebral) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteriosclerosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Acute Bronchitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bronchitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Laryngitis (not Diphtheritic) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Laryngitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Spasmodic Croup (not Membranous) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Bronchitis -	2	1	1	3	7	-	-	2	2	4	1	-	-	4	5	-	-	-	-	-
Emphysema, Asthma -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Bronchitis -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
Chronic Bronchitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Disease of Lung -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Acute Gastritis, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis (not Specific) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis -	-	-	1	-	1	-	-	-	-	-	1	1	-	-	2	1	-	-	-	1
Other Diseases of Stomach (not Malignant) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis (not Infective) -	1	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1
Acute Gastritis -	-	-	1	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1
Acute Gastritis, Perityphilitis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
Other Diseases of Intestines -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis (not Puerperal) -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis of Liver -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Acute Gastritis of Spleen -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Lymphatic System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis of Thyroid Body -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis of Supra-renal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Chronic Bright's Disease, Albuminuria -	-	-	1	-	1	1	-	3	3	7	-	-	-	-	-	-	-	-	-	-
Acute Nephritis (not Biliary) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute Gastritis of Bladder and of Prostate -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Urinary System -	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	1	1

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

109

Registered during the Month of JULY 1910.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—JULY 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fevers—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	34	20	22	-	3	-	-	-	-	-	-	12	3
Ayr,	24,944	28,697	63	26	29	-	-	-	-	1	-	2	-	2	4
Banff, with Macduff,	8,927	8,398	19	4	7	-	-	-	-	-	-	-	-	-	1
Blairgowrie,	4,510	4,282	8	5	6	-	-	-	-	-	-	-	-	1	-
Callander,	2,279	2,171	3	0	0	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	19	3	15	-	-	-	1	-	1	-	-	1	2
Cathcart,*	4,552	7,375	28	6	4	-	-	-	-	-	-	-	-	-	-
Coatbridge,	32,709	39,930	131	43	63	-	1	-	7	1	-	4	-	6	10
Crief,	5,413	5,706	15	4	7	-	-	-	-	-	-	-	-	1	2
Dumbarton,	18,021	20,205	40	19	26	-	-	-	-	-	-	-	-	2	6
Dumfries, with Troqueer,	23,765	24,745	52	32	31	-	-	-	-	-	-	-	-	7	5
Dunfermline,	28,667	31,697	65	39	42	-	-	1	-	-	-	2	-	2	4
Dunoon,	7,287	8,924	18	3	15	-	-	-	1	-	-	-	-	-	1
Eastwood,*	13,744	15,366	38	13	13	-	-	-	-	1	1	-	-	3	3
Elgin,	10,473	11,560	26	11	17	-	-	-	-	-	-	-	-	1	1
Falkirk,	24,007	33,815	89	27	33	-	-	-	2	-	-	-	-	9	4
Forfar,	13,665	12,879	21	14	18	-	1	-	-	-	-	1	-	-	2
Galashiels,	17,785	13,969	33	15	19	-	-	-	-	-	-	-	-	1	3
Govan—(1) Plantation,	22,571	27,228	81	23	24	-	-	-	-	-	-	-	-	2	4
(2) Govan,	41,187	56,602	155	69	103	-	1	1	-	1	-	1	-	14	27
(3) Partick,	36,538	54,298	155	42	51	-	-	-	1	-	-	6	-	6	10
Haddington,	5,216	5,126	4	2	7	-	-	-	-	-	1	-	-	-	-
Hawick,	20,556	18,502	33	14	15	-	-	-	-	-	-	-	-	1	3
Inverness,	24,136	27,046	49	28	35	-	-	-	-	-	-	1	1	3	4
Kilmarnock, with Riccarton,	31,433	37,170	63	35	33	-	-	1	-	1	-	2	-	6	4
Kilmore and Kilbride (Oban),	5,729	6,301	9	3	7	-	-	-	-	-	-	-	-	-	2
Kirkcaldy and Abbotshall,	17,975	22,997	49	37	14	-	-	-	-	-	-	-	-	-	1
Kirkcudbright,	3,477	3,309	4	1	8	-	-	-	-	-	-	-	-	3	3
Largs, with Skelmorlie,	5,320	5,501	8	2	7	-	-	-	-	-	-	-	-	1	1
Logie (Bridge of Allan),	4,252	4,432	6	4	2	-	-	-	-	-	-	-	-	-	-
Moffat,	2,977	2,799	2	2	4	-	-	-	-	-	-	-	-	1	1
Montrose,	14,591	14,027	16	7	19	-	-	-	-	1	-	-	-	5	-
Moulin (Pitlochry),	2,001	2,192	1	0	1	-	-	-	-	-	-	-	-	-	-
Nairn,	5,250	5,732	8	3	6	-	-	-	-	-	-	1	-	-	-
New Monkland (Airdrie),	33,743	36,786	104	37	43	-	2	-	-	-	-	5	-	9	7
North Berwick,	3,038	3,649	5	0	1	-	-	-	-	-	-	-	-	-	-
Peterhead, with Boddam,	15,830	15,146	45	10	26	-	4	-	-	-	-	2	-	6	1
Rothsay,	9,108	9,378	14	2	13	-	-	-	-	2	-	-	-	-	1
St Andrews and St Leonards,	8,755	9,410	13	5	5	-	-	-	-	-	-	-	-	-	-
Shettleston,	12,538	21,955	89	28	30	-	-	1	-	-	-	-	-	3	7
Stirling,	17,002	18,609	55	22	35	-	-	-	1	-	-	1	-	3	2
Stranraer,	6,193	6,036	14	2	9	-	-	-	-	-	-	1	-	-	2
Wick,	12,063	11,326	22	0	14	-	-	3	-	-	-	-	-	-	1

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of JULY 1910.

Mean barometric pressure, 29·836 inches; less than the average of 1856–1905 by 0·056 inch.

Mean temperature, $56^{\circ}7$; less by $1^{\circ}4$.

Mean daily range of temperature, $14^{\circ}3$; greater by $0^{\circ}1$.

Rain, number of days, 16; being the average.

Rain, depth in inches, 3·81; greater by 0·81 inch.

Wind, direction of: a 6 days' excess of winds from N., N.E. and S.E.

Hence the month of July 1910 was characterised by a rather low mean pressure; a low mean temperature, with an average mean daily range; a high mean rainfall; and an excess of Northerly and Easterly winds.

The mean pressure was 29·836 inches, or 0·056 inch below the normal. At the beginning of the month and from 20th onwards the barometer was unsteady, but from 6th to 19th there were but slight variations. At Leith the sea-level extremes were 30·219 inches on 13th and 29·268 inches on 25th, pressure there being continuously above 30 inches from 7th to 18th.

The mean temperature was $56^{\circ}7$, or $1^{\circ}4$ below the normal, the deficiency being equally well marked by day and by night. The variations at the chief towns ranged from a deficiency of $3^{\circ}2$ at Dundee to a nominal one of $0^{\circ}2$ at Paisley. In Eastern districts temperature was almost continuously below the normal, but in West and South some warm weather was experienced around the middle of the month. The extreme readings were 82° at Paisley on 12th, and 40° at Perth on 16th, and at Dundee on 24th.

The mean rainfall was 3·81 inches, or 27 per cent. above the normal, this being the highest mean for July since 1903. Aberdeen had less than the average amount, but the other towns had an excess, as much as 50 per cent. at Perth and Dundee. Unsettled weather during the opening days culminated in a severe rainstorm on 5th, when Edinburgh had as much as 1·20 inch. Thereafter an abrupt change took place and there was a practically rainless spell until 19th. The last twelve days of the month were almost continuously wet, with severe rainstorms in North and East on 25th, and in South on 28th. On the former day Perth had $1\frac{1}{2}$ inch, and Edinburgh $1\frac{1}{4}$ inch.

Thunder, or thunderstorms, occurred at Perth on 2nd, 3rd, 29th, 30th and 31st; and in various districts on 22nd, 25th or 28th.

The prevailing Easterly winds affected the distribution of Sunshine in a noteworthy manner, Eastern districts having less than the average amount, but Western districts a decided excess.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JULY 1910.

OBSERVERS	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.		RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.										WIND FORCE.												
	Mean at Station and 32°.		feet.	inch.	°.	°.	°.	°.	°.	°.	°.	inch.	per cent.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																		
	Mean at Sea-Level and 32°.	Mean at 9 A.M. and 9 P.M.															Maximum (A).	Minimum (B).	Mean of A and B (Mean Temperature).	Difference from Average.	Absolute Maximum and Minimum.			Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.								
																					Maximum.	Day of Month.						Minimum.	Day of Month.	N	NE	E	SE	S	SW
GLASGOW, Medical Officer of Health, Glasgow.	54	29.787	29.846	65.8	49.3	57.6	-1.2	78	12th	41	8th	56.0	2.8	370	82	16	3.28	+0.29	2	9	6	6	4	2	10	1	22	..							
EDINBURGH, Professor DYSON, F.R.S., Royal Observatory.	441	29.365	29.840	60.4	49.9	55.2	-1.4	70	4th	46	2nd, 24th	54.1	2.7	343	81	15	3.92	+1.32	5	13	4	8	5	8	11	1	2	2.2							
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.666	29.844	62.0	49.0	55.5	-3.2	72	10th	40	24th	55.1	2.3	369	85	17	3.57	+0.64	0	12	5	20	6	11	3	5	0	1.7							
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	29.791	29.840	60.8	49.0	54.9	-2.4	68	10th	45	24th	11	2.48	-0.40	10	12	2	13	8	4	0	8	0	..							
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.712	29.828	67.2	49.7	58.5	-0.2	82	12th	44	8th	57.7	3.9	366	77	19	4.14	+1.34	11	0	9	1	9	0	9	4	19	1.1							
LEITH, JAMES BOLAM, Nautical College, and GEORGE REDPATH.	76	29.752	29.835	63.5	51.7	57.6	-0.9	74	4th	47	8th	56.7	3.1	371	81	18	3.87	+0.94	2	8	24	2	6	6	10	4	0	3.1							
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29.572	29.819	64.9	48.9	56.9	-0.5	78	12th	45	8th, 24th	56.0	3.5	353	78	17	4.56	+0.68	0	3	7	13	0	10	12	17	0	2.7							
PERTH, ALEX. M. RODGER, The Museum.	85	29.744	29.836	65.7	48.8	57.3	-1.3	79	13th	40	16th	56.1	1.9	396	87	17	4.66	+1.64	1	9	14	7	2	13	4	12	0	1.9							
Means	151	29.674	29.836	63.8	49.5	56.7	-1.4	56.0	2.9	367	82	16	3.81	+0.81	4	9	9	9	5	7	7	7	5	2.1							
North Latitude.—Glasgow, 55° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'; Mean, 3° 30'.																																			

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

AUGUST 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of August 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3762 living children, of whom 1909 were males and 1853 females. These births are 37 more than were registered in these towns in July, but 44 fewer than were registered there in August of last year. The equivalent annual birth-rate is 23·4 per thousand of the estimated aggregate population of these towns, a rate which is 0·2 above that for July, but 0·6 below that for August of last year. It is the lowest birth-rate recorded for the month of August in any of these Reports, the previous lowest being that for August of last year, which was 24·0. The birth-rate for the month ranged from 32·3 in Greenock to 19·1 in Edinburgh. In Dundee it was 28·7, in Leith 24·2, in Glasgow 23·8, in Aberdeen 23·2, in Perth 21·2, and in Paisley 20·5.

Of the 3762 births, 299, or 7·9 per cent., were illegitimate. These illegitimate births are 15 more than were registered in July, and 13 more than were registered in August of last year. The illegitimate rate is 0·3 higher than in July, and 0·4 higher than in August of last year. This rate varied from 10·4 in Edinburgh to 2·5 in Greenock. In Aberdeen it was 8·7, in Glasgow 8·1, in Dundee and in Perth 7·5, in Leith 7·3, and in Paisley 4·3.

Marriages registered in the eight towns during the month numbered 975; they are 788 fewer than were registered in July, and 18 fewer than were registered in August of last year. The equivalent annual marriage-rate is 6·1 per thousand, being 4·9 below that for July, and 0·2 below that for August of last year.

Deaths registered in the eight towns during the month numbered 2169; they are 281 more than in the previous month, and 176 more than in the corresponding month of last year. The equivalent annual death-rate is 13·5 per thousand, being 1·7 above that for the previous month, and 0·9 above that for the corresponding month of last year. The death-rate for the month varied from 17·6 in Greenock to 8·8 in Leith. In Dundee it was 17·0, in Perth 16·4, in Glasgow 14·0, in Paisley 13·5, in Edinburgh 11·8, and in Aberdeen 11·2. Compared with the corresponding death-rates for July, the rates for all those towns, with the exception of Leith, are higher.

Of the 2169 deaths registered, 720, or 33·2 per cent., were of children of less than five years old, and 551, or 25·4 per cent., were of persons of over sixty.

The former are 155 more than in July, and 70 more than in August of last year; the latter are 48 more than in July, and 42 more than in August of last year.

Deaths of children of less than one year old numbered 489; they are 148 more than were registered in July, and 52 more than were registered in August of last year. The infantile mortality rate is 126 per thousand of the average monthly number of births registered during the past twelve months, a rate which is 38 more than in July, and 19 more than in August of last year. This rate ranged from 155 in Greenock to 79 in Leith. In Dundee it was 138, in Glasgow 137, in Aberdeen 123, in Paisley 122, in Edinburgh 99, and in Perth 87. In Perth this rate was lower than in July, in Leith it was the same as in July, but in all the other towns it was higher than in that month.

Deaths from the principal epidemic diseases numbered 230; they are 89 more than in July, and 49 more than in August of last year, and are equal to an annual death-rate from these causes of 1·4 per thousand, a rate which is 0·5 above that for July, and 0·3 above that for August of last year. In the towns this death-rate varied from 2·9 in Greenock to 0·4 in Leith. In Dundee and in Perth it was 1·9, in Glasgow 1·8, in Paisley 1·4, in Aberdeen 0·9, and in Edinburgh 0·5.

No deaths from small-pox were registered in the eight towns during the month. Deaths from measles numbered 12; from scarlet fever 20; from hooping-cough 35; from diphtheria 22; from enteric fever 7; from typhus fever 1, which occurred in Glasgow; from cerebro-spinal meningitis 4, all of which occurred in Glasgow; and from diarrhoea and dysentery 129, 84 of which occurred in Glasgow. Compared with the returns for the previous month, deaths from measles are 11 fewer, from diphtheria 6 fewer, and from enteric fever 4 fewer, while those from scarlet fever, typhus fever, and cerebro-spinal meningitis are each 1 more, from hooping-cough 5 more, and from diarrhoea and dysentery 102 more.

The total deaths from diarrhoeal diseases, including those registered as due to enteritis and gastro-enteritis, numbered 219; they are 143 more than in July, and 88 more than in August of last year.

There was 1 death from influenza; deaths from puerperal septic conditions numbered 7; from malignant disease 176, of which 108 were ascribed to carcinoma, 7 to sarcoma, and 61 to other or unspecified form of cancer. Deaths from heart disease numbered 223, from apoplexies 124, from premature birth debility 77, and from alcoholism 4.

Deaths from pneumonia numbered 122, and constituted 5·6 per cent. of the total deaths; they are 39 fewer than in July, and number the same as in August of last year. Deaths from bronchitis numbered 87, and constituted 4·0 per cent. of the total deaths; they are 6 more than in July, and 6 more than in August of last year.

Deaths from tuberculous disease numbered 257, and constituted 11·8 per cent. of the total deaths for the month; they are 27 fewer than in July, and 15 fewer than in August of last year. Of these deaths 150 were ascribed to phthisis; they are 17 fewer than in July, and 22 fewer than in August of last year.

Deaths from violence numbered 112; they are 35 more than in July, and 29 more than in August of last year. Of them 12 were suicidal, 5 being by hanging, 4 by poison or poisonous vapour, and 3 by cutting.

Among those whose deaths were registered during the month, 4 males and 4 females were aged 90 years and upwards, the oldest being a retired engraver and lithographer aged 96 years.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 126 is given the usual monthly statement of the births, marriages, and deaths recorded in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1690, marriages 309, and deaths 875. The equivalent annual birth-rate is 24·1, the marriage-rate 4·4, and the death-rate 12·5. Compared with the corresponding rates for August of last year, the birth-rate is 1·8 lower, the marriage-rate is the same, and the death-rate is 0·2 lower.

Among the deaths registered in these districts during the month there were 9 from measles; 11 from scarlet fever; 19 from hooping-cough; 12 from diphtheria; 4 from enteric fever; 69 from all diarrhoeal diseases; 2 from laryngitis; 2 from croup; 94 from pneumonia, bronchitis, and pleurisy; and 99 from tuberculosis. No deaths were registered from cerebro-spinal meningitis.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES,
AUGUST 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . .	672,872	775,561	884,505	861	925	1786	1641	145	447	563	487	1050
EDINBURGH, . .	276,652	317,335	360,276	302	233	535	524	61	210	177	185	362
DUNDEE, . . .	155,523	162,982	170,206	233	182	415	384	31	62	118	128	246
ABERDEEN, . .	124,943	153,503	185,703	200	166	366	334	32	101	86	91	177
PAISLEY, . . .	66,425	79,363	93,584	82	81	163	156	7	71	52	55	107
LEITH,	63,707	77,563	86,767	89	89	178	165	13	28	35	30	65
GREENOCK, . .	64,175	68,911	73,605	106	96	202	197	5	31	62	48	110
PERTH,	30,775	33,995	37,275	36	31	67	62	5	25	26	26	52
TOTAL,	1,460,072	1,669,213	1,891,921	1909	1853	3762	3463	299	975	1119	1050	2169

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
FOR AUGUST 1910.

TOWNS.	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Births per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION.					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.	Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases (including Pneumonia).	Number.	Rate per 1000 Births.
GLASGOW, . .	23·8	8·1	6·0	14·0	1·8	1·7	1·1	1·5	259	137
EDINBURGH, . .	19·1	10·4	6·9	11·8	0·5	1·4	0·9	0·9	60	99
DUNDEE, . . .	28·7	7·5	4·3	17·	1·9	2·2	1·1	1·7	53	138
ABERDEEN, . .	23·2	8·7	6·4	11·2	0·9	1·0	0·6	1·4	46	123
PAISLEY, . . .	20·5	4·3	8·9	13·5	1·4	1·9	1·0	1·3	23	122
LEITH,	24·2	7·3	3·8	8·8	0·4	1·2	0·5	1·8	15	79
GREENOCK, . .	32·3	2·5	5·0	17·6	2·9	1·8	0·6	2·1	27	155
PERTH,	21·2	7·5	7·9	16·4	1·9	0·6	0·6	1·6	6	87
TOTAL,	23·4	7·9	6·1	13·5	1·4	1·6	0·9	1·4	489	126

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR AUGUST 1910, and for the
Corresponding Month of the Preceding Ten Years, in Eight of the Principal Towns.

	Birth-Rate.	Illegitimate Births per 100 Births.	Death-Rate.	Marriage-Rate.	DEATHS FROM							Mean Temperature.	Infantile Mortality.
					Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria.	Enteric Fever.	All Diarrhoeal Diseases.		
AUGUST 1910, .	23·4	7·9	13·5	6·1	-	12	20	35	22	7	219	58°·1	126
AUGUST 1909, .	24·0	7·5	12·6	6·3	-	22	19	42	21	11	131	58°·1	109
AUGUST 1908, .	24·6	8·2	14·2	6·4	-	15	6	79	17	15	244	57°·1	131
AUGUST 1907, .	24·4	7·4	13·1	6·3	-	19	7	93	21	14	76	55°·0	94
AUGUST 1906, .	27·2	8·1	13·9	6·4	-	24	4	45	14	11	186	58°·5	127
AUGUST 1905, .	27·5	7·5	14·3	6·9	-	45	6	63	8	11	237	56°·8	129
AUGUST 1904, .	29·5	7·3	16·7	7·1	-	30	11	112	11	8	272	57°·5	153
AUGUST 1903, .	28·0	7·4	15·0	7·0	2	24	18	41	16	26	226	55°·5	131
AUGUST 1902, .	28·2	6·4	13·9	7·5	-	25	16	73	7	15	76	55°·4	85
AUGUST 1901, .	28·4	7·3	18·4	6·7	-	57	10	61	9	28	473	59°·1	193
AUGUST 1900, .	30·6	6·8	17·1	6·8	3	53	19	93	18	23	260	56°·8	149

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2169	401	86	348	215	1050	84	27	143	108	362	81	16	80	69	246	52	11	58	56	167
A. GENERAL DISEASES -	980	226	48	156	48	478	47	12	71	31	161	61	12	32	16	121	29	6	25	14	70
B. LOCAL DISEASES:—																					
I. DIS. OF NERVOUS SYSTEM	113	40	4	10	6	60	8	2	3	5	18	3	1	3	2	9	7	-	6	-	-
II. „ ORGANS OF SPECIAL SENSE - -	10	1	3	1	-	5	2	-	-	2	1	-	1	-	2	-	-	-	-	-	-
III. „ HEART - -	223	1	2	35	32	70	2	1	14	22	39	-	1	21	16	38	-	1	11	16	-
IV. „ BLOOD VESSELS -	158	1	-	22	46	69	-	-	7	21	28	-	-	5	13	18	-	-	4	10	-
V. „ RESPIRATORY SYST.	106	20	-	10	20	50	-	1	5	6	12	2	-	3	5	10	5	-	1	6	-
VI. „ DIGESTIVE SYSTEM	196	58	6	35	19	118	7	4	11	8	30	6	-	4	3	13	4	3	2	3	-
VII. „ LYMPHATIC AND DUCTLESS GLANDS	7	3	-	1	1	5	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
VIII. „ URINARY SYSTEM -	92	1	2	25	19	47	1	1	10	5	17	-	-	6	7	13	-	1	1	2	-
IX. „ GENERATIVE SYST.	14	-	-	7	1	8	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
X. „ PREGNANCY AND CHILDBIRTH -	18	-	2	10	-	12	-	-	5	-	5	-	-	-	-	-	-	-	1	-	-
XI. „ LOCOMOTOR SYSTEM	13	-	7	-	1	8	1	-	-	-	1	-	-	1	-	1	-	-	1	-	-
XII. „ THE SKIN - -	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - -	2	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED -	122	40	-	6	17	63	9	-	1	8	18	6	-	-	5	11	6	-	1	5	-
E. VIOLENT DEATHS -	112	9	12	29	5	55	4	6	12	2	24	2	2	4	2	10	1	-	5	-	-
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Doubtful -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccin. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	12	5	-	-	-	5	2	-	-	-	2	1	-	-	-	1	2	-	-	-	-
German Measles - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	20	7	3	-	-	10	1	3	-	-	4	2	-	-	-	2	-	1	-	-	-
Typhus - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-cough - -	35	15	2	-	-	17	4	-	-	-	4	3	-	-	-	3	1	-	-	-	-
Mumps - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - -	22	11	1	-	-	12	1	1	1	-	3	1	1	-	-	2	2	-	-	-	-
Cerebro-spinal Fever - -	4	3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	7	-	-	2	-	2	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

117

Registered during the Month of AUGUST 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	32	9	33	33	107	19	4	17	25	65	39	9	37	25	110	12	4	16	20	52
GENERAL DISEASES - -	16	5	16	3	40	13	3	10	6	32	30	5	18	2	55	6	3	7	3	19
LOCAL DISEASES:—																				
I. DIS. OF NERVOUS SYSTEM -	5	2	-	1	8	1	-	-	-	1	1	-	1	-	2	-	1	-	1	2
I. " ORGANS OF SPECIAL SENSE—	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
I. " HEART - - -	-	1	5	7	13	-	3	6	9	-	1	4	7	12	-	-	4	10	14	-
V. " BLOOD VESSELS—	-	-	1	5	6	-	2	5	7	-	-	4	8	12	1	-	1	2	4	-
V. " RESPIRATORY SYSTEM	-	-	1	6	7	2	-	4	6	2	-	1	3	6	1	-	-	2	3	-
T. " DIGESTIVE SYSTEM -	8	-	2	3	13	2	-	-	2	3	-	1	1	5	2	-	1	-	3	-
(L. " LYMPHATIC AND DUCT-LESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. " URINARY SYSTEM -	-	1	3	2	6	-	-	1	1	1	-	3	-	4	-	-	-	-	-	-
X. " GENERATIVE SYSTEM -	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-
X. " PREGNANCY AND CHILD-BIRTH - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I. " LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
I. " THE SKIN - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER SPECIFIED DISEASES - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAUSES ILL-DEFINED OR NOT SPECIFIED - -	2	-	-	2	4	1	1	-	3	5	2	1	-	3	6	2	-	1	-	3
VIOLENT DEATHS - -	1	-	4	3	8	-	-	2	-	2	-	-	3	1	4	-	-	2	1	3
A. GENERAL DISEASES.																				
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox, Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
German Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	2
Dysentery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	1	-	-	-	1	-	-	-	-	-	8	1	-	9	-	-	-	-	-	-
Rumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic - - -	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	1
Cerebro-spinal Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid (origin uncertain) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Asiatic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Infective	51	35	1	-	-	36	1	-	-	-	1	6	1	1	-	8	-	-	-	-	-
Enteritis	78	45	1	1	1	48	1	-	-	-	1	10	-	-	-	10	4	-	1	2	
Diarrhoea (not otherwise def.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dysentery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malaria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rabies, Hydrophobia - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glanders - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tetanus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis - - - -	10	6	-	-	-	6	1	-	1	-	2	1	-	-	-	1	-	-	-	-	
Gonorrhoea - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerp. Septicæmia, Sapræmia	5	-	-	4	-	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmasia Alba Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Fever (not otherwise defined) - - -	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Erysipelas - - - -	5	-	-	1	-	1	-	-	1	1	1	-	-	1	2	-	-	-	-	-	
Septicæmia (not Puerperal)	6	-	4	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmon, Carbuncle (not Anthrax)	5	-	-	2	-	2	-	-	1	-	1	-	-	1	1	-	-	1	-	-	
Phagedæna - - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infective Endocarditis -	3	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Pneumonia { Lobar	23	1	-	6	1	8	2	-	3	-	5	-	-	2	-	2	1	-	3	-	
Broncho-	38	17	1	-	-	18	4	-	1	1	6	4	-	1	-	5	2	-	-	1	
Epidemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Not defined	61	6	5	20	5	36	1	-	3	2	6	-	-	2	5	7	-	-	1	2	
Other Infective Conditions	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pulmonary Tuberculosis (Tuberculous Phthisis)	58	1	7	18	3	29	-	1	10	2	13	-	4	6	-	10	1	-	3	-	
Phthisis (not otherwise def.)	92	1	8	41	2	52	-	1	10	2	13	2	1	3	-	6	-	-	4	1	
Tuberculous Meningitis	39	12	4	-	-	16	2	4	-	-	6	8	-	-	-	8	-	2	1	-	
Tuberculous Peritonitis	28	6	1	3	-	10	2	2	2	-	6	3	2	1	-	6	-	-	-	-	
Tabes Mesenterica - -	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lupus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tubercle of other Organs	14	1	4	1	2	8	1	-	1	-	2	-	-	-	-	1	1	1	-	-	
General Tuberculosis -	22	6	4	3	-	13	1	-	1	-	2	1	1	-	-	2	1	-	-	-	
Scrofula - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Parasitic Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Starvation - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Scurvy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Alcoholism, Delirium Tremens	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	
Opium, Morphia Habit - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ptomaine Poisoning - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
By Lead - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
„ Phosphorus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

119

CAUSES OF DEATH.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Infective	1	-	-	-	1	2	-	-	-	2	2	-	1	-	3	-	-	-	-	-
Enteritis-	7	-	1	-	8	-	-	-	-	-	3	-	1	-	4	-	-	-	-	-
Diarrhoea (not otherwise defined) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thrax (Splenic Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Gonorrhoea - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Alba Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Septicæmia (not Puerperal) - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Pyæmia (not Puerperal) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not An- thrax) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ecthyma - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pneumonia { Lobar - - -	-	-	-	-	-	2	-	-	-	2	1	-	-	1	2	-	-	-	-	-
Broncho- - - -	-	1	-	-	1	1	-	-	-	1	1	1	-	-	2	2	-	-	-	2
Epidemic - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not defined - - -	-	1	-	1	2	1	1	1	1	4	1	1	1	-	3	-	-	-	-	-
Other Infective Conditions - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuber- culous Phthisis) - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Phthisis (not otherwise defined) -	-	1	7	-	8	-	1	2	-	3	-	1	3	-	4	-	-	1	-	1
Tuberculous Meningitis - - -	-	1	1	-	2	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Tuberculous Peritonitis - - -	-	1	-	-	1	-	-	1	1	2	3	-	-	-	3	-	-	-	-	-
Typhoid Mesenterica - - -	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis - - -	-	1	1	-	2	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Crofula - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bury - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Homaine Poisoning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" Phosphorus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of AUGUST 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	5	-	1	2	-	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Arthritis, Rheumatic Gout -	3	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	108	-	-	21	20	41	-	18	10	28	-	-	9	5	14	-	-	-	4	4	-
Sarcoma -	7	-	-	1	-	1	-	-	3	-	3	-	-	1	-	1	-	-	1	-	-
Cancer, Malignant Disease (not otherwise defined)	61	1	-	15	9	25	-	8	9	17	-	-	2	3	5	-	-	-	2	2	-
Rickets -	2	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Purpura -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	15	-	-	3	2	5	1	2	2	5	-	-	-	1	1	-	1	1	1	1	-
Diabetes Mellitus -	14	-	-	5	2	7	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Premature Birth -	77	28	-	-	-	28	16	-	-	16	12	-	-	-	12	12	-	-	-	-	-
Congenital Defects -	19	8	-	-	-	8	4	-	-	4	3	-	-	-	3	1	-	-	-	-	-
Injury at Birth -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis -	3	2	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Want of Breast Milk -	4	2	-	-	-	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Teething -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	38	21	1	1	-	23	3	2	-	1	6	-	-	-	-	1	-	1	-	-	-
Softening of Brain -	10	-	-	2	2	4	-	-	-	4	4	-	-	1	1	2	-	-	-	-	-
General Paralysis of Insane -	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Chorea -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	3	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions -	33	18	1	1	-	20	3	-	-	3	2	1	-	-	3	6	-	-	-	-	-
Laryngismus Stridulus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Paraplegia, Diseases of Cord -	12	-	-	3	2	5	1	-	-	1	1	-	1	1	3	-	-	-	2	-	-
Neuritis, Peripheral, Polyneuritis -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	3	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Dis. of Nervous System	7	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	9	1	3	-	-	4	2	-	-	2	1	-	1	-	2	-	-	-	-	-	-
Epistaxis, Diseases of Nose -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	78	-	1	14	10	25	-	1	9	8	18	-	1	13	5	19	-	-	3	1	-
Pericarditis -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	5	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart -	9	-	-	-	1	1	-	-	-	-	-	-	-	2	1	3	-	-	-	1	-
Fatty Degeneration of Heart	10	-	-	-	2	2	-	-	3	2	5	-	-	-	-	-	-	-	1	-	-
Syncope, Heart Disease (not specified) -	119	1	1	20	17	39	2	-	2	11	15	-	-	6	10	16	-	1	7	14	2

DEATHS FROM ALL CAUSES at Four Periods of Life.

121

Registered during the Month of AUGUST 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	5	2	7	-	-	3	2	5	-	-	2	-	2	-	-	3	-	3
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warts, Skin Diseases, etc. (not otherwise defined) - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	6	1	7	-	-	1	1	2
Scabies - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrophulous, Haemorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diabetes Mellitus - - - - -	-	-	-	1	1	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-
Premature Birth - - - - -	2	-	-	-	2	3	-	-	-	3	3	-	-	-	3	1	-	-	-	1
Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1
Injury at Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asphyxia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Starvation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Encephalitis, Inflammation of Brain - - - - -	4	1	-	-	5	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Tetanus, Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coma, Ataxia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paralysis, Diseases of Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis, Peripheral, Polyneuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Disorders, Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	1	-	-	1	-	-	2	4	6	-	1	1	1	3	-	-	1	1	2
Myocarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
Dilatation of Heart - - - - -	-	-	1	1	2	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-
Atrophy Degeneration of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
Coronary Heart Disease (not specified) - - - - -	-	-	4	6	10	-	-	1	1	2	-	-	1	5	6	-	-	2	7	9

123

CAUSES OF DEATH.

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

125

Registered during the Month of AUGUST 1910.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—AUGUST 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	43	10	25	-	-	-	-	-	-	2	-	3	4
Ayr,	24,944	28,697	88	19	49	-	-	1	-	1	-	1	-	7	5
Banff, with Macduff,	8,927	8,398	16	9	8	-	-	-	-	-	-	1	-	-	1
Blairgowrie,	4,510	4,282	6	4	9	-	-	-	-	-	-	-	-	2	1
Callander,	2,279	2,171	7	1	2	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	20	6	14	-	-	-	3	-	-	-	-	1	2
Cathcart,*	4,552	7,375	38	3	14	-	-	-	-	-	-	-	-	-	2
Coatbridge,	32,709	39,930	120	8	53	-	2	-	4	-	-	13	-	4	9
Crieff,	5,413	5,706	17	4	11	-	-	1	-	-	-	-	-	2	1
Dumbarton,	18,021	20,205	55	3	31	-	-	1	-	1	1	2	1	8	4
Dumfries, with Troqueer,	23,765	24,745	43	9	24	-	-	-	-	-	-	-	-	-	2
Dunfermline,	28,667	31,697	62	10	33	-	-	-	-	3	1	1	2	1	6
Dunoon,	7,287	8,924	13	4	16	-	-	-	-	-	-	-	-	3	-
Eastwood,*	13,744	15,366	35	5	15	-	-	1	-	1	-	1	-	2	3
Elgin,	10,473	11,560	19	7	11	-	-	-	-	-	-	1	-	2	1
Falkirk,	24,007	33,815	85	24	38	-	1	1	-	-	-	2	-	6	3
Forfar,	13,665	12,879	19	2	18	-	-	-	4	-	-	-	-	-	1
Galashiels,	17,735	13,969	26	6	14	-	-	1	-	-	-	1	-	1	-
Govan—(1) Plantation,	22,571	27,228	76	7	28	-	-	-	1	-	-	3	-	4	6
(2) Govan,	41,187	56,602	150	15	69	-	-	1	1	1	1	5	-	6	20
(3) Partick,	36,538	54,298	148	18	57	-	-	-	2	-	-	13	-	11	6
Haddington,	5,216	5,126	4	3	8	-	-	-	-	-	-	-	-	1	1
Hawick,	20,556	18,502	26	4	25	-	1	-	-	-	-	1	-	1	3
Inverness,	24,186	27,046	52	14	36	-	-	-	-	-	-	1	-	-	2
Kilmarnock, with Riccarton,	31,433	37,170	92	19	44	-	-	1	2	1	1	7	-	4	3
Kilmore and Kilbride (Oban),	5,729	6,301	7	1	11	-	-	-	-	-	-	-	-	-	1
Kirkcaldy and Abbotshall,	17,975	22,997	62	13	23	-	2	1	-	2	-	3	1	2	2
Kirkcudbright,	3,477	3,309	3	2	5	-	-	-	-	-	-	-	-	-	-
Largs, with Skelmorlie,	5,320	5,501	7	2	5	-	-	-	-	-	-	-	-	-	-
Logie (Bridge of Allan),	4,252	4,432	7	1	7	-	-	-	-	-	-	-	-	-	-
Moffat,	2,977	2,799	1	4	2	-	-	-	-	-	-	-	-	1	-
Montrose,	14,591	14,027	15	8	17	-	-	-	-	-	-	-	-	4	1
Moulin (Pitlochry),	2,001	2,192	5	1	0	-	-	-	-	-	-	-	-	-	-
Nairn,	5,250	5,732	10	0	8	-	-	-	-	-	-	1	-	3	-
New Monkland (Airdrie),	33,743	36,786	100	11	36	-	2	-	2	-	-	6	-	5	-
North Berwick,	3,038	3,649	5	2	3	-	-	-	-	-	-	-	-	-	-
Peterhead, with Boddam	15,830	15,146	34	9	15	-	-	-	-	-	-	-	-	4	-
Rothsay,	9,108	9,378	9	5	10	-	1	-	-	1	-	2	-	2	-
St Andrews and St Leonards,	8,755	9,410	12	3	5	-	-	-	-	-	-	-	-	-	-
Shettleston,	12,538	21,955	76	11	19	-	-	-	-	1	-	1	-	-	5
Stirling,	17,002	18,609	38	16	28	-	-	-	-	-	-	-	-	3	4
Stranraer,	6,193	6,036	14	2	5	-	-	1	-	-	-	1	-	1	-
Wick,	12,063	11,326	25	4	14	-	-	1	-	-	-	-	-	-	-

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of AUGUST 1910.

Mean barometric pressure, 29.769 inches; less than the average of 1856-1905 by 0.089 inch.

Mean temperature, $58^{\circ}1$; greater by $0^{\circ}6$.

Mean daily range of temperature, $12^{\circ}5$; less by $1^{\circ}6$.

Rain, number of days, 22; greater by 5 days.

Rain, depth in inches, 6.84; greater by 3.31 inch.

Wind, direction of: a 6 days' excess of winds from between N.E. and S.E.

Hence the month of August 1910 was characterised by a rather low mean pressure; a slightly high mean temperature, with a rather low mean daily range; an extremely high mean rainfall; and an excess of winds from an Easterly quarter.

The mean pressure was 29.769 inches, or 0.089 inch below the normal. At Leith pressure reached 30 inches only from 9th to 11th, on 13th and 14th, and on 31st, the sea-level extremes there being 30.184 inches on 31st, and 29.151 inches on 26th.

The mean temperature was $58^{\circ}1$, or $0^{\circ}6$ above the normal, the days being of average temperature but the nights decidedly above the average. At Edinburgh, Leith, and Perth the excess was fully 1° . Early in the month there was a recovery from the generally cold conditions of July, and temperature was on the whole above the normal till about 20th, with highest readings from 10th to 12th. Thereafter decidedly cold weather was experienced, with lowest readings about 23rd. The extremes were 75° at Perth and Paisley on 12th, and 40° at Greenock on 24th.

The mean rainfall was 6.84 inches, or as much as 97 per cent. above the normal. This mean for the chief towns has been exceeded in August, since observations were organised in 1856, only in 1861 and in 1877. Paisley, Perth, and Dundee had more than twice their normal amounts, and at Dundee the month was the wettest August on record. At Glasgow (Observatory) the total of 6.64 inches was slightly below that for 1895, and at Edinburgh the total of about 5 inches fell far short of an aggregate of more than 8 inches for August 1877. Rain early in the month was followed by a fine spell from 5th to 10th, whilst from 14th to 30th conditions were continuously unsettled, with daily falls of more than one inch at Paisley on 14th, at Dundee, Paisley, and Greenock on 20th, at Edinburgh on 24th, and over wide areas on 25th and 28th. Exceptionally heavy rains were experienced in Central Perthshire, Crieff having more than 11 inches for the month, and for the three days 23rd to 25th as much as 5.19 inches, of which 3.50 inches fell in 23 hours.

The heavy rainstorms of the latter part of the month were accompanied by somewhat frequent thunderstorms, and in many districts destructive flooding occurred.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of August 1910.

OBSERVERS	BARO-METER.		AIR TEMPERATURE.								HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.										WIND FORCE.																		
	Mean at Station and 32°.		feet.	inch.	°	°	°	°	°	°	°	°	°	°	inch.	per cent.	Mean at 9 A.M. and 9 P.M.	Humidity.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																								
	Mean at Sea-Level and 32°.	Maximum (A).																			Minimum (B).	Mean of A and B (Mean Temperature).	Difference from Average.	Absolute Maximum and Minimum.				Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.										
																								Maximum.	Day of Month.	Minimum.									Day of Month.	Day of Month.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.
GLASGOW, Medical Officer of Health, Glasgow.	54	29-711	29-770	65-1	51-7	58-4	+0-3	74	11th	41	23rd	56-9	2-3	395	86	21	5-60	+2-12	1	7	11	5	4	10	10	4	10	..	2-5																
EDINBURGH, Prof. DYSON, F.R.S., Royal Observatory.	441	29-302	29-778	62-3	51-9	57-1	+1-2	71	12th	45	23rd	55-8	2-4	378	84	21	5-18	+2-46	1	12	5	10	11	6	15	1	1	2-5	1																
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29-603	29-781	63-3	51-4	57-4	-0-1	72	12th	45	22nd	56-2	1-8	399	88	22	7-51	+4-27	0	12	6	22	3	12	6	1	0	2-4	1																
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44																
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29-646	29-762	65-6	51-5	58-6	+0-6	75	12th	41	23rd	57-9	2-6	403	84	22	8-14	+4-65	0	1	17	3	11	3	12	5	10	1-5	1																
LEITH, JAMES BOLAM, Nautical Col- lege, and GEORGE REDPATH.	76	29-683	29-767	64-6	53-0	58-8	+1-1	74	12th	43	23rd	57-2	2-5	395	84	22	5-06	+2-06	6	2	12	8	10	2	22	0	0	2-1	1																
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29-509	29-756	63-3	50-9	57-1	0-0	73	10th	40	24th	56-8	2-1	400	86	21	9-59	+4-13	0	1	12	12	2	8	22	5	0	2-2	1																
PERTH, ALEX. M. RODGER, The Museum.	85	29-679	29-771	66-1	51-9	59-2	+1-4	75	12th	44	23rd	57-0	1-9	408	88	23	6-80	+3-49	3	4	13	13	4	16	4	3	2	2-4	1																
Means	151	29-590	29-769	64-3	51-8	58-1	+0-6	56-8	2-2	397	86	22	6-84	+3-31	2	6	11	10	6	8	13	3	3	2-2	1																
North Latitude.—Glasgow, 56° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 28'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'.																																													

North Latitude.—Glasgow, 55° 59'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 55'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

SEPTEMBER 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of September 1910 there were registered in the eight towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3445 living children, of whom 1778 were male and 1667 female. These births are 317 fewer than those registered in the eight towns during August, and 120 fewer than those there registered in September of last year. The equivalent annual birth-rate is 22·2 per thousand of the estimated aggregate population of the eight towns, a rate which is 1·2 less than that of August, 1·1 less than that of September of last year, and is the lowest monthly birth-rate for the eight towns recorded in these Reports, which now cover a period of fully fifty-five years. The previous lowest monthly birth-rate for any corresponding month was that for September of last year, which was 23·3. The birth-rate of the month varied from 30·6 in Greenock to 16·3 in Perth, and 18·2 in Edinburgh. In Dundee it was 24·0, in Glasgow 23·3, in Leith 23·0, in Aberdeen 21·3, and in Paisley 20·3.

Of the 3445 births, 250, or 7·3 per cent., were illegitimate. The illegitimate births are 49 fewer than in August, and 33 fewer than in September of last year. The illegitimate rate is 0·6 less than in August, and the same amount less than in September of last year. The illegitimate rate of the month ranged from 10·0 in Edinburgh to 3·8 in Greenock. In Aberdeen it was 8·3, in Perth 8·0, in Dundee 7·5, in Glasgow 6·8, in Paisley 5·8, and in Leith 5·5.

Marriages registered in these towns during the month numbered 1095; they are 120 more than were registered in August, but 6 fewer than were registered in September of last year. The equivalent annual marriage-rate is 7·0 per thousand, a rate which is 0·9 more than that of August, but 0·2 less than that of September of last year.

Deaths registered in the eight towns during the month numbered 2086, 1013 being of males, and 1073 of females. These deaths are 83 fewer than those registered in August, but 107 more than those registered in September of last year. The equivalent annual death-rate is 13·4 per thousand, a rate which is 0·1 less than that of August, but 0·5 more than that of September of last year, and which ranged from 17·0 in Perth to 11·1 in Leith. In Dundee it was 16·7, in Greenock 15·9, in Glasgow 13·4, in Paisley 12·9, in Edinburgh 12·8, and in Aberdeen 11·3. In Edinburgh, Aberdeen, Leith, and Perth, the September death-rate was above that for August, but in Glasgow, Dundee, Paisley, and Greenock it was below.

Of the 2086 deaths, 735, or 35·2 per cent., were of children of less than five

years old, and 520, or 24·9 per cent., were of persons of over sixty. The former are 15 more than in August, and 104 more than in September of last year. The latter are 31 fewer than in August, but 9 more than in September of last year.

Deaths of children of less than one year old numbered 497; they are 8 more than in August, and 95 more than in September of last year. The infantile mortality rate of the month is 133 per thousand of the monthly average number of births registered in the eight towns during the past twelve months, a rate which is 7 more than that of August, and 31 more than that of September of last year. This rate varied from 204 in Dundee, and 180 in Greenock, to 76 in Perth. In Paisley it was 154, in Aberdeen 136, in Glasgow 129, in Edinburgh 96, and in Leith 94.

Deaths from the principal epidemic diseases numbered 216; they are 14 fewer than in August, but 43 more than in September of last year. The equivalent annual death-rate from these causes is 1·4 per thousand, a rate which is the same as that of August, but 0·3 more than that of September of last year. In the towns this rate varied from 2·6 in Dundee, and 2·3 in Perth, to 0·7 in Aberdeen, and 0·8 in Edinburgh. In Greenock it was 1·7, in Paisley 1·6, in Glasgow 1·5, and in Leith 1·3.

There were no deaths from small-pox or typhus fever registered in the eight towns during the month. Deaths from measles numbered 7; from scarlet fever 21; from hooping-cough 36; from diphtheria 43; from enteric fever 8; and from cerebro-spinal meningitis 1. Compared with the returns of the previous month, deaths from measles are 5 fewer, and from cerebro-spinal meningitis 3 fewer, but those from scarlet fever, hooping-cough, and enteric fever are each 1 more, and those from diphtheria 21 more.

Deaths from diarrhoeal diseases, including those registered as due to enteritis and gastro-enteritis, numbered 213; they are 6 fewer than in August, but 93 more than in September of last year.

Deaths from influenza numbered 3; from puerperal septic conditions 6; and from malignant disease 156, of which 80 were ascribed to carcinoma, 8 to sarcoma, and 68 to other or unspecified form of cancer. Deaths from heart disease numbered 196; from apoplexies 113; from premature birth debility 76; and from alcoholism 7.

Deaths from pneumonia numbered 132, and constituted 6·3 per cent. of the total deaths of the month; they are 10 more than in August, and 17 more than in September of last year. Deaths from bronchitis numbered 94, and constituted 4·5 per cent. of the total deaths; they are 7 more than in August, and 20 more than in September of last year.

Deaths from tuberculous diseases numbered 252, and constituted 12·1 per cent. of the total deaths of the month; they are 5 fewer than in August, and 20 fewer than in September of last year. The monthly death-rate from tuberculosis was 1·6 per thousand, a rate which ranged from 2·5 in Greenock, 2·1 in Dundee, and 2·0 in Paisley, to 0·3 in Perth. In Glasgow it was 1·6, in Aberdeen 1·6, in Edinburgh 1·4, and in Leith 1·1. Of the deaths from tuberculous disease 162 were ascribed to phthisis, which deaths are 12 more than in August, and 8 more than in September of last year.

Deaths from violence numbered 80; of them 7 were suicidal, 2 being by hanging, 3 by poisoning, 1 by cutting, and 1 by drowning.

Among those whose deaths were registered during the month, 1 male and 7 females were aged 90 years and upwards, the oldest being a widow whose age was registered as about 105.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 142 there is given the usual monthly statement regarding the births, marriages, and deaths registered in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1547, marriages 389, and deaths 826. The equivalent annual birth-rate is 22·8 per thousand, the marriage-rate 5·7, and the death-rate 12·2. Compared with the rates for September of last year, the birth-rate is 1·8 lower, the marriage-rate 0·5 higher, and the death-rate 0·2 higher.

Among the deaths registered in these districts during the month there were 9 from measles; 13 from scarlet fever; 18 from hooping-cough; 21 from diphtheria; 4 from enteric fever; 73 from diarrhoeal diseases; 87 from pneumonia, bronchitis, and pleurisy; 105 from tubercle; and 1 from cerebro-spinal meningitis.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES,
SEPTEMBER 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.
GLASGOW, . . .	672,872	775,561	884,505	869	822	1691	1576	115	592	506	470	976
EDINBURGH, . .	276,652	317,335	360,276	283	256	539	485	54	214	164	214	378
DUNDEE, . . .	155,523	162,982	170,206	168	167	335	310	25	59	108	126	234
ABERDEEN, . .	124,943	153,503	185,703	173	152	325	298	27	114	90	82	172
PAISLEY, . . .	66,425	79,363	93,584	83	73	156	147	9	21	43	56	99
LEITH,	68,707	77,563	86,767	85	79	164	155	9	34	35	44	79
GREENOCK, . .	64,175	68,911	73,605	88	97	185	178	7	38	45	51	96
PERTH,	30,775	33,995	37,275	29	21	50	46	4	23	22	30	52
TOTAL,	1,460,072	1,669,213	1,891,921	1778	1667	3445	3195	250	1095	1018	1073	2086

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
FOR SEPTEMBER 1910.

TOWNS.	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Births per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION.					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.	Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases (Including Pneumonia).	Number.	Rate per 1000 Births.
GLASGOW, . . .	23·3	6·8	8·1	13·4	1·5	1·6	1·1	1·6	236	129
EDINBURGH, . .	18·2	10·0	7·2	12·8	0·8	1·4	0·9	1·4	56	96
DUNDEE, . . .	24·0	7·5	4·2	16·7	2·6	2·1	1·1	1·7	75	204
ABERDEEN, . .	21·3	8·3	7·5	11·3	0·7	1·6	1·3	1·9	49	136
PAISLEY, . . .	20·3	5·8	2·7	12·9	1·6	2·0	1·6	1·0	28	154
LEITH,	23·0	5·5	4·8	11·1	1·3	1·1	0·4	0·8	17	94
GREENOCK, . .	30·6	3·8	6·3	15·9	1·7	2·5	1·0	1·8	31	180
PERTH,	16·3	8·0	7·5	17·0	2·3	0·3	0·3	1·6	5	76
TOTAL,	22·2	7·3	7·0	13·4	1·4	1·6	1·0	1·6	497	133

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR SEPTEMBER 1910, and for the
Corresponding Month of the Preceding Ten Years, in Eight of the Principal Towns.

	Birth- Rate.	Illegitimate Births per 100 Births.	Death- Rate.	Marriage-Rate.	DEATHS FROM							Mean Temperature.	Infantile Mortality.
					Small-pox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria.	Enteric Fever.	All Diarrhoeal Diseases.		
SEPTEMBER 1910.	22·2	7·3	13·4	7·0	-	7	21	36	43	8	213	54°·5	133
SEPTEMBER 1909, .	23·3	7·9	12·9	7·2	-	11	25	24	34	11	120	51°·7	104
SEPTEMBER 1908, .	24·5	8·0	13·9	7·3	-	10	10	56	26	9	186	54°·2	130
SEPTEMBER 1907, .	23·9	7·1	13·4	8·0	-	14	4	67	12	9	106	54°·6	107
SEPTEMBER 1906, .	24·9	7·4	15·5	7·5	-	11	12	41	18	20	348	55°·2	151
SEPTEMBER 1905, .	25·6	7·2	14·4	7·3	-	19	13	38	26	18	172	53°·3	118
SEPTEMBER 1904, .	27·1	6·9	16·0	7·8	1	15	11	74	19	28	250	53°·6	143
SEPTEMBER 1903, .	27·8	6·7	16·2	7·8	-	24	11	33	22	27	183	53°·2	140
SEPTEMBER 1902, .	29·0	7·2	15·4	9·3	-	17	20	39	12	21	109	53°·8	117
SEPTEMBER 1901, .	29·3	6·7	16·9	8·6	-	36	15	44	11	29	239	56°·0	139
SEPTEMBER 1900, .	28·3	7·5	17·5	8·3	4	20	20	80	32	24	211	54°·9	146

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2086	355	74	332	215	976	91	21	134	132	378	104	21	59	50	234	65	13	51	43	172
A. GENERAL DISEASES -	953	199	45	154	57	455	51	9	70	30	160	65	12	25	14	116	46	6	22	14	88
B. LOCAL DISEASES:—																					
I. DIS. OF NERVOUS SYSTEM	121	37	3	18	6	64	5	1	10	5	21	3	2	1	2	8	3	1	4	1	9
II. „ ORGANS OF SPECIAL SENSE - -	10	2	2	-	-	4	1	1	-	1	3	-	-	-	-	-	-	-	-	1	1
III. „ HEART - -	196	5	3	38	28	74	-	3	18	27	48	-	3	14	10	27	-	1	6	9	16
IV. „ BLOOD VESSELS -	152	-	1	28	44	73	-	-	5	26	31	-	-	1	9	10	-	-	8	7	10
V. „ RESPIRATORY SYST.	109	13	-	14	23	50	7	-	3	12	22	2	-	1	7	10	1	-	3	4	8
VI. „ DIGESTIVE SYSTEM	223	66	6	27	14	113	17	4	10	6	37	25	1	10	1	37	6	-	1	3	10
VII. „ LYMPHATIC AND DUCTLESS GLANDS	6	-	-	2	-	2	-	1	1	-	2	-	-	-	-	-	1	-	1	-	2
VIII. „ URINARY SYSTEM -	88	4	2	14	17	37	1	1	7	11	20	-	1	2	3	6	-	2	4	2	8
IX. „ GENERATIVE SYST.	7	1	1	2	-	4	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
X. „ PREGNANCY AND CHILDBIRTH -	16	-	-	8	-	8	-	-	3	-	3	-	-	1	-	1	-	-	1	-	1
XI. „ LOCOMOTOR SYSTEM	5	-	1	1	1	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1
XII. „ THE SKIN - -	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED -	116	21	-	3	19	43	8	-	-	12	20	6	-	1	4	11	8	-	2	2	12
E. VIOLENT DEATHS -	80	7	10	23	5	45	1	1	6	1	9	3	2	2	-	7	-	2	4	-	6
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccin. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	7	1	-	-	-	1	3	-	-	-	3	1	1	-	-	2	-	-	-	-	-
German Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	21	5	7	2	-	14	3	1	-	-	4	1	-	-	-	1	-	-	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hooping-cough - - -	36	22	1	-	-	23	4	-	-	-	4	1	-	-	-	1	4	-	-	-	4
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	43	9	4	1	-	14	6	4	-	-	10	3	4	1	-	8	2	-	-	-	2
Cerebro-spinal Fever -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	8	-	-	5	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

133

Registered during the Month of SEPTEMBER 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	36	12	31	20	99	30	5	24	20	79	42	8	25	21	96	12	4	17	19	52
A. GENERAL DISEASES - -	19	8	8	7	42	20	-	11	2	33	18	8	11	5	42	8	2	4	3	17
B. LOCAL DISEASES:—																				
I. DIS. OF NERVOUS SYSTEM -	3	-	1	1	5	3	2	1	1	7	3	-	1	-	4	2	1	-	-	3
II. " ORGANS OF SPECIAL SENSE -	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
III. " HEART - - - -	-	1	7	-	8	1	-	1	3	5	1	-	8	4	13	-	-	2	3	5
IV. " BLOOD VESSELS - -	-	-	4	7	11	-	-	-	5	5	-	-	-	5	5	-	-	5	2	7
V. " RESPIRATORY SYSTEM	2	1	3	-	6	1	-	1	1	3	5	-	1	2	8	1	-	-	1	2
VI. " DIGESTIVE SYSTEM -	6	-	1	2	9	1	1	1	1	4	6	-	2	-	8	1	1	1	2	5
VII. " LYMPHATIC AND DUCT-LESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. " URINARY SYSTEM -	-	2	3	1	6	-	-	5	2	7	-	-	-	1	1	-	-	2	1	3
IX. " GENERATIVE SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
X. " PREGNANCY AND CHILD-BIRTH - -	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
XI. " LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. " THE SKIN - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	1	1
C. OTHER SPECIFIED DISEASES - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED - -	5	-	-	2	7	2	-	1	4	7	6	-	-	4	10	-	-	1	5	6
E. VIOLENT DEATHS - -	1	-	1	-	2	1	2	2	1	6	1	-	1	-	2	-	-	2	1	3
A. GENERAL DISEASES.																				
Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
How-pox, Effects of Vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
German Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	1	-	-	1	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	4	-	-	-	4	-	1	-	-	1	3	1	-	-	4
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas (origin uncertain)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-

135

135

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Asiatic Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Infective	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea (not otherwise defined)	8	-	1	-	9	2	-	1	-	3	2	-	-	-	2	-	-	-	1	1
Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Randlers	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Petanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	-	-	-	-	-
Broncho-	-	-	-	1	1	2	-	1	-	2	-	-	1	-	1	2	-	-	-	2
Epidemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not defined	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Other Infective Conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuberculous Phthisis)	-	1	1	-	2	-	-	3	-	3	-	1	-	-	1	-	-	-	-	-
Phthisis (not otherwise defined)	-	6	4	-	10	-	-	-	-	-	-	2	3	-	5	-	-	1	-	1
Tuberculous Meningitis	-	1	-	-	-	1	2	-	-	2	3	1	1	-	5	-	-	-	-	-
Tuberculous Peritonitis	-	1	-	-	1	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Tabes Mesenterica	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	-	-	-	-	2	-	-	-	2	1	1	-	-	2	-	-	-	-	-
Crofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Curvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tomatine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of SEPTEMBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism -	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Arthritis, Rheumatic Gout -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Gout -	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Carcinoma -	80	-	-	23	18	41	-	-	9	6	15	-	-	2	5	7	-	-	3	5	-
Sarcoma -	8	-	-	2	2	4	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	68	-	-	15	12	27	-	-	15	10	25	-	-	2	4	6	-	-	1	2	-
Rickets -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura -	3	-	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	4	-	-	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diabetes Mellitus -	16	-	-	3	2	5	-	-	2	3	5	-	-	-	-	-	-	-	-	-	1
Premature Birth -	76	38	-	-	-	38	12	-	-	-	12	8	-	-	-	8	8	-	-	-	-
Congenital Defects -	26	14	-	-	-	14	3	-	-	-	3	3	-	-	-	3	2	-	-	-	-
Injury at Birth -	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
Atelectasis -	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Want of Breast Milk -	10	1	-	-	-	1	1	-	-	-	1	6	-	-	-	6	2	-	-	-	-
Teething -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	41	19	3	3	-	25	2	1	1	-	4	1	-	-	-	1	-	1	1	-	-
Softening of Brain -	10	-	-	1	3	4	-	-	2	2	4	-	-	-	1	1	-	-	1	-	-
General Paralysis of Insane -	4	-	-	1	-	1	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	11	-	-	6	-	6	-	-	-	1	1	-	-	1	-	1	-	-	2	-	-
Convulsions -	28	18	-	-	-	18	2	-	-	-	2	2	-	-	-	2	2	-	-	-	-
Laryngismus Stridulus -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy -	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord -	11	-	-	2	2	4	1	-	2	1	4	-	1	-	1	2	-	-	1	-	-
Neuritis, Peripheral, Polyneuritis -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) -	3	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Nervous System	7	-	-	-	1	1	-	-	2	-	2	-	1	-	-	1	1	-	-	1	-
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	7	-	2	-	-	2	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-
Epistaxis, Diseases of Nose -	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Ophthalmia, Diseases of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	78	2	2	18	5	27	-	3	8	9	20	-	3	9	3	15	-	1	1	4	-
Pericarditis -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	4	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Dilatation of Heart -	5	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart	8	-	-	1	1	2	-	-	3	2	5	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified) -	98	2	1	19	19	41	-	-	6	16	22	-	-	5	6	11	-	-	5	5	10

DEATHS FROM ALL CAUSES at Four Periods of Life.

137

Registered during the Month of SEPTEMBER 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	1	2	3	-	-	2	1	3	-	-	1	1	-	-	-	-	2	2
Sarcoma - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	-	2	2	-	-	1	1	2	-	-	2	1	3	-	-	-	-	-
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diabetes Mellitus - - - - -	-	-	1	-	1	-	-	1	-	1	-	-	1	2	3	-	-	-	-	-
Premature Birth - - - - -	-	-	-	-	-	4	-	-	-	4	4	-	-	-	4	2	-	-	-	2
Congenital Defects - - - - -	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Injury at Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain - - - - -	2	-	-	-	2	2	1	-	-	3	-	-	1	-	1	2	1	-	-	3
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-
Laryngismus Stridulus - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis, Peripheral, Polyneuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	4	1	5	-	-	1	2	3
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	2	2	-	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Myocarditis, Heart Disease (not specified) - - - - -	-	1	4	-	5	1	-	-	3	4	1	-	3	-	4	-	-	1	-	1

139

139

[illegible]

141

Registered during the Month of SEPTEMBER 1910.

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—SEPTEMBER 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Fever—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	35	11	25	-	-	-	-	-	-	-	-	5	1
Ayr,	24,944	28,697	62	29	42	-	-	-	1	3	-	3	-	3	5
Banff, with Macduff,	8,927	8,398	23	6	9	-	-	-	-	-	-	-	-	1	1
Blairgowrie,	4,510	4,282	4	1	3	-	-	-	-	-	-	-	-	-	1
Callander,	2,279	2,171	2	1	0	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	20	1	12	-	-	-	1	-	-	2	-	1	1
Cathcart,*,	4,552	7,375	25	7	3	-	-	-	-	-	-	-	-	-	-
Coatbridge,	32,709	39,930	120	22	44	-	2	1	2	1	-	2	-	10	4
Crieff,	5,413	5,706	10	2	4	-	-	-	-	-	-	-	-	1	-
Dumbarton,	18,021	20,205	48	14	20	-	-	-	-	-	1	4	-	2	3
Dumfries, with Troqueer,	23,765	24,745	48	18	22	-	-	-	-	-	-	-	-	2	3
Dunfermline,	28,667	31,697	70	15	27	-	-	-	-	-	-	2	-	2	-
Dunoon,	7,287	8,924	16	4	18	-	-	-	-	1	-	1	-	2	2
Eastwood,*,	13,744	15,366	37	4	17	-	-	-	-	1	-	4	-	1	3
Elgin,	10,473	11,560	19	6	9	-	-	-	-	-	-	-	-	1	2
Falkirk,	24,007	33,815	80	16	36	-	2	5	4	1	-	3	-	1	3
Forfar,	13,665	12,879	23	4	20	-	2	-	4	-	-	1	-	1	-
Galashiels,	17,785	18,969	8	1	8	-	-	1	-	-	-	-	-	1	1
Govan—(1) Plantation,	22,571	27,228	53	3	21	-	-	-	-	-	-	6	-	3	5
(2) Govan,	41,187	56,602	140	37	92	-	-	-	-	4	1	10	-	8	23
(3) Partick,	36,538	54,298	129	31	63	-	-	-	2	-	-	9	-	8	7
Haddington,	5,216	5,126	4	2	6	-	-	-	-	-	-	1	-	2	-
Hawick,	20,556	18,502	17	8	11	-	-	-	-	-	-	2	-	1	2
Inverness,	24,186	27,046	47	9	41	-	-	-	-	-	-	1	-	2	7
Kilmarnock, with Riccarton,	31,433	37,170	58	27	37	-	-	3	-	-	-	2	-	3	5
Kilmore and Kilbride (Oban),	5,729	6,301	15	1	7	-	-	-	-	-	-	-	-	-	-
Kirkcaldy and Abbotshall,	17,975	22,997	59	7	19	-	-	-	-	2	-	1	-	3	4
Kirkcudbright,	3,477	3,309	7	4	4	-	-	-	-	-	-	-	-	-	-
Largs, with Skelmorlie,	5,320	5,501	8	2	3	-	-	-	-	-	-	-	-	-	-
Logie (Bridge of Allan),	4,252	4,432	6	1	5	-	-	-	-	-	-	-	-	-	-
Moffat,	2,977	2,799	5	2	3	-	-	-	-	-	-	-	-	1	1
Montrose,	14,591	14,027	13	5	15	-	-	-	-	-	-	1	-	1	-
Moulin (Pitlochry),	2,001	2,192	6	0	2	-	-	-	-	-	-	-	-	-	-
Nairn,	5,250	5,732	10	5	8	-	-	-	-	-	-	1	-	1	2
New Monkland (Airdrie),	38,743	36,786	90	17	41	-	3	2	2	-	-	1	-	5	6
North Berwick,	3,038	3,649	4	1	1	-	-	-	-	-	-	-	-	-	-
Peterhead, with Boddam	15,830	15,146	52	15	19	-	-	-	-	1	-	4	-	-	2
Rothsay,	9,108	9,378	7	3	19	-	-	-	-	-	-	1	-	4	1
St Andrews and St Leonards,	8,755	9,410	17	4	4	-	-	-	-	-	-	-	-	-	-
Shettleston,	12,538	21,955	75	8	35	-	-	-	-	4	1	6	-	4	9
Stirling,	17,002	18,609	39	17	26	-	-	-	-	3	1	3	-	5	-
Stranraer,	6,193	6,036	9	6	6	-	-	-	2	-	-	-	-	1	-
Wick,	12,063	11,326	22	12	19	-	-	1	-	-	-	2	-	1	1

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of SEPTEMBER 1910.

Mean barometric pressure, 30.216 inches; greater than the average of 1856-1905 by 0.340 inch.

Mean temperature, $54^{\circ}5$; greater by $0^{\circ}7$.

Mean daily range of temperature, $13^{\circ}9$; greater by $0^{\circ}6$.

Rain, number of days, 10; less by 6 days.

Rain, depth in inches, 1.16; less by 2.06 inches.

Wind, direction of: a 3 days' excess of winds from N. and E.

Hence the month of September 1910 was characterised by an abnormally high mean pressure; a slightly high mean temperature, with a slightly high mean daily range; an extremely low mean rainfall; and a slight excess of winds from N. and E.

The mean pressure of 30.216 inches was 0.340 inch above the normal, and nearly half an inch above the mean for August. Since observations were organised more than 50 years ago, this high pressure has been equalled in September only in 1894. At Leith the barometer was continuously above 30 inches until 25th, the sea-level extremes there being 30.513 inches on 17th, and 29.751 inches on 28th.

The mean temperature was $54^{\circ}5$, or $0^{\circ}7$ above the normal, the days being about $1^{\circ}0$, and the nights about $0^{\circ}5$ above their respective averages. Dundee had practically its average temperature, but the other towns an excess of varying amount. At no time did the temperature differ greatly from the normal, lowest readings occurring uniformly on 20th, the highest, as a rule, on 4th or 24th. The extremes were 73° at Perth on 4th, and 37° at Glasgow, Dundee, and Perth on 20th.

The mean rainfall was 1.16 inch, or 64 per cent. below the normal. In all parts of the country there was a great deficiency, and large areas along the East Coast received less than 1 inch of rain. All the towns had less than half their normal amounts. In comparison with former dry Septembers, that of 1907 on the West Coast was at least as dry, and that of 1906 on the East Coast; but considering the towns as a whole, the month has been exceeded in dryness only in 1894, when merely nominal amounts were recorded and the mean for the towns was less than half an inch. There were many rainless days, and from 12th to 23rd there was a practically rainless spell. The month's totals were largely made up of moderate falls on 1st or 2nd, 10th and 28th.

During the third week fog occurred on the East Coast.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of SEPTEMBER 1910.

OBSERVERS	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.			RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.										WIND FORCE.						
	Height of Station above Sea-level.		Inch.	Inch.	Mean of		Difference from Average.	Absolute Maximum and Minimum.		Mean at 9 A.M. and 9 P.M.			Number of Days.	Total Fall.		Difference from Average.		Number of Observations at 9 A.M. and 9 P.M.												
										Maximum (A).	Minimum (B).	Dry Bulb.						Depression of Wet Bulb.	Vapour Pressure.	Humidity.	N	NE	E		SE	S	SW	W	NW	Calm or Variable.
GLASGOW, Medical Officer of Health, Glasgow.	54	30.163	30.223	62.1	47.4	54.8	+0.3	71	4th	37	20th	52.1	2.2	.332	84	8	1.21	-2.07	0	6	14	3	0	8	10	6	13	..		
EDINBURGH, Professor DYSON, F.R.S., Royal Observatory.	441	29.744	30.226	58.6	48.0	53.3	+0.5	64	17th, 24th, 27th	38	20th	52.2	2.5	.326	83	7	0.69	-1.48	1	5	7	7	4	6	24	3	3	2.3		
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	30.080	30.210	60.6	46.5	53.6	+0.1	65	4th, 24th	37	20th	52.0	1.9	.338	87	10	0.99	-1.58	2	10	2	8	1	22	7	8	0	1.7		
ABERDEEN, PETER HARPER, Superin- tendent, Duthie Park.	44		
PAISLEY DONALD MACLEAN, The Coats Observatory.	107	30.105	30.222	63.4	47.9	55.7	+1.3	72	4th	38	20th	53.9	2.4	.349	85	13	1.49	-2.21	10	2	7	2	2	1	18	3	15	1.4		
LEITH, JAMES BOLAM, Nautical Col- lege, and GEORGE REDFATH, GREENOCK.	76	30.132	30.215	61.2	49.6	55.4	+1.1	68	24th	41	20th	54.1	2.7	.343	81	7	0.81	-1.43	6	4	14	0	0	2	28	6	0	2.7		
DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29.960	30.210	60.1	47.7	53.9	+0.5	66	4th, 9th	39	20th	53.2	2.2	.344	85	13	2.17	-3.61	0	2	4	9	0	8	22	9	6	2.3		
PERTH, ALEX. M. RODGER, The Museum.	85	30.114	30.207	64.0	45.5	54.8	+1.4	73	4th	37	20th	52.5	2.5	.328	83	9	0.76	-2.07	3	4	15	5	4	10	10	7	2	1.7		
Means	151	30.085	30.216	61.4	47.5	54.5	+0.7	52.9	2.3	.337	84	10	1.16	-2.06	3	5	9	5	2	8	17	6	5	2.0		
North Latitude.—Glasgow, 56° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 3° 11'; Aberdeen, 2° 35'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 5° 30'; Mean, 3° 30'.																														

North Latitude.—Glasgow, 56° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 56° 58'; Paisley, 55° 57'; Perth, 56° 23'; Mean, 56° 12'.
 West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 3° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

OCTOBER 1910.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of October 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3625 living children, of whom 1844 were male and 1781 female. These births are 180 more than were registered in the eight towns during September, but 7 fewer than were there registered during October of last year. The equivalent annual birth-rate is 22·6 per thousand of the estimated aggregate population of the eight towns, a rate which is 0·4 above that for September, but 0·3 less than that for October of last year. It is the lowest October birth-rate recorded in these Reports, the previous lowest being that of October 1909, which was 22·9. The birth-rate of the month varied from 27·9 in Greenock to 19·4 in Edinburgh. In Dundee it was 24·4, in Leith 24·3, in Glasgow 23·0, in Aberdeen 22·8, in Paisley 21·9, and in Perth 21·2.

Of the 3625 children, 277, or 7·6 per cent., were illegitimate. These illegitimate children are 27 more than those registered in September, and 26 more than those registered in October of last year. The illegitimate rate is 0·3 above that of September, and 0·7 above that of October of last year. The illegitimate rate of the month varied from 11·9 in Perth and 9·3 in Edinburgh to 5·0 in Leith. In Aberdeen it was 8·1, in Glasgow 7·5, in Paisley 6·9, in Dundee 6·8, and in Greenock 6·3.

Marriages registered in the eight towns during the month numbered 1055; they are 40 fewer than in September, but 156 more than in October of last year. The equivalent annual marriage-rate is 6·6 per thousand, a rate which is 0·4 less than that of September, but 0·9 above that of October of last year.

Deaths registered in the eight towns during the month numbered 2095; they are 9 more than were registered in September, and 158 more than were registered in October of last year. The equivalent annual death-rate is 13·0 per thousand, a rate which is 0·4 below that of September, but 0·8 above that of October of last year. It varied from 15·9 in Dundee and 15·5 in Perth to 10·3 in Aberdeen. In Greenock it was 14·7, in Glasgow 13·2, in Edinburgh 13·0, in Paisley 11·7, and in Leith 11·0. The Edinburgh death-rate is slightly above that of September, but the death-rates of the remaining seven towns are below those of September.

Of the 2095 deaths, 691, or 33 per cent., were of children of less than five years old, and 600, or 28·6 per cent., were of persons of over sixty. The former are 44 fewer than in September, but 95 more than in October of last year. The latter are 80 more than in September, and 56 more than in October of last year.

Deaths of children of less than one year old numbered 446; they are 51 fewer than in September, but 61 more than in October of last year. The infantile mortality rate of the month amounts to 115 per thousand of the monthly average number of births registered in the eight towns during the last twelve months, a rate which is 18 less than that of September, but 21 more than that of October of last year. This rate varied from 138 in Paisley to 97 in Aberdeen. In Dundee it was 136, in Greenock 133, in Edinburgh 115, in Glasgow 112, in Leith 106, and in Perth 100.

Deaths from the principal epidemic diseases numbered 179; they are 37 fewer than in September, but 25 more than in October of last year. The equivalent annual death-rate from these causes is 1·1 per thousand, a rate which is 0·3 less than in September, but 0·1 more than in October of last year. This rate varied from 4·1 in Perth and 2·3 in Dundee to 0·3 in Aberdeen and 0·5 in Edinburgh. In Greenock it was 1·3, in Glasgow 1·2, in Paisley 1·0, and in Leith 1·0.

There were no deaths registered in these towns from small-pox or from typhus fever. Deaths from measles numbered 5; from scarlet fever 21; from whooping-cough 29; from diphtheria 57; from enteric fever 9; and from cerebro-spinal meningitis 3. Compared with the returns of the previous month, deaths from diphtheria are 14 more, from cerebro-spinal meningitis 2 more, and from enteric fever 1 more, but those from scarlet fever are of the same number, those from measles 2 fewer, and from whooping-cough 7 fewer.

Deaths from diarrhoeas, including those certified as due to dysentery, enteritis and gastro-enteritis, numbered 122; they are 91 fewer than in September.

Deaths from influenza numbered 4; from puerperal septic conditions 9; and from malignant disease 174, of which 94 were ascribed to carcinoma, 12 to sarcoma, and 68 to other or unspecified form of cancer. Deaths from heart disease numbered 170; from apoplexies 109; from premature birth debility 86; and from alcoholism 5.

Deaths from pneumonia numbered 209, and constituted 10·0 per cent. of the total deaths of the month; they are 77 more than in September, and 31 more than in October of last year. Deaths from bronchitis numbered 123, and constituted 5·9 per cent. of the total deaths of the month; they are 29 more than in September, and 10 more than in October of last year.

Deaths from tuberculous diseases numbered 235, and constituted 11·2 per cent. of the total deaths of the month; they are 17 fewer than in September, but 12 more than in October of last year. Of these 235 deaths, 151 were ascribed to phthisis. The equivalent annual death-rate from tubercle is 1·5 per thousand, a rate which varied from 2·4 in Dundee to 1·1 in Leith. In Perth it was 1·9, in Greenock 1·6, in Glasgow 1·5, in Edinburgh 1·3, in Paisley 1·3, and in Aberdeen 1·2.

Deaths from violence numbered 99; of them 15 were suicidal, 9 being by hanging, 2 each by gunshot and precipitation, and one each by cutting and coal-gas poisoning.

Among those whose deaths were registered in the eight towns during the month, 3 men and 7 women were aged 90 years and upwards, the oldest being a retired nurse aged 95.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 158 there is given the usual monthly statement regarding the births, marriages, and deaths registered in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1629, marriages 331, and deaths 921. The equivalent annual birth-rate is 23·2 per thousand, the marriage-rate 4·7, and the death-rate 13·1. Compared with the rates for October of last year, the birth-rate is 1·2 lower, the marriage-rate 0·2 higher, and the death-rate 1·8 higher.

Among the deaths registered in these districts during the month there were 16 from measles; 12 from scarlet fever; 19 from whooping-cough; 19 from diphtheria; 9 from enteric fever; 59 from diarrhoeal diseases; 130 from pneumonia, bronchitis, and pleurisy; and 86 from tubercle. There were no deaths from cerebro-spinal meningitis.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES,
OCTOBER 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, . .	672,872	775,561	884,505	891	836	1727	1598	129	531	509	482	991
EDINBURGH, . .	276,652	317,335	360,276	295	297	592	537	55	191	202	194	396
DUNDEE, . . .	155,523	162,982	170,206	173	180	353	329	24	114	97	133	230
ABERDEEN, . .	124,943	153,503	185,703	189	170	359	330	29	86	80	83	163
PAISLEY, . . .	66,425	79,363	93,584	86	88	174	162	12	37	49	44	93
LEITH,	68,707	77,563	86,767	90	89	179	170	9	35	39	42	81
GREENOCK, . .	64,175	68,911	73,605	89	85	174	163	11	37	47	45	92
PERTH,	30,775	33,995	37,275	31	36	67	59	8	24	27	22	49
TOTAL,	1,460,072	1,669,213	1,891,921	1844	1781	3625	3348	277	1055	1050	1045	2095

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
FOR OCTOBER 1910.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Births per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 OF POPULATION.					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.	Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases (including Pneumonia).	Number.	Rate per 1000 Births.
GLASGOW, . .	23·0	7·5	7·1	13·2	1·2	1·5	0·9	2·5	212	112
EDINBURGH, . .	19·4	9·3	6·2	13·0	0·5	1·3	0·9	1·7	69	115
DUNDEE, . . .	24·4	6·8	7·9	15·9	2·3	2·4	1·2	2·0	52	136
ABERDEEN, . .	22·8	8·1	5·5	10·3	0·3	1·2	1·0	2·1	36	97
PAISLEY, . . .	21·9	6·9	4·7	11·7	1·0	1·3	0·8	1·5	26	138
LEITH,	24·3	5·0	4·8	11·0	1·0	1·1	0·8	1·8	20	106
GREENOCK, . .	27·9	6·8	5·9	14·7	1·3	1·6	1·0	2·7	24	133
PERTH,	21·2	11·9	7·6	15·5	4·1	1·9	1·6	1·6	7	100
TOTAL,	22·6	7·6	6·6	13·0	1·1	1·5	0·9	2·2	446	115

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR OCTOBER 1910, and for the Corresponding Month of the Preceding Ten Years, in Eight of the Principal Towns.

	Birth-Rate.	Illegitimate Births per 100 Births.	Death-Rate.	Marriage-Rate.	DEATHS FROM							Mean Temperature.	Infantile Mortality.
					Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Enteric Fever.	All Diarrhoeal Diseases.		
OCTOBER 1910, .	22·6	7·6	13·0	6·6	-	5	21	29	57	9	122	50°·1	115
OCTOBER 1909, .	22·9	6·9	12·2	5·7	-	25	24	13	41	8	82	48°·1	97
OCTOBER 1908, .	25·3	7·3	13·8	5·9	-	6	16	58	36	6	141	53°·1	123
OCTOBER 1907, .	27·3	7·0	14·7	7·5	-	60	9	60	22	10	119	47°·9	113
OCTOBER 1906, .	27·9	7·6	17·2	7·8	-	18	15	52	32	20	219	48°·9	151
OCTOBER 1905, .	27·1	7·1	16·7	7·2	-	63	10	35	23	17	112	44°·7	125
OCTOBER 1904, .	27·7	6·5	16·2	7·8	-	25	12	83	23	23	133	48°·5	141
OCTOBER 1903, .	28·5	6·3	16·5	7·0	1	51	17	29	16	27	153	48°·0	137
OCTOBER 1902, .	31·1	7·0	17·3	7·2	-	14	32	43	32	15	113	47°·8	160
OCTOBER 1901, .	29·7	6·4	17·5	6·7	-	56	25	36	36	38	131	47°·4	146
OCTOBER 1900, .	31·6	6·0	19·2	7·4	7	23	32	75	32	31	169	46°·3	168

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1910.

CAUSES OF DEATH.		PAISLEY.					LEITH.					GREENOCK.					PERTH.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -		37	6	29	21	93	24	5	23	29	81	38	11	19	24	92	11	8	11	19	49
A. GENERAL DISEASES - -		18	4	16	2	40	16	3	10	7	36	21	7	5	8	41	7	8	6	4	25
B. LOCAL DISEASES:—																					
I. DIS.	OF NERVOUS SYSTEM -	4	-	-	1	5	-	-	-	-	-	3	1	2	1	7	-	-	-	1	1
II. "	ORGANS OF SPECIAL SENSE -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. "	HEART - - -	1	-	3	4	8	-	2	3	8	13	-	-	2	5	7	-	-	1	4	5
IV. "	BLOOD VESSELS -	-	-	5	4	9	-	-	2	3	5	-	-	3	5	8	-	-	-	1	1
V. "	RESPIRATORY SYSTEM	3	-	2	4	9	2	-	-	4	6	1	-	4	1	6	1	-	1	3	5
VI. "	DIGESTIVE SYSTEM -	4	2	2	1	9	1	-	3	2	6	7	2	1	1	11	1	-	-	-	1
VII. "	LYMPHATIC AND DUCTLESS GLANDS	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-
VIII. "	URINARY SYSTEM -	-	-	1	1	2	-	-	2	2	4	-	-	-	-	-	-	-	-	1	1
IX. "	GENERATIVE SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. "	PREGNANCY AND CHILD-BIRTH -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI. "	LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. "	THE SKIN - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DISEASES - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED - -		6	-	-	4	10	3	-	-	2	5	6	1	-	2	9	1	-	-	5	6
E. VIOLENT DEATHS - -		1	-	-	-	1	2	-	3	1	6	-	-	1	-	1	1	-	3	-	4
A. GENERAL DISEASES.																					
Small-pox	{ Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	{ Doubtful -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccination		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -		1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
German Measles -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -		-	1	-	-	1	-	-	-	-	-	2	-	-	-	2	1	2	1	-	4
Typhus -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza -		-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Hooping-cough -		-	-	-	-	2	1	-	-	3	5	-	-	-	-	5	-	-	-	-	-
Mumps -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -		3	-	-	-	3	1	-	-	1	1	-	-	-	-	1	2	6	-	-	8
Cerebro-spinal Fever -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Enteric Fever - - -		-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

151

151

[illegible]

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of OCTOBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	0-5	5-20	20-60	60, etc.	Total	
A. GENERAL DISEASES— <i>continued.</i>																	
Rheumatic Fever, Acute																	
Rheumatism -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	5	-	2	1	-	3	-	-	-	-	-	-	-	-	-	1	-
Chronic Rheumatism -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	3	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	94	-	-	24	21	45	-	-	10	15	25	-	-	3	1	4	-
Sarcoma -	12	-	1	8	-	9	-	-	1	2	3	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	68	-	-	12	13	25	-	-	14	14	28	-	-	3	4	7	-
Rickets -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	10	-	1	4	-	5	-	-	-	2	2	-	-	-	-	-	1
Diabetes Mellitus -	13	-	1	3	1	5	-	2	1	-	3	-	2	1	3	-	1
Premature Birth -	86	38	-	-	-	38	14	-	-	-	14	9	-	-	-	9	7
Congenital Defects -	21	10	-	-	-	10	7	-	1	-	8	1	-	-	-	1	1
Injury at Birth -	4	3	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-
Atelectasis -	6	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-	-
Want of Breast Milk -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething -	5	3	-	-	-	3	2	-	-	-	2	-	-	-	-	-	-
B. LOCAL DISEASES.																	
DISEASES OF NERVOUS SYSTEM.																	
Meningitis, Inflammation of Brain -	30	10	-	3	-	13	5	2	-	-	7	2	-	-	1	3	1
Softening of Brain -	10	1	-	-	2	3	-	-	-	3	3	-	-	-	1	1	-
General Paralysis of Insane -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Insanity (not Puerperal) -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	2	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-
Convulsions -	20	11	-	-	-	11	2	1	-	-	3	-	-	-	-	4	-
Laryngismus Stridulus -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
Locomotor Ataxy -	2	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
Paraplegia, Diseases of Cord -	12	1	1	3	1	6	-	-	1	1	2	-	1	1	-	2	-
Neuritis, Peripheral, Polyneuritis -	2	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-
Brain Tumour (not Specific) -	5	-	1	1	-	2	-	-	-	1	1	-	-	1	-	1	-
Other Dis. of Nervous System	15	6	2	2	-	10	-	-	-	3	3	2	-	-	-	2	-
DISEASES OF ORGANS OF SPECIAL SENSE.																	
Otitis, Mastoid Disease -	5	-	2	-	-	2	-	1	-	-	1	1	-	1	-	2	-
Epistaxis, Diseases of Nose -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																	
Valvular Dis., Endocarditis (not Infective) -	69	-	5	16	10	31	-	2	9	6	17	-	1	3	3	7	-
Pericarditis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
Angina Pectoris -	5	-	-	-	2	2	-	-	-	-	-	-	-	1	-	-	-
Dilatation of Heart -	5	-	1	-	1	2	-	-	-	-	-	-	-	-	2	2	-
Fatty Degeneration of Heart	10	-	-	-	2	2	-	-	-	2	2	-	-	-	3	3	-
Syncope, Heart Disease (not specified) -	79	-	-	14	16	30	1	-	4	6	11	2	-	3	4	9	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

153

Registered during the Month of OCTOBER 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	5	-	5	-	-	1	3	4	-	-	-	3	3	-	-	-	-	-
Sarcoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	-	1	1	-	-	1	1	2	-	-	-	1	1	-	-	-	1	1
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Diabetes Mellitus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Premature Birth - - - - -	6	-	-	-	6	5	-	-	-	5	5	-	-	-	5	2	-	-	-	2
Congenital Defects - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Injury at Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain - - - - -	4	-	-	-	4	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-
Softening of Brain - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord - - - - -	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Neuritis, Peripheral, Polyneuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	1	-	2	1	4	-	1	1	-	2	-	-	2	1	3	-	-	-	2	2
Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-
Syncope, Heart Disease (not specified) - - - - -	-	-	1	2	3	-	1	1	7	9	-	-	-	3	3	-	-	1	2	3

Registered during the Month of OCTOBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—contd.																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malig.)	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malig.)	2	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
Other Dis. of Uterus and Vagina	2	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage	4	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Puerperal Mania	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Puerperal Convulsions	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Accidents of Pregnancy and Childbirth	2	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LOCOMOTOR SYSTEM.																					
Caries, Necrosis	4	-	1	1	-	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1
Arthritis, Periostitis	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore	4	-	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1
Eczema	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
	2	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
Atrophy, Debility	61	26	-	-	-	26	7	-	-	7	9	-	-	9	5	-	-	-	-	5	5
Old Age	56	-	-	-	17	17	-	-	-	13	13	-	-	4	4	-	-	-	9	-	9
Dropsy, Ascites, Anasarca	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour	4	-	-	2	-	2	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
Abscess	4	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Hæmorrhage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other ill-defined causes	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified	15	2	2	6	1	11	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1
E. VIOLENT DEATHS.																					
In Mines and Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses	5	-	-	2	-	2	-	-	1	1	-	-	-	-	-	-	-	1	-	1	1
Ships, Boats, Docks (not Drowning)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
Weapons and Implements	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	16	6	1	1	-	8	1	-	-	1	1	2	-	1	4	1	-	1	-	2	2
Poisons, Poisonous Vapours	5	1	-	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	4	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
Suffocation { From Overlying	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
{ Otherwise	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Falls	4	-	-	-	1	1	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Weather Agencies	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated	41	4	2	13	3	22	-	1	4	3	8	-	-	1	2	3	-	2	1	1	4
Homicide	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	15	-	-	4	-	4	-	-	4	1	5	-	-	2	-	2	-	-	2	-	2
Execution	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

157

157

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—OCTOBER 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fever—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	45	3	26	-	-	1	-	-	-	1	-	4	-
Ayr,	24,944	28,697	64	21	35	-	-	-	-	1	1	-	-	3	2
Banff, with Macduff,	8,927	8,398	13	2	6	-	-	-	-	-	-	1	-	-	-
Blairstown,	4,510	4,282	4	2	6	-	-	-	-	-	1	1	-	-	-
Callander,	2,279	2,171	1	0	1	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	21	4	10	-	-	-	2	-	-	1	-	1	-
Cathcart,*	4,552	7,375	27	8	9	-	-	-	-	-	-	1	-	1	-
Coatbridge,	32,709	39,930	125	18	69	-	6	2	3	2	1	10	-	15	3
Crief,	5,413	5,706	11	0	3	-	-	-	-	-	-	-	-	-	1
Dumbarton,	18,021	20,205	49	9	23	-	-	-	-	1	1	2	-	5	2
Dumfries, with Troqueer,	23,765	24,745	54	19	27	-	-	-	-	-	-	1	-	1	2
Dunfermline,	28,667	31,697	64	14	34	-	-	1	-	2	-	1	-	1	4
Dunoon,	7,287	8,924	17	2	17	-	-	-	-	-	-	-	-	2	1
Eastwood,*	13,744	15,366	30	6	20	-	1	2	-	-	-	1	-	8	1
Elgin,	10,473	11,560	21	9	18	-	-	-	-	-	-	-	-	2	2
Falkirk,	24,007	33,815	91	18	49	-	6	2	1	2	-	2	-	6	3
Forfar,	13,665	12,879	24	3	21	-	-	-	1	-	-	-	-	1	2
Galashiels,	17,785	13,969	22	6	18	-	-	1	-	-	-	-	-	5	1
Govan—(1) Plantation,	22,571	27,228	69	7	34	-	-	-	2	-	-	4	-	5	6
(2) Govan,	41,187	56,602	145	24	93	-	-	-	2	3	-	9	-	15	16
(3) Partick,	36,588	54,298	130	26	51	-	-	-	1	-	1	2	-	12	2
Haddington,	5,216	5,126	8	2	4	-	-	-	-	-	-	-	-	1	1
Hawick,	20,556	18,502	26	5	19	-	-	-	-	-	-	-	-	1	3
Inverness,	24,186	27,046	47	12	42	-	-	-	2	5	-	2	-	5	3
Kilmarnock, with Riccarton,	31,433	37,170	78	21	49	-	-	-	2	1	-	3	-	6	3
Kilmore and Kilbride (Oban),	5,729	6,801	7	8	9	-	-	-	-	-	-	1	-	1	-
Kirkcaldy and Abbotshall,	17,975	22,997	48	11	22	-	1	1	-	1	1	3	-	3	4
Kirkcudbright,	3,477	3,309	6	0	2	-	-	-	-	-	-	-	-	1	-
Largs, with Skelmorlie,	5,320	5,501	9	2	3	-	-	-	-	-	-	-	-	-	-
Logie (Bridge of Allan),	4,252	4,432	4	1	2	-	-	-	-	-	-	-	-	-	-
Moffat,	2,977	2,799	3	1	4	-	-	-	-	-	-	-	-	-	-
Montrose,	14,591	14,027	12	6	23	-	-	-	-	-	-	2	-	3	2
Moulin (Pitlochry),	2,001	2,192	1	1	1	-	-	-	-	-	-	-	-	-	1
Nairn,	5,250	5,732	13	2	9	-	1	-	-	-	-	-	-	2	1
New Monkland (Airdrie),	38,743	36,786	109	14	47	-	1	-	3	-	-	5	-	7	5
North Berwick,	3,038	3,649	9	0	5	-	-	-	-	-	-	-	-	-	1
Peterhead, with Boddam,	15,830	15,146	34	3	17	-	-	-	-	-	-	4	-	2	2
Rothsay,	9,108	9,378	18	6	8	-	-	-	-	-	-	1	-	1	1
St Andrews and St Leonards,	8,755	9,410	12	4	10	-	-	-	-	-	-	-	-	2	-
Shettleston,	12,538	21,955	76	15	27	-	-	1	-	1	-	-	-	5	4
Stirling,	17,002	18,609	38	11	25	-	-	-	-	-	3	1	-	2	5
Stranraer,	6,193	6,036	12	2	7	-	-	-	-	-	-	-	-	1	1
Wick,	12,063	11,326	32	3	11	-	-	1	-	-	-	-	-	-	-

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of OCTOBER 1910.

Mean barometric pressure, 30.050 inches; greater than the average of 1856-1905 by 0.230 inch.

Mean temperature, $50^{\circ}1$; greater by $3^{\circ}2$.

Mean daily range of temperature, $11^{\circ}1$; less by $0^{\circ}5$.

Rain, number of days, 12; less by 5 days.

Rain, depth in inches, 2.33; less by 1.18 inch.

Wind, direction of: a 7 days' excess of winds from N., N.E., and E.

Hence the month of October 1910 was characterised by a very high mean pressure; a very high mean temperature, with a slightly low mean daily range; a low mean rainfall; and a large excess of winds from a North-Easterly quarter.

The mean pressure was 30.050 inches, or 0.230 inch above the normal. At Leith the barometer was above 30 inches from 4th to 7th, from 13th to 17th, from 22nd to 27th, and on 30th. A rapid fall—more than 1 inch in twenty-four hours—took place on 31st, and the range for the month was unusually large, the sea-level extremes at Leith being 30.709 inches on 14th, and 28.809 on 31st.

The mean temperature was $50^{\circ}1$, or $3^{\circ}2$ above the normal, the days being $2^{\circ}9$ and the nights $3^{\circ}4$ above their respective averages. The excess was everywhere well marked, reaching nearly 4° at Leith. Extremely mild conditions prevailed during the first week, for which the mean temperature along the East Coast was as high as that experienced in the middle of July, whilst the coldest period was from about 13th to 20th. Highest readings occurred on 1st or 6th, but at Dundee on 5th, and lowest as a rule on 20th, the extremes being 70° at Perth on 6th and 32° at the same place on 13th and 20th.

The mean rainfall was 2.33 inches, or 34 per cent. below the normal. Leith had fully its average amount, and Edinburgh only a trifling deficiency, but elsewhere there was a well-marked shortage. Moderate falls on 2nd were followed by an almost rainless spell till 17th, and again from 19th to 30th there was nowhere any rain of importance. On 18th, and again on 31st, heavy rainstorms occurred. On the former day the Edinburgh area received more than 1 inch and Leith rather more than half the total for the entire month, whilst on 31st Greenock had as much as 1.94 inch and Paisley 1.35 inch, these falls representing more than half the month's aggregates.

Strong Northerly to North-Easterly winds prevailed about the middle of the month, and the heavy rains on 31st were accompanied by a Westerly gale with a thunderstorm in Edinburgh in the evening. Fog occurred at times.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of October 1910.

OBSERVERS	Height of Station above Sea-level.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.												WIND FORCE.
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Maximum (A).	Minimum (B).	Mean of A and B (Mean Temperature).	Difference from Average.	Absolute Maximum and Minimum.				Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.									
									Maximum.	Day of Month.	Minimum.	Day of Month.								N	NE	E	SE	S	SW	W	NW	Calm or Variable.	
GLASGOW, Medical Officer of Health, Glasgow.	54	29.982	30.042	56.5	44.2	50.4	+3.2	69	1st	33	26th	49.4	2.2	.298	85	7	1.74	-1.79	2	14	10	5	1	4	7	4	15	..	
EDINBURGH, Royal Observatory.	441	29.575	30.057	53.9	45.7	49.8	+3.8	67	1st	38	20th	49.1	2.2	.295	84	15	2.16	-0.31	5	6	18	4	4	4	17	2	2	2.5	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.881	30.062	54.9	44.1	49.5	+3.0	66	5th	34	20th	49.1	1.6	.309	89	13	1.77	-0.87	8	9	9	12	3	10	6	5	0	2.4	
ABERDEEN, PETER HARPER, Superintendent, Duthie Park.	44	
PAISLEY, DONALD MACLEAN, The Coats Observatory.	107	29.927	30.045	56.5	44.2	50.4	+2.7	67	1st, 6th	36	20th, 26th, 30th	50.2	2.3	.305	84	9	2.15	-1.97	6	0	26	0	4	3	14	3	6	1.6	
LEITH, JAMES BOLAM, Nautical College, and GEORGE REDPATH.	76	29.966	30.050	55.8	46.8	51.3	+3.9	69	1st	40	20th	50.6	2.2	.313	85	15	2.88	+0.09	10	2	26	0	2	2	20	0	0	3.6	
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29.786	30.037	55.3	44.5	49.9	+3.0	65	1st	37	20th	49.2	2.0	.301	86	11	3.63	-2.53	0	8	9	15	0	7	16	6	1	2.7	
PERTH, ALEX. M. RODGER, The Museum.	85	29.963	30.057	56.4	42.0	49.2	+2.8	70	6th	32	13th, 20th	47.8	1.4	.298	90	13	2.26	-0.84	6	10	13	4	3	8	10	5	3	2.1	
Means	151	29.869	30.050	55.6	44.5	50.1	+3.2	49.3	2.0	.303	86	12	2.33	-1.18	5	7	13	6	2	5	13	4	4	2.5	
North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'; Mean, 3° 30'.																													

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

NOVEMBER 1910.

Published by Authority of the Registrar-General

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of November 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3484 living children, of whom 1761 were male and 1723 female. These births are 141 fewer than those registered in the eight towns during October, and 67 fewer than those there registered in November of last year. The equivalent annual birth-rate is 22·4 per thousand, a rate which is 0·2 below that of October, and 0·8 below that of November of last year. It is the lowest November birth-rate recorded in these monthly reports, that is, since 1855. The birth-rate of the month varied from 25·3 in Dundee, and 25·1 in Greenock, to 18·1 in Edinburgh, and 18·6 in Perth. In Leith it was 24·7, in Glasgow 23·7, in Paisley 21·3, and in Aberdeen 21·0.

Of the 3484 births registered in the eight towns during the month, 269, or 7·7 per cent., were illegitimate. These illegitimate births are 8 fewer than in October, and 16 fewer than in November of last year. The illegitimate rate of the month is 0·1 above that of October, but 0·3 below that of November of last year. In Aberdeen the illegitimate rate of the month was 11·5, in Edinburgh 9·5, in Dundee 8·8, in Glasgow 7·3, in Perth 5·3, in Leith 5·1, in Paisley 4·9, and in Greenock 2·6.

Marriages registered in the eight towns numbered 877; they are 178 fewer than those there registered in October, and 101 fewer than in November of last year. The marriage-rate of the month is 5·6 per thousand, which rate is 1·0 below that of October, and 0·8 below that of November of last year.

Deaths registered in the eight towns numbered 2415; they are 320 more than were registered in October, but 652 fewer than in November of last year. The equivalent annual death-rate is 15·5 per thousand, a rate which is 2·5 above that of October, but 4·5 below that of November of last year, and is the lowest November death-rate recorded in these monthly reports. The death-rate of the month varied from 18·0 in Dundee and 17·4 in Greenock to 12·8 in Aberdeen. In Paisley it was 16·8, in Glasgow 15·7, in Perth 15·3, in Edinburgh 15·2, and in Leith 14·0. The Perth death-rate is less than what it was in October, but those of each of the other towns are higher.

Of the 2415 deaths, 699, or 28·9 per cent., were of children of less than five years old, and 768, or 31·8 per cent., were of persons of over sixty. The former are 8 more than in October, but 360 fewer than in November of last year. The latter are 168 more than in October, but 109 fewer than in November of last year.

Deaths of children of less than one year old numbered 430; they are 16 fewer than in October, and 209 fewer than in November of last year. The infantile mortality rate amounts to 115 per thousand of the average number of births registered monthly during the preceding twelve months, a rate which is the same as that of October, but 50 below that of November of last year. This rate varied from 138 in Dundee, and 137 in Paisley, to 86 in Greenock and 46 in Perth. In Leith it was 116, in Aberdeen 115, in Glasgow 114, and in Edinburgh 114.

Deaths from the principal epidemic diseases numbered 177; they are 2 fewer than in October, and 140 fewer than in November of last year. The equivalent annual death-rate from these causes was 1·1 per thousand, a rate which is the same as that of October, but 1·0 below that of November of last year. In Dundee this rate was 2·1, in Glasgow 1·3, in Leith 1·3, in Edinburgh 0·9, in Greenock 0·8, in Perth 0·7, in Aberdeen 0·4, and in Paisley 0·4.

There were no deaths from either small-pox or typhus fever registered in the eight towns during the month. Deaths from measles numbered 7; from scarlet fever 28; from hooping-cough 44, of which 33 were in Glasgow; from diphtheria 54; from enteric fever 11, of which 9 were in Glasgow, and 2 in Edinburgh; from cerebro-spinal meningitis 4, of which 2 were in Glasgow and 1 each in Dundee and Aberdeen.

Deaths from diarrhoeas, including those certified as due to enteritis and gastro-enteritis, numbered 87; they are 35 fewer than those registered in the eight towns during October.

Deaths from influenza numbered 2; from puerperal septic conditions 6; and from malignant diseases 192, of which 116 were ascribed to carcinoma, 9 to sarcoma, and 67 to other or unspecified form of cancer. Deaths from heart disease numbered 247; from apoplexy 164; from premature birth debility 87; and from alcoholism 3.

Deaths from pneumonia numbered 243, and constituted 10·1 per cent. of the total deaths of the month; they are 34 more than in October, but 150 fewer than in November of last year. Deaths from bronchitis numbered 232; they are 109 more than in October, but 210 fewer than in November of last year.

Deaths from tuberculous diseases numbered 257, and constitute 10·6 per cent. of the total deaths of the month; they are 22 more than in October, but 51 fewer than in November of last year. Of these deaths, 171 were ascribed to phthisis, a number which is 20 more than in October, but 40 fewer than in November of last year. The death-rate from tuberculous diseases for the month was 1·7 per thousand, and that from phthisis alone was 1·1. The death-rate from tuberculosis varied from 2·5 in Leith and Greenock, to 0·7 in Perth. In Dundee it was 1·9, in Glasgow 1·8, in Edinburgh 1·4, in Paisley 1·2, and in Aberdeen 1·0.

Deaths from violence numbered 75; of them 11 were attributed to suicide, 5 being by hanging, 4 by poison, and one each by drowning and gunshot.

Among those whose deaths were registered in the eight towns during the month, there were 7 men and 14 women aged 90 years and upwards, the oldest being a retired ploughman aged 97.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 174 there is given the usual monthly statement regarding the births, marriages, and deaths registered in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1578, marriages 268, and deaths 1099. The equivalent annual birth-rate is 23·3 per thousand, the marriage-rate 4·0, and the death-rate 16·2. Compared with the rates for November of last year, the birth-rate is 0·3 lower, the marriage-rate 0·8 lower, and the death-rate 0·3 lower.

Among the deaths registered in these districts during the month there were 24 from measles; 11 from scarlet fever; 19 from hooping-cough; 29 from diphtheria; 5 from enteric fever; 28 from diarrhoeal diseases; 2 from croup; 3 from laryngitis; 199 from pneumonia, bronchitis, and pleurisy; 112 from tubercle, and 2 from cerebro-spinal meningitis.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES,
NOVEMBER 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, . . .	672,919	775,594	884,520	875	850	1725	1599	126	466	579	558	1137
EDINBURGH, . . .	276,652	317,335	360,276	270	265	535	484	51	166	235	215	450
DUNDEE, . . .	155,523	162,982	170,206	170	184	354	323	31	40	112	140	252
ABERDEEN, . . .	124,943	153,503	185,703	162	159	321	284	37	76	96	99	195
PAISLEY, . . .	66,425	79,363	93,584	85	79	164	156	8	29	60	69	129
LEITH, . . .	68,707	77,563	86,787	83	93	176	167	9	42	58	42	100
GREENOCK, . . .	64,175	68,911	73,605	83	69	152	148	4	38	47	58	105
PERTH, . . .	30,775	33,995	37,275	33	24	57	54	3	20	21	26	47
TOTAL, . . .	1,460,119	1,669,246	1,891,936	1761	1723	3484	3215	269	877	1208	1207	2415

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
FOR NOVEMBER 1910.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Births per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 OF POPULATION.					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.	Principal Epidemic Diseases.	Tuberculosis.	Phthisis.	All Respiratory Diseases (including Pneumonia).	Number.	Rate per 1000 Births.
GLASGOW, . . .	23·7	7·3	6·4	15·7	1·3	1·8	1·2	3·2	208	114
EDINBURGH, . . .	18·1	9·5	5·6	15·2	0·9	1·4	0·9	2·9	66	114
DUNDEE, . . .	25·3	8·8	2·9	18·0	2·1	1·9	1·2	4·0	51	138
ABERDEEN, . . .	21·0	11·5	5·0	12·8	0·4	1·0	0·6	1·7	41	115
PAISLEY, . . .	21·3	4·9	3·8	16·8	0·4	1·2	0·8	5·3	25	137
LEITH, . . .	24·7	5·1	5·9	14·0	1·3	2·5	2·0	3·2	21	116
GREENOCK, . . .	25·1	2·6	6·3	17·4	0·8	2·5	1·7	3·0	15	86
PERTH, . . .	18·6	5·3	6·5	15·3	0·7	0·7	0·7	2·0	3	46
TOTAL, . . .	22·4	7·7	5·6	15·5	1·1	1·7	1·1	3·2	430	115

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR NOVEMBER 1910, and for the Corresponding Month of the Preceding Ten Years, in Eight of the Principal Towns.

	Birth-Rate.	Illegitimate Births per 100 Births.	Death-Rate.	Marriage-Rate.	DEATHS FROM							Mean Temperature.	Infantile Mortality.
					Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Enteric Fever.	All Diarrhoeal Diseases.		
NOVEMBER 1910, . . .	22·4	7·7	15·5	5·6	-	7	28	44	54	11	87	36°·7	115
NOVEMBER 1909, . . .	23·2	8·0	20·0	6·4	-	157	33	45	43	9	60	39°·0	165
NOVEMBER 1908, . . .	22·7	7·2	16·6	6·1	-	6	33	57	37	16	111	44°·2	133
NOVEMBER 1907, . . .	24·6	6·7	16·8	6·3	-	147	12	63	28	8	89	42°·2	139
NOVEMBER 1906, . . .	25·7	7·4	17·6	6·0	-	41	14	52	25	12	95	45°·0	149
NOVEMBER 1905, . . .	26·1	7·0	18·8	6·4	-	148	10	24	24	5	75	40°·6	146
NOVEMBER 1904, . . .	27·1	6·7	18·4	6·7	-	35	5	93	23	9	88	41°·4	166
NOVEMBER 1903, . . .	27·1	6·9	17·7	8·0	10	62	11	30	23	22	76	42°·4	155
NOVEMBER 1902, . . .	26·5	6·0	16·7	8·1	-	15	22	50	19	13	91	45°·1	133
NOVEMBER 1901, . . .	26·8	6·3	21·1	6·9	-	102	25	32	31	46	101	42°·1	160
NOVEMBER 1900, . . .	27·6	7·0	20·2	6·8	4	42	20	116	30	25	84	42°·7	168

DEATHS FROM ALL CAUSES at Four Periods of Life.

165

Registered during the Month of NOVEMBER 1910.

[illegible]

CAUSES OF DEATH.	Grand Total	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Asiatic Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epidemic Diarrhœa, Infective Enteritis	9	5	-	-	5	-	-	-	-	-	4	-	-	-	4	-	-	-	-	-	
Diarrhœa (not otherwise def.)	20	4	-	-	4	6	-	-	-	6	6	-	-	-	6	1	-	-	-	1	
Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tetanus	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Syphilis	10	1	-	3	1	5	-	-	1	1	2	1	-	-	1	-	-	-	-	-	
Gonorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerp. Septicæmia, Sapræmia	4	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Phlegmasia Alba Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Puerperal Fever (not otherwise defined)	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Erysipelas	4	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
Septicæmia (not Puerperal)	3	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pyæmia (not Puerperal)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	
Phlegmon, Carbuncle (not Anthrax)	6	1	-	1	1	3	-	-	-	-	-	-	-	-	-	1	-	2	-	3	
Phagedæna	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
{ Lobar	43	7	-	10	3	20	-	-	2	1	3	-	-	3	3	6	-	1	2	1	
{ Broncho	99	45	2	2	10	59	8	1	2	3	14	7	-	1	-	8	3	-	-	5	
{ Epidemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
{ Not defined	101	15	1	15	11	42	5	1	9	12	27	1	-	2	7	10	1	-	2	6	
Other Infective Conditions	3	2	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Pulmonary Tuberculosis (Tuberculous Phthisis)	79	1	8	28	2	39	2	2	7	-	11	-	1	10	-	11	-	1	2	3	
Phthisis (not otherwise def.)	92	-	4	39	4	47	-	-	13	3	16	-	-	4	2	6	-	1	4	6	
Tuberculous Meningitis	37	11	3	1	-	15	6	3	-	-	9	5	-	-	-	5	1	1	-	2	
Tuberculous Peritonitis	19	6	4	1	-	11	1	-	-	-	1	1	1	-	-	2	1	-	-	1	
Tabes Mesenterica	7	1	2	-	-	3	1	-	-	-	1	-	-	-	-	1	-	-	-	1	
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tubercle of other Organs	11	-	7	2	-	9	1	-	-	-	1	1	-	-	-	1	-	-	-	-	
General Tuberculosis	12	2	1	2	-	5	1	1	1	-	3	1	1	-	-	2	1	1	-	2	
Serofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Parasitic Diseases	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Alcoholism, Delirium Tremens	3	-	-	1	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

DEATHS FROM ALL CAUSES at Four Periods of Life.

167

Registered during the Month of NOVEMBER 1910.

	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
CAUSES OF DEATH.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Asiatic Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Infective Enteritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea (not otherwise defined)	-	-	-	-	-	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Gonorrhœa	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Alba Dolens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Septicæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar	1	-	1	1	3	2	-	3	1	6	-	-	1	-	1	-	-	-	-	-
{ Broncho	2	-	-	1	3	4	-	-	2	6	1	-	-	3	4	-	-	-	-	-
{ Epidemic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not defined	1	1	2	-	4	2	-	2	1	5	2	1	1	1	5	-	-	1	1	2
Other Infective Conditions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuberculous Phthisis)	-	1	2	-	3	-	-	9	-	9	-	1	2	-	3	-	-	-	-	-
Phthisis (not otherwise defined)	-	-	3	-	3	-	1	4	-	5	1	1	5	-	7	-	-	2	-	2
Tuberculous Meningitis	-	1	-	-	1	2	-	-	-	2	2	1	-	-	3	-	-	-	-	-
Tuberculous Peritonitis	1	-	-	-	1	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-
Tabes Mesenterica	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Lupus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of NOVEMBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Rheumatic Fever, Acute																					
Rheumatism -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart -	6	-	1	-	3	4	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
Chronic Rheumatism -	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout -	4	-	-	-	-	-	-	-	-	2	2	-	-	1	1	2	-	-	-	-	-
Gout -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma -	116	-	-	34	27	61	-	-	11	12	23	-	-	4	4	8	-	-	4	8	12
Sarcoma -	9	-	-	-	1	1	-	-	2	1	3	-	1	-	-	1	-	-	2	1	3
Cancer, Malignant Disease (not otherwise defined)	67	-	-	17	11	28	-	-	6	11	17	-	-	4	3	7	-	-	1	3	4
Rickets -	2	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Purpura -	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia -	11	-	-	1	1	2	-	-	3	-	3	-	-	-	1	1	-	-	-	2	2
Diabetes Mellitus -	12	-	-	6	-	6	-	-	-	1	1	-	-	-	-	-	-	-	2	1	3
Premature Birth -	87	39	-	-	-	39	13	-	-	-	13	13	-	-	-	13	9	-	-	-	9
Congenital Defects -	20	7	1	-	-	8	4	1	-	-	5	3	-	-	-	3	-	-	-	-	-
Injury at Birth -	7	3	-	-	-	3	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Atelectasis -	6	5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk -	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
Teething -	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																					
DISEASES OF NERVOUS SYSTEM.																					
Meningitis, Inflammation of Brain -	25	10	3	1	-	14	1	1	1	-	3	-	-	-	-	-	2	-	2	-	4
Softening of Brain -	9	-	-	-	2	2	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
General Paralysis of Insane -	4	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal) -	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Chorea -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy -	6	-	-	2	-	2	-	-	-	-	-	-	1	1	-	2	-	-	1	1	2
Convulsions -	24	13	-	-	-	13	4	-	-	-	4	1	-	-	-	1	3	-	-	-	3
Laryngismus Stridulus -	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy -	4	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Paraplegia, Diseases of Cord -	17	-	-	6	-	6	-	-	1	-	1	-	1	1	4	6	-	-	-	1	1
Neuritis, Peripheral, Polyneuritis -	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Brain Tumour (not Specific) -	3	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
Other Dis. of Nervous System	6	-	-	-	1	1	-	-	2	1	3	-	-	-	-	-	-	-	-	1	1
DISEASES OF ORGANS OF SPECIAL SENSE.																					
Otitis, Mastoid Disease -	6	1	1	2	-	4	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
Epistaxis, Diseases of Nose -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																					
Valvular Dis., Endocarditis (not Infective) -	90	-	5	16	11	32	-	1	9	11	21	-	1	5	4	10	-	1	5	3	9
Pericarditis -	3	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Dilatation of Heart -	9	-	-	2	1	3	-	-	2	1	3	-	-	-	1	1	-	-	-	-	-
Fatty Degeneration of Heart	8	-	-	-	1	1	-	-	2	3	5	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified) -	132	3	2	23	26	54	-	-	3	25	28	-	-	2	7	9	-	1	4	14	19

DEATHS FROM ALL CAUSES at Four Periods of Life.

169

Registered during the Month of NOVEMBER 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism - - - - -	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma - - - - -	-	-	3	2	5	-	-	2	2	4	-	-	-	3	3	-	-	-	-	-
Sarcoma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined) - - - - -	-	-	2	-	2	-	-	-	3	3	-	-	1	1	2	-	-	1	3	4
Rickets - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Diabetes Mellitus - - - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Premature Birth - - - - -	3	-	-	-	3	6	-	-	-	6	3	-	-	-	3	1	-	-	-	1
Congenital Defects - - - - -	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Injury at Birth - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Want of Breast Milk - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain - - - - -	2	-	1	-	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Softening of Brain - - - - -	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2
General Paralysis of Insane - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Insanity (not Puerperal) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions - - - - -	1	-	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Laryngismus Stridulus - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord - - - - -	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Neuritis, Peripheral, Poly-neuritis - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific) - - - - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Nervous System - - - - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epistaxis, Diseases of Nose - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective) - - - - -	-	-	5	2	7	-	-	1	3	4	-	-	2	1	3	-	1	2	1	4
Pericarditis - - - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris - - - - -	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Dilatation of Heart - - - - -	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1
Syncope, Heart Disease (not specified) - - - - -	-	-	3	4	7	-	-	2	2	4	-	-	3	6	9	-	-	1	1	2

Registered during the Month of NOVEMBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—contd.																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Cerebral Embolism	134	-	1	21	34	56	-	-	10	22	32	-	-	6	8	14	-	-	2	4	6
Apoplexy, Hemiplegia	30	-	-	8	9	17	-	-	1	5	6	-	-	-	1	1	-	-	3	3	3
Aneurism	8	-	1	3	1	5	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-
Senile Gangrene	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	3	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	1
Phlebitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Dis. of Blood Vessels	11	-	-	-	7	7	-	-	-	-	3	3	-	-	-	1	1	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	3	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	232	22	-	28	54	104	11	-	7	20	38	12	-	7	13	32	2	-	1	8	11
Emphysema, Asthma	2	-	-	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
Pleurisy	5	-	1	1	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Fibroid Disease of Lung	3	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory Syst.	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Esophagus (not Specific)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	15	-	-	8	1	9	-	-	1	1	2	-	-	3	-	3	-	-	-	-	-
Gastric Catarrh	16	5	1	1	1	8	-	-	-	3	3	1	-	-	-	1	2	-	1	-	3
Other Diseases of Stomach (not Malignant)	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Enteritis (not Infective)	32	15	-	1	4	20	1	-	1	-	2	1	-	1	2	1	1	-	-	-	1
Gastro-enteritis	26	7	-	1	-	8	6	-	1	-	7	2	-	1	3	3	-	-	-	-	3
Appendicitis, Perityphlitis	19	-	6	5	1	12	-	2	3	-	5	-	-	-	-	1	-	1	-	2	2
Hernia	6	-	-	1	-	1	-	-	1	2	3	-	-	-	-	-	-	-	1	-	1
Intestinal Obstruction	19	5	1	3	2	11	2	1	3	-	6	-	-	-	-	-	-	-	2	-	2
Other Diseases of Intestines	4	-	-	2	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal)	5	-	-	-	1	1	-	-	1	-	-	-	-	1	-	1	1	-	1	-	2
Cirrhosis of Liver	10	-	-	4	3	7	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1
Other Diseases of Liver and Gall Bladder	12	-	-	3	2	5	-	-	2	1	3	-	-	-	-	-	-	-	1	1	2
Other Dis. of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	6	-	-	-	1	1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	1
Diseases of Thyroid Body	4	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Dis. of Supra-renal Capsules	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uremia	40	-	2	12	6	20	-	1	4	2	7	3	3	2	1	9	-	-	-	-	-
Chronic Bright's Disease, Albuminuria	47	1	1	8	7	17	-	-	9	4	13	-	-	2	1	3	-	-	3	4	7
Calculus (not Biliary)	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-
Dis. of Bladder and of Prostate	16	-	-	1	1	2	-	-	-	4	4	-	-	-	3	3	-	-	1	1	2
Other Dis. of Urinary System	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

171

171

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—continued.																				
DISEASES OF BLOOD VESSELS.																				
Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis - - -	-	-	2	6	8	-	-	4	5	9	-	-	4	5	9	-	-	-	-	-
Apoplexy, Hemiplegia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Aneurism - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Senile Gangrene - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis (not Cerebral) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Varicose Veins - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Blood Vessels -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF RESPIRATORY SYSTEM.																				
Laryngitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	10	-	5	15	30	3	-	-	3	6	3	2	-	2	7	2	-	-	2	4
Emphysema, Asthma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pleurisy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Fibroid Disease of Lung - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Respiratory System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF DIGESTIVE SYSTEM.																				
Tonsillitis, Quinsy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Œsophagus (not Specific) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Gastric Catarrh - - - - -	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Stomach (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis (not Infective) - - - -	1	1	-	-	2	1	-	-	1	2	1	-	-	-	3	-	-	-	1	1
Gastro-enteritis - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	2	2	1	-	-	1	-	2
Appendicitis, Perityphlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Intestinal Obstruction - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Intestines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peritonitis (not Puerperal) - - -	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Other Diseases of Liver and Gall Bladder - - - - -	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																				
Diseases of Spleen - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Other Diseases of Lymphatic System	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diseases of Thyroid Body - - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diseases of Supra-renal Capsules -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																				
Acute Nephritis, Uræmia - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	3
Chronic Bright's Disease, Albuminuria - - - - -	-	-	2	2	4	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
Calculus (not Biliary) - - - - -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
Diseases of Bladder and of Prostate	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	2	2
Other Diseases of Urinary System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Registered during the Month of NOVEMBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES— <i>contd.</i>																					
DISEASES OF GENERATIVE SYSTEM.																					
Ovarian Tumour (not Malignant) - - -	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Ovary - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Uterine Tumour (not Malignant) - - -	3	-	-	-	1	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
Other Dis. of Uterus and Vagina - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders of Menstruation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Generative and Mammary Organs - - -	3	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF PREGNANCY AND CHILDBIRTH.																					
Abortion, Miscarriage - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Mania - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Convulsions - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Placenta Prævia, Flooding - - -	3	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
Other Accidents of Pregnancy and Childbirth - - -	9	-	1	2	-	3	-	-	1	-	1	-	1	-	1	-	-	1	-	1	1
DISEASES OF LOCOMOTOR SYSTEM.																					
Caries, Necrosis - - -	10	-	4	-	1	5	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Arthritis, Periostitis - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Locom. System - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF THE SKIN.																					
Ulcer, Bed-sore - - -	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Eczema - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pemphigus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Skin - - -	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. OTHER SPECIFIED DIS.																					
- - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
Atrophy, Debility - - -	54	29	-	-	-	29	4	-	-	4	5	-	-	5	8	-	-	-	-	8	8
Old Age - - -	72	-	-	-	38	38	-	-	-	9	9	-	-	5	-	-	-	-	7	7	7
Dropsy, Ascites, Anasarca - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tumour - - -	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abscess - - -	2	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden (cause unascertained) - - -	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Other ill-defined causes - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Causes not specified - - -	12	2	-	4	2	8	-	-	-	-	2	-	-	2	1	-	-	1	-	2	2
E. VIOLENT DEATHS.																					
In Mines and Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and Horses - - -	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Ships, Boats, Docks (not Drowning) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Building Operations - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Machinery - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
Weapons and Implements - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds - - -	20	10	-	1	-	11	-	1	1	2	-	1	-	1	1	1	-	-	-	2	2
Poisons, Poisonous Vapours - - -	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Drowning - - -	4	-	-	-	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1
Suffocation { From Overlying	4	2	-	-	-	2	1	-	-	1	-	-	-	-	1	-	-	-	-	1	1
{ Otherwise - - -	2	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Falls - - -	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Weather Agencies - - -	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Otherwise, or not stated - - -	29	-	3	14	-	17	-	1	4	5	-	2	1	3	-	-	1	-	-	1	1
Homicide - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	11	-	1	4	1	6	-	-	-	-	-	1	1	-	2	-	-	2	-	2	2
Execution - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

173

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in *selected* Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—NOVEMBER 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Hooping-Cough.	Diphtheria.	Fevers—Typhus and Enteric.	All Diarrhoeal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	33	6	29	-	-	-	-	2	-	2	1	8	1
Ayr,	24,944	28,697	82	14	65	-	-	1	-	1	1	3	-	11	5
Banff, with Macduff,	8,927	8,393	12	0	8	-	-	-	-	-	-	-	-	2	-
Blairgowrie,	4,510	4,282	5	2	5	-	-	-	-	-	-	-	-	1	1
Callander,	2,279	2,171	1	0	0	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	26	4	9	-	-	-	-	-	-	-	-	-	-
Cathcart,*	4,552	7,375	23	2	12	-	-	-	-	-	-	-	-	2	-
Coatbridge,	32,709	39,930	120	15	62	-	4	-	-	2	1	2	2	12	11
Crieff,	5,413	5,706	11	3	9	-	-	-	-	-	-	-	-	-	-
Dumbarton,	18,021	20,205	58	9	27	-	-	-	1	-	-	-	-	5	4
Dumfries, with Troqueer,	23,765	24,745	32	4	44	-	-	-	-	1	-	-	-	8	3
Dunfermline,	28,667	31,097	75	9	45	-	-	1	-	6	1	-	-	2	6
Dunoon,	7,287	8,924	13	4	13	-	-	-	-	-	-	-	-	-	1
Eastwood,*	13,744	15,366	32	3	36	-	5	3	-	2	-	-	-	13	1
Elgin,	10,473	11,560	19	7	10	-	-	1	-	1	-	-	-	-	2
Falkirk,	24,007	33,815	81	17	72	-	11	2	5	1	2	-	-	11	8
Forfar,	13,665	12,879	16	7	9	-	-	-	1	-	-	-	-	2	1
Galashiels,	17,785	13,969	20	3	14	-	-	-	-	-	-	-	-	1	2
Govan—(1) Plantation,	22,571	27,228	66	6	32	-	1	-	-	-	-	1	-	12	1
(2) Govan,	41,187	56,602	156	23	132	-	-	1	3	5	-	3	1	30	17
(3) Partick,	36,538	54,298	154	13	68	-	-	-	1	-	-	5	-	14	10
Haddington,	5,216	5,126	5	1	9	-	-	-	-	-	-	-	-	1	-
Hawick,	20,556	18,502	20	6	18	-	-	-	-	-	-	-	-	1	-
Inverness,	24,136	27,046	33	21	46	-	-	-	2	-	-	-	-	11	7
Kilmarnock, with Riccarton,	31,433	37,170	63	15	54	-	-	-	1	1	-	2	-	9	4
Kilmore and Kilbride (Oban),	5,729	6,301	5	6	7	-	-	-	-	-	-	-	-	1	4
Kirkcaldy and Abbotshall,	17,975	22,997	41	8	26	-	-	-	-	1	-	1	-	2	4
Kirkcudbright,	3,477	3,309	6	0	6	-	-	-	1	-	-	-	-	1	-
Largs, with Skelmorlie,	5,320	5,501	10	3	9	-	-	-	-	-	-	-	-	3	-
Logie (Bridge of Allan),	4,252	4,432	1	0	6	-	-	-	-	-	-	-	-	-	-
Moffat,	2,977	2,799	6	1	1	-	-	-	-	-	-	-	-	-	-
Montrose,	14,591	14,027	27	2	23	-	-	-	-	-	-	-	-	3	-
Moulin (Pitlochry),	2,001	2,192	3	1	3	-	-	-	-	-	-	-	-	-	1
Nairn,	5,250	5,732	10	0	7	-	1	-	-	-	-	-	-	-	1
New Monkland (Airdrie),	33,743	36,786	92	15	51	-	2	-	4	2	-	3	1	10	5
North Berwick,	3,083	3,649	3	2	3	-	-	-	-	-	-	-	-	-	1
Peterhead, with Boddam	15,830	15,146	37	5	20	-	-	-	-	-	-	3	-	-	2
Rothsay,	9,108	9,373	13	4	13	-	-	-	-	-	-	1	-	1	1
St Andrews and St Leonards,	8,755	9,410	11	4	5	-	-	-	-	-	-	-	-	1	-
Shettleston,	12,538	21,955	76	8	28	-	-	2	-	2	-	1	-	5	4
Stirling,	17,002	18,609	51	8	39	-	-	-	-	2	-	1	-	10	4
Stranraer,	6,193	6,036	8	4	11	-	-	-	-	-	-	-	-	4	1
Wick,	12,063	11,326	23	3	13	-	-	-	-	-	-	-	-	2	-

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of NOVEMBER 1910.

Mean barometric pressure, 29·581 inches; less than the average of 1856–1905 by 0·260 inch.

Mean temperature, $36^{\circ}7$; less by $4^{\circ}9$.

Mean daily range of temperature, $10^{\circ}1$; greater by $0^{\circ}2$.

Rain, number of days, 15; less by 1 day.

Rain, depth in inches, 3·52; greater by 0·12 inch.

Wind, direction of: a 4 days' excess of winds from W. and N.W.

Hence the month of November 1910 was characterised by an extremely low mean pressure; an abnormally low mean temperature, with a fractionally high mean daily range; a mean rainfall very slightly above the normal; and an excess of winds from W. and N.W.

The mean pressure of 29·581 inches was 0·260 inch below the normal, and the lowest mean for the month of November since 1882. From 1st to 17th the barometer at sea-level at Leith never reached 30 inches, and fell below 29 inches on several days, whilst for the remainder of the month somewhat higher readings were experienced, the extremes at Leith being 30·181 inches on 30th, and 28·485 inches on 7th.

The month with a mean temperature of $36^{\circ}7$, or $4^{\circ}9$ below the normal, was the coldest November since 1862, and the deficiency was everywhere well marked. There was an entire absence of mild weather and the thermometer remained persistently below the normal. The coldest weather occurred from about 20th to 24th, whilst highest readings were registered at the beginning of the month, Paisley being the only one of the large towns at which the thermometer reached 50° . The extremes were 52° at Paisley on 4th and 17° at Perth on 23rd.

The mean rainfall was 3·52 inches, or 4 per cent. above the normal. The Western towns had a deficiency, as much as 24 per cent. at Greenock, and the Eastern an excess, which was merely nominal at Edinburgh and Dundee but amounted to about 70 per cent. at Aberdeen (King's College). Heavy falls occurred on 6th, 12th, and 13th, and at Edinburgh and Leith more than half the month's aggregate was registered on the last two of these days. Otherwise falls of any importance were rare, except at Aberdeen, and from 15th onwards no fall of as much as one tenth of an inch occurred at Edinburgh on any day.

The weather was at times of a wintry character, with snow and sleet, and a good deal of fog occurred. There were, however, many fine days except in Northern districts.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of NOVEMBER 1910.

OBSERVERS	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.								HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.											WIND FORCE.
		Mean at Station and 82°.	Mean at Sea-Level and 32°.	Mean of	Maximum (A).	Minimum (B).	Mean of A and B (Mean Tem- perature).	Difference from Average.	Maximum.	Day of Month.	Absolute Maximum and Minimum.		Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Mean at 9 A.M. and 9 P.M.	Number of Observations at 9 A.M. and 9 P.M.											
											Minimum.	Day of Month.						Maximum.	Day of Month.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	
GLASGOW, Medical Officer of Health, Glasgow.	54	29.517	29.578	41.5	31.3	36.4	-5.9	48	1st, 4th	18	22nd	35.7	1.3	.186	88		14	3.03	-0.54	1	7	3	4	0	11	4	10	20	..
EDINBURGH, Royal Observatory.	441	29.093	29.583	40.6	32.6	36.6	-4.4	46	1st	26	20th	36.0	1.8	.179	84		12	2.38	+0.08	1	1	1	6	7	4	32	8	0	2.7
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.389	29.573	40.8	32.0	36.4	-4.3	48	4th	22	23rd	36.0	1.4	.186	87		12	2.62	+0.05	2	6	1	6	2	10	14	19	0	1.8
ABERDEEN,* PETER HARPER, Superin- tendent, Duthie Park.	44	26	5.42	+2.20
PAISLEY DONALD MACLEAN, The Coats Observatory.	107	29.466	29.586	42.7	30.9	36.8	-5.5	52	4th	20	22nd	36.3	1.5	.186	87		18	3.83	-0.16	9	1	8	0	1	1	13	9	18	1.1
LEITH, JAMES BOLAM, Nautical Col- lege, and GEORGE REDFATH.	76	29.490	29.575	41.9	33.8	37.9	-4.5	47	4th	27	10th, 11th, 22nd	37.0	1.6	.189	86		12	2.82	+0.51	4	0	2	2	6	2	40	2	2	2.9
GREENOCK, DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29.334	29.590	42.2	31.6	36.9	-4.1	48	4th	23	22nd	37.5	1.4	.197	88		17	4.79	-1.51	0	2	6	10	0	0	18	20	4	2.3
PERTH, ALEX. M. RODGER, The Museum.	85	29.489	29.585	41.9	29.3	35.6	-5.3	48	1st, 4th, 5th	17	23rd	33.7	1.9	.155	80		11	3.26	+0.36	11	4	8	2	0	3	11	17	4	2.0
Means	151	29.397	29.581	41.7	31.6	36.7	-4.9	36.0	1.6	.183	86		15	3.62	+0.12	4	3	4	4	2	5	19	12	7	2.1
North Latitude.—Glasgow, 55° 55'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 30'.																													

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 28'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 26'; Mean, 3° 30'.

* Rainfall for King's College.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN EIGHT OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT FOUR PERIODS OF LIFE.

DECEMBER 1910.

Published by Authority of the Registrar-General

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co. Ltd., Bellevue, and sold
by OLIVER & BOYD, Edinburgh.

REPORT.

DURING the month of December 1910 there were registered in the towns of Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Leith, Greenock, and Perth, the births of 3667 living children, of whom 1816 were male and 1851 female. These births are 183 more than were registered in November, but 29 fewer than were registered in December 1909. The equivalent annual birth-rate is 22·8 per thousand, a rate which is 0·4 above that for November, but is 0·5 below that for December 1909. It is the lowest December birth-rate recorded in these monthly reports, that is, since 1855. The birth-rate for the month ranged from 28·4 in Leith to 18·5 in Edinburgh. In Greenock it was 27·1, in Dundee 24·7, in Glasgow 23·8, in Perth 23·1, in Aberdeen 21·4, and in Paisley 21·0.

Of the 3667 births registered, 287, or 7·8 per cent., were illegitimate. These illegitimate births are 18 more than in November, but 1 less than in December 1909. The illegitimate rate for the month is 0·1 above that for November, but is the same as that for December 1909. It varied from 11·0 in Perth, to 2·4 in Paisley. In Dundee it was 9·5, in Edinburgh 9·4, in Glasgow 8·2, in Aberdeen 7·1, in Greenock 5·3, and in Leith 4·3.

Marriages registered in the eight towns numbered 1321; they are 444 more than in November, and 126 more than in December 1909. The marriage-rate for the month is 8·2 per thousand, being 2·6 above that for November, and 0·7 above that for December 1909.

Deaths registered in the eight towns numbered 2488; they are 73 more than in November, but 850 fewer than in December 1909. The equivalent annual death-rate is 15·5 per thousand, which is the same as that for November, but 5·6 below that for December 1909, and is the lowest death-rate recorded for the month of December in these reports. The death-rate for the month ranged from 19·1 in Dundee to 12·7 in Aberdeen. In Perth it was 17·4, in Greenock 16·6, in Leith 15·9, in Paisley 15·5, in Glasgow 15·4, and in Edinburgh 15·0. In Dundee, in Leith, and in Perth the death-rate was higher than in November, but in all the other towns it was lower.

Of the 2488 deaths, 744, or 29·9 per cent., were of children of less than five

years old, and 833, or 33·5 per cent., were of persons of over sixty. The former are 45 more than in November, but 527 fewer than in December 1909. The latter are 65 more than in November, but 99 fewer than in December 1909.

Deaths of children of less than one year old numbered 484; they are 54 more than in November, but 227 fewer than in December 1909. The infantile mortality rate amounts to 125 per thousand of the average number of births registered monthly during the preceding twelve months, a rate which is 10 more than that for November, but 53 fewer than that for December 1909. This rate ranged from 182 in Dundee to 90 in Paisley, and 93 in Greenock. In Leith it was 153, in Aberdeen 151, in Edinburgh 127, in Glasgow 113, and in Perth 103.

Deaths from the principal epidemic diseases numbered 164; they are 13 fewer than in November, and 221 fewer than in December 1909 (the large number then registered being due to the prevalence of measles). The equivalent annual death-rate from these causes is 1·0 per thousand, a rate which is 0·1 below that for November, and 1·4 below that for December 1909. This rate ranged from 2·2 in Perth to 0·5 in Aberdeen. In Leith it was 2·0, in Dundee 1·9, in Paisley and in Greenock 1·1, in Edinburgh 0·9, and in Glasgow 0·8.

No deaths from small-pox or from typhus fever were registered. Deaths from measles numbered 5; from scarlet fever 27; from whooping-cough 43; from diphtheria 57; from enteric fever 7; from cerebro-spinal meningitis 4, and from all diarrhoeal diseases, including those certified as due to enteritis and gastro-enteritis, 54, being 33 fewer than in November.

Deaths from influenza numbered 8; from puerperal septic conditions 12; and from malignant diseases 169, of which 103 were ascribed to carcinoma, 10 to sarcoma, and 56 to other or unspecified form of cancer. Deaths from heart disease numbered 252; from apoplexy 141; from premature birth debility 87; and from alcoholism 5.

Deaths from pneumonia numbered 306, and constituted 12·3 per cent. of the total deaths for the month; they are 63 more than in November, but 220 fewer than in December 1909. Deaths from bronchitis numbered 254; they are 22 more than in November, but 210 fewer than in December 1909.

Deaths from tuberculous diseases numbered 275, and constitute 11·1 per cent. of the total deaths for the month; they are 18 more than in November, but 44 fewer than in December 1909. Of these deaths, 188 were ascribed to phthisis, a number which is 17 more than in November, but 31 fewer than in December 1909. The equivalent annual death-rate from tuberculous diseases for the month was 1·7 per thousand, and that from phthisis alone was 1·2. The death-rate from tuberculosis ranged from 2·5 in Perth and 2·4 in Dundee to 1·1 in Aberdeen and in Paisley. In Glasgow, in Leith, and in Greenock it was 1·9, and in Edinburgh it was 1·2.

Deaths from violence numbered 84; of them 9 were attributed to suicide, 4 being by cutting, 3 by poison, and 2 by hanging.

Among those whose deaths were registered in the eight towns during the month, there were 3 men and 12 women aged 90 years and upwards, the oldest being a widow aged 103 years.

BIRTHS, DEATHS, ETC., IN OTHER SELECTED REGISTRATION DISTRICTS.

On page 190 there is given the usual monthly statement regarding the births, marriages, and deaths registered in forty-eight selected registration districts. These districts have an estimated aggregate population of 825,659. Births registered in them during the month numbered 1582, marriages 576, and deaths 1068. The equivalent annual birth-rate is 22·6 per thousand, the marriage-rate 8·2, and the death-rate 15·2. Compared with the rates for December 1909, the birth-rate is 1·9 lower, the marriage rate 1·4 higher, and the death-rate 5·3 lower.

Among the deaths registered in these districts during the month there were 17 from measles; 14 from scarlet fever; 37 from whooping-cough; 21 from diphtheria; 6 from enteric fever; 21 from diarrhoeal diseases; 2 from laryngitis; 201 from pneumonia, bronchitis, and pleurisy; 116 from tuberculosis; and 1 from cerebro-spinal meningitis, which was registered in New Monkland.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES,
DECEMBER 1910.

TOWNS.	POPULATION.			BIRTHS.					MARRIAGES.	DEATHS.		
	Census 1891.	Census 1901.	Estimated to middle of 1910.	Males.	Females.	Total.	Legitimate.	Illegitimate.		Males.	Females.	Total.
GLASGOW, . . .	672,919	775,594	884,520	901	889	1790	1644	146	552	568	585	1153
EDINBURGH, . .	276,652	317,335	360,276	264	301	565	512	53	301	212	248	460
DUNDEE, . . .	155,523	162,982	170,206	179	178	357	323	34	98	119	157	276
ABERDEEN, . . .	124,943	153,503	185,703	149	188	337	313	24	165	93	107	200
PAISLEY, . . .	66,425	79,363	93,584	89	78	167	163	4	56	55	68	123
LEITH, . . .	68,707	77,563	86,767	105	104	209	200	9	54	60	57	117
GREENOCK, . . .	64,175	68,911	73,605	98	71	169	160	9	52	47	57	104
PERTH, . . .	30,775	33,995	37,275	31	42	73	65	8	43	28	27	55
TOTAL, . . .	1,460,119	1,669,246	1,891,936	1816	1851	3667	3380	287	1321	1182	1306	2488

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
FOR DECEMBER 1910.

TOWNS.	Birth-Rate per 1000 of Population.	Illegitimate Births per 100 Births.	Marriage-Rate per 1000 of Population.	DEATH-RATES PER 1000 OF POPULATION.					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.	Principal Epidemic Diseases.	Tuberculosis.	Phtisis.	All Respiratory Diseases (including Pneumonia).	Number.	Rate per 1000 Births.
GLASGOW, . . .	23·8	8·2	7·4	15·4	0·8	1·9	1·3	3·7	214	113
EDINBURGH, . .	18·5	9·4	9·8	15·0	0·9	1·2	0·9	3·6	76	127
DUNDEE, . . .	24·7	9·5	6·8	19·1	1·9	2·4	1·5	4·6	69	182
ABERDEEN, . . .	21·4	7·1	10·5	12·7	0·5	1·1	0·8	2·2	55	151
PAISLEY, . . .	21·0	2·4	7·1	15·5	1·1	1·1	0·8	4·7	17	90
LEITH, . . .	28·4	4·3	7·3	15·9	2·0	1·9	1·1	3·9	29	153
GREENOCK, . . .	27·1	5·3	8·3	16·6	1·1	1·9	1·3	2·9	17	93
PERTH, . . .	23·1	11·0	13·6	17·4	2·2	2·5	1·9	1·6	7	103
TOTAL, . . .	22·8	7·8	8·2	15·5	1·0	1·7	1·2	3·6	484	125

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR DECEMBER 1910, and for the Corresponding Month of the Preceding Ten Years, in Eight of the Principal Towns.

	Birth-Rate.	Illegitimate Births per 100 Births.	Death-Rate.	Marriage-Rate.	DEATHS FROM							Mean Temperature.	Infantile Mortality.
					Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Enteric Fever.	All Diarrhoeal Diseases.		
DECEMBER 1910.	22·8	7·8	15·5	8·2	-	5	27	43	57	7	54	42°·3	125
DECEMBER 1909, .	23·3	7·8	21·1	7·5	-	233	30	43	39	16	46	36°·5	178
DECEMBER 1908, .	23·9	6·4	16·3	8·1	-	5	15	96	36	6	70	39°·5	116
DECEMBER 1907, .	25·4	6·9	20·1	10·3	1	280	18	97	41	13	80	39°·0	169
DECEMBER 1906, .	25·4	7·4	19·1	11·7	-	32	19	75	37	16	77	37°·5	144
DECEMBER 1905, .	25·8	8·0	17·6	9·2	-	153	15	33	33	9	61	42°·9	130
DECEMBER 1904, .	27·0	7·0	20·8	10·0	-	71	7	155	20	18	73	39°·3	162
DECEMBER 1903, .	29·6	6·8	21·4	10·0	12	133	15	54	14	12	70	37°·0	167
DECEMBER 1902, .	29·7	6·8	21·3	11·7	-	27	25	118	36	21	78	39°·9	158
DECEMBER 1901, .	27·0	6·7	21·9	12·3	-	136	24	39	21	36	93	37°·3	157
DECEMBER 1900, .	26·2	7·3	19·3	12·8	9	60	31	136	29	17	78	43°·8	135

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - -	2488	344	78	399	337	1153	112	29	137	182	460	97	18	63	98	276	76	11	37	76	200
A. GENERAL DISEASES -	1161	218	43	191	90	542	72	21	67	49	209	59	15	33	23	130	52	8	19	16	95
B. LOCAL DISEASES:—																					
I. DIS. OF NERVOUS SYSTEM	105	26	5	7	9	47	5	-	7	3	15	6	1	3	4	14	7	-	2	3	12
II. „ ORGANS OF SPECIAL SENSE - -	7	2	-	-	-	2	2	1	-	-	3	1	-	-	-	1	-	-	-	-	-
III. „ HEART - -	252	1	6	54	39	100	1	2	16	26	45	1	-	11	20	32	-	2	7	13	24
IV. „ BLOOD VESSELS -	178	-	-	22	65	87	-	-	8	24	32	-	-	5	15	20	-	-	1	9	19
V. „ RESPIRATORY SYST.	273	28	5	32	56	121	12	1	5	37	55	20	-	5	17	42	3	-	1	8	14
VI. „ DIGESTIVE SYSTEM	131	25	6	22	16	69	6	-	9	6	21	6	-	2	5	13	5	-	2	3	10
VII. „ LYMPHATIC AND DUCTLESS GLANDS	9	-	1	3	-	4	2	-	-	-	2	-	-	-	-	-	1	-	-	-	-
VIII. „ URINARY SYSTEM -	101	-	-	31	19	50	-	1	8	14	23	-	-	1	2	3	-	-	1	11	13
IX. „ GENERATIVE SYST.	8	-	-	2	-	2	-	-	3	-	3	-	-	1	-	1	-	-	-	-	-
X. „ PREGNANCY AND CHILDBIRTH -	10	-	-	5	-	5	-	-	4	-	4	-	-	-	-	-	-	-	1	-	-
XI. „ LOCOMOTOR SYSTEM	7	1	2	1	1	5	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
XII. „ THE SKIN - -	7	-	-	-	1	1	-	-	-	2	2	1	-	-	-	1	-	-	1	-	-
C. OTHER SPECIFIED DISEASES - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED -	155	33	-	8	32	73	11	-	3	16	30	2	-	-	8	10	5	1	-	11	19
E. VIOLENT DEATHS -	84	10	5	21	9	45	1	3	6	5	15	-	2	2	4	8	3	-	2	2	8
A. GENERAL DISEASES.																					
Small-pox { Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccin. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	5	1	-	-	-	1	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-
German Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	27	5	1	2	-	8	3	1	1	-	5	3	2	-	-	5	-	1	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	8	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	1
Hooping-cough - - -	43	18	-	-	-	18	1	-	-	-	1	8	-	-	-	8	2	-	-	-	-
Mumps - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - -	57	16	5	1	-	22	7	9	1	-	17	3	4	-	-	7	2	1	-	-	-
Cerebro-spinal Fever - -	4	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	7	-	1	2	-	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

181

Registered during the Month of DECEMBER 1910.

CAUSES OF DEATH.	PAISLEY.					LETH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
ALL CAUSES - - - -	27	9	31	56	123	48	4	32	33	117	27	8	40	29	104	13	5	15	22	55
A. GENERAL DISEASES - -	17	4	14	16	51	34	3	17	9	63	13	3	21	7	44	11	5	7	4	27
B. LOCAL DISEASES:-																				
I. DIS. OF NERVOUS SYSTEM -	1	1	-	1	3	4	-	2	1	7	1	1	2	1	5	1	-	-	1	2
II. " ORGANS OF SPECIAL SENSE - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
III. " HEART - - - -	-	2	4	10	16	2	1	4	9	16	-	-	5	6	11	-	-	3	7	10
IV. " BLOOD VESSELS - -	-	-	2	3	5	-	-	4	5	9	-	-	3	9	12	-	-	-	3	3
V. " RESPIRATORY SYSTEM	3	-	4	17	24	5	-	1	2	8	3	1	1	3	8	-	-	1	2	3
VI. " DIGESTIVE SYSTEM -	2	-	3	2	7	1	-	-	1	2	1	1	3	-	5	1	-	2	1	4
VII. " LYMPHATIC AND DUCT-LESS GLANDS -	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
VIII. " URINARY SYSTEM -	-	2	3	-	5	-	-	2	2	4	-	1	1	1	3	-	-	1	-	1
IX. " GENERATIVE SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1
X. " PREGNANCY AND CHILD-BIRTH - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI. " LOCOMOTOR SYSTEM -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. " THE SKIN - - - -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1
C. OTHER SPECIFIED DISEASES - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. CAUSES ILL-DEFINED OR NOT SPECIFIED - -	3	-	1	7	11	1	-	-	2	3	6	-	1	2	9	-	-	-	2	2
E. VIOLENT DEATHS - - -	1	-	-	-	1	1	-	1	-	2	3	-	2	-	5	-	-	-	1	1
A. GENERAL DISEASES.																				
Small-pox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Doubtful - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox, Effects of Vaccination - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
German Measles - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	3
Dysphus - - - -	1	3	-	-	4	-	-	-	-	-	-	1	-	-	1	1	2	-	-	3
Plague - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	1	-	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - -	1	-	-	-	1	10	-	-	-	10	3	-	-	-	3	-	-	-	-	-
Mumps - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria - - - -	-	-	-	-	-	2	1	-	-	3	2	-	-	-	2	2	1	-	-	3
Cerebro-spinal Fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - - -	-	-	1	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																					
Asiatic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Infective																					
Enteritis - - - - -	9	2	-	-	2	-	-	-	-	-	3	-	-	-	-	3	-	-	1	-	1
Diarrhoea (not otherwise def.)	12	2	1	1	4	1	-	-	1	2	2	-	-	2	4	1	-	-	-	-	1
Dysentery - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - - - - -	16	8	1	-	9	3	1	2	-	6	-	-	-	-	-	1	-	-	-	-	1
Gonorrhoea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerp. Septicæmia, Sapræmia	11	-	1	8	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Alba Dolens -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	6	-	-	1	2	3	1	-	-	1	-	1	1	2	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	9	1	2	1	-	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal) -	3	-	-	-	-	-	2	-	-	2	-	1	-	1	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax)	9	2	-	3	2	7	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
Phagedæna - - - - -	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar - - - - -	48	3	1	9	9	22	1	7	3	11	-	1	-	1	2	-	-	-	1	1	3
{ Broncho - - - - -	137	48	6	7	11	72	16	1	3	20	15	1	1	17	9	-	-	-	3	12	-
{ Epidemic - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not defined - - -	121	23	4	24	14	65	8	-	2	13	23	1	-	3	2	6	4	-	1	3	8
Other Infective Conditions	6*	1	-	2*	-	3*	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuberculous Phthisis) -	68	2	3	19	4	28	1	-	7	-	8	-	3	8	2	13	-	1	6	-	7
Phthisis (not otherwise def.) -	120	2	4	60	6	72	-	1	16	1	18	-	2	6	1	9	-	2	2	1	5
Tuberculous Meningitis - -	34	9	5	-	-	14	2	1	1	-	4	3	1	-	-	4	2	-	-	-	2
Tuberculous Peritonitis - -	26	7	5	3	-	15	2	2	-	-	4	2	-	-	-	2	2	1	-	-	3
Tabes Mesenterica - - - -	3	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs -	12	1	3	2	1	7	1	-	2	-	3	-	1	1	2	-	-	-	-	-	-
General Tuberculosis - - -	12	1	1	1	-	3	1	-	-	-	1	1	2	1	-	4	-	1	-	-	1
Serofula - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens	5	-	-	3	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Opium, Morphia Habit - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Potomaine Poisoning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :-																					
By Lead - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" Phosphorus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
" Arsenic and other Metals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Including 1 Beri-beri.

183

CAUSES OF DEATH.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES— <i>continued.</i>																				
Asiatic Cholera - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Infective Enteritis-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea (not otherwise defined)-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetanus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhoea - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Septicæmia, Sapræmia -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyæmia - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmasia Alba Dolens - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Puerperal Fever (not otherwise defined) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal) - -	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	1	-	3
Pyæmia (not Puerperal) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon, Carbuncle (not Anthrax) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phagedæna - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infective Endocarditis - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia { Lobar - - - -	-	-	3	2	5	-	-	3	1	4	-	-	1	1	2	-	-	-	-	-
{ Broncho- - - - -	3	-	-	1	4	8	-	-	2	10	-	-	-	1	1	1	-	-	-	1
{ Epidemic - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
{ Not defined - - - -	-	-	-	2	4	4	-	1	2	7	1	-	4	2	7	-	-	1	-	1
Other Infective Conditions - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pulmonary Tuberculosis (Tuberculous Phthisis) - - - -	1	-	1	1	3	-	-	5	-	5	-	1	2	-	3	-	-	1	-	1
Phthisis (not otherwise defined) -	-	1	2	-	3	-	2	1	-	3	-	-	4	1	5	-	1	3	1	5
Tuberculous Meningitis - - -	2	-	-	-	2	3	-	1	-	4	2	1	-	-	3	1	-	-	-	1
Tuberculous Peritonitis - - -	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Tabes Mesenterica - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lupus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tubercle of other Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
General Tuberculosis - - - -	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	1
Scrofula - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Parasitic Diseases - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Starvation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scurvy - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism, Delirium Tremens -	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Opium, Morphia Habit - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ptomaine Poisoning - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Industrial Poisoning :—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
By Lead - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Phosphorus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
„ Arsenic and other Metals - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

Registered during the Month of DECEMBER 1910.

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.			
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	
A. GENERAL DISEASES— <i>continued.</i>																	
Rheumatic Fever, Acute																	
Rheumatism	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	-
Rheumatism of Heart	7	-	1	-	1	2	-	2	-	1	3	-	1	-	1	-	-
Chronic Rheumatism	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
Gout																	
Carcinoma	103	-	-	21	18	39	-	-	19	10	29	-	-	5	9	14	-
Sarcoma	10	-	-	3	-	3	-	-	1	1	2	-	-	-	1	1	-
Cancer, Malignant Disease (not otherwise defined)	56	-	-	10	16	26	-	-	4	10	14	-	-	3	3	6	-
Rickets	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Purpura	3	1	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-
Hæmophilia, Hæmorrhagic Diathesis																	
Anæmia, Leucocythæmia	9	-	-	2	-	2	-	1	2	1	4	-	-	-	-	-	-
Diabetes Mellitus	11	-	-	2	2	4	-	-	-	3	3	-	-	-	-	-	-
Premature Birth	87	38	-	-	-	38	7	-	-	-	7	13	-	-	-	13	18
Congenital Defects	29	15	-	-	-	15	4	-	-	-	4	3	-	-	-	3	4
Injury at Birth	9	3	-	-	-	3	4	-	-	-	4	-	-	-	-	1	-
Atelectasis	5	-	-	-	-	-	2	-	-	-	2	-	-	-	-	1	-
Want of Breast Milk	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Teething	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																	
DISEASES OF NERVOUS SYSTEM.																	
Meningitis, Inflammation of Brain	27	7	4	1	-	12	4	-	1	1	6	-	-	1	-	1	2
Softening of Brain	11	-	-	-	3	3	-	-	-	-	-	-	-	-	2	2	-
General Paralysis of Insane	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Insanity (not Puerperal)	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Chorea																	
Epilepsy	8	-	-	1	-	1	-	-	1	-	1	1	1	-	-	2	-
Convulsions	25	13	-	-	1	14	1	-	-	-	1	3	-	-	-	3	5
Laryngismus Stridulus	4	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy																	
Paraplegia, Diseases of Cord	8	-	-	3	1	4	-	-	1	1	2	-	-	1	1	2	-
Neuritis, Peripheral, Polyneuritis	4	-	-	1	1	2	-	-	1	-	1	-	-	1	1	-	-
Brain Tumour (not Specific)	6	-	1	-	-	1	-	-	2	-	2	-	-	1	-	1	-
Other Dis. of Nervous System	8	2	-	-	2	4	-	-	1	1	2	2	-	-	-	2	-
DISEASES OF ORGANS OF SPECIAL SENSE.																	
Otitis, Mastoid Disease	7	2	-	-	-	2	2	1	-	-	3	1	-	-	-	1	-
Epistaxis, Diseases of Nose																	
Ophthalmia, Diseases of Eye																	
DISEASES OF HEART.																	
Valvular Dis., Endocarditis (not Infective)	101	-	5	21	9	35	-	2	10	13	25	-	-	8	6	14	-
Pericarditis	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertrophy of Heart	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Angina Pectoris	8	-	-	2	3	5	-	-	-	1	1	-	-	-	-	1	-
Dilatation of Heart	12	-	-	3	1	4	-	-	2	-	2	-	-	-	1	1	-
Fatty Degeneration of Heart	8	-	-	3	1	4	-	-	2	1	3	-	-	-	1	1	-
Syncope, Heart Disease (not specified)	120	1	-	25	25	51	1	-	2	11	14	1	-	1	12	14	-

DEATHS FROM ALL CAUSES at Four Periods of Life.

185

Registered during the Month of DECEMBER 1910.

CAUSES OF DEATH.	PAISLEY.					LEITH.					GREENOCK.					PERTH.				
	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
A. GENERAL DISEASES—																				
<i>continued.</i>																				
Rheumatic Fever, Acute Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Arthritis, Rheumatic Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carcinoma	-	-	5	-	5	-	1	2	3	-	-	2	1	3	-	-	-	2	2	-
Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Cancer, Malignant Disease (not otherwise defined)	-	-	2	-	2	-	1	1	-	-	-	2	-	2	-	-	1	1	2	-
Rickets	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmophilia, Hæmorrhagic Diathesis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anæmia, Leucocythæmia	-	-	-	-	-	-	1	1	1	-	-	2	2	-	-	-	-	-	-	-
Diabetes Mellitus	-	-	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Premature Birth	2	-	-	-	2	4	-	-	-	4	4	-	-	4	1	-	-	-	-	1
Congenital Defects	2	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Injury at Birth	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Atelectasis	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Teething	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
B. LOCAL DISEASES.																				
DISEASES OF NERVOUS SYSTEM.																				
Meningitis, Inflammation of Brain	-	1	-	-	1	2	-	-	2	-	1	-	1	2	1	-	-	-	-	1
Softening of Brain	-	-	1	-	1	-	1	1	2	-	-	1	1	2	-	-	-	1	1	-
General Paralysis of Insane	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity (not Puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Convulsions	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
Laryngismus Stridulus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotor Ataxy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paraplegia, Diseases of Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neuritis, Peripheral, Poly-neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Tumour (not Specific)	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Other Diseases of Nervous System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF ORGANS OF SPECIAL SENSE.																				
Otitis, Mastoid Disease	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Epistaxis, Diseases of Nose	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ophthalmia, Diseases of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART.																				
Valvular Disease, Endocarditis (not Infective)	-	2	3	4	9	-	-	2	3	5	-	-	2	-	2	-	-	2	4	6
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina Pectoris	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Dilatation of Heart	-	-	-	1	1	-	-	-	-	-	-	2	2	4	-	-	-	-	-	-
Fatty Degeneration of Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syncope, Heart Disease (not specified)	-	-	1	5	6	2	1	2	6	11	-	-	1	3	4	-	-	1	3	4

CAUSES OF DEATH.	Grand Total.	GLASGOW.				EDINBURGH.				DUNDEE.				ABERDEEN.							
		0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.	0-5	5-20	20-60	60, etc.	Total.
B. LOCAL DISEASES—contd.																					
DISEASES OF BLOOD VESSELS.																					
Cerebral Hæmorrhage, Cerebral Embolism	108	-	-	17	37	54	-	-	4	15	19	-	-	3	11	14	-	-	1	3	-
Apoplexy, Hemiplegia	33	-	-	2	16	18	-	-	1	3	4	-	-	-	-	-	-	-	4	4	-
Aneurism	10	-	-	2	-	2	-	-	3	2	5	-	-	1	1	2	-	-	-	-	-
Senile Gangrene	6	-	-	-	3	3	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-
Embolism, Thrombosis (not Cerebral)	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlebitis	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Varicose Veins	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Blood Vessels	18	-	-	-	9	9	-	-	-	2	2	-	-	-	1	1	-	-	-	2	2
DISEASES OF RESPIRATORY SYSTEM.																					
Laryngitis	3	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Membranous Laryngitis (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Croup (not Spasmodic nor Membranous)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Larynx & Trachea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	254	27	3	30	55	115	11	1	3	34	49	19	-	4	14	37	3	-	1	8	12
Emphysema, Asthma	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-
Pleurisy	8	-	2	1	1	4	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
Fibroid Disease of Lung	3	-	-	1	-	1	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
Other Dis. of Respiratory Syst.	2	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-
DIS. OF DIGESTIVE SYSTEM.																					
Tonsillitis, Quinsy	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Mouth, Pharynx, Oesophagus (not Specific)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastric Ulcer	14	-	-	7	1	8	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-
Gastric Catarrh	10	3	-	-	2	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Stomach (not Malignant)	5	3	-	-	-	3	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1
Enteritis (not Infective)	13	10	-	-	1	11	2	-	-	-	2	2	-	-	1	3	-	-	-	-	4
Gastro-enteritis	15	5	-	-	-	5	-	-	-	-	4	-	-	-	-	4	3	-	-	1	1
Appendicitis, Perityphlitis	13	-	4	1	1	6	2	-	1	2	5	-	-	1	-	1	1	-	-	1	1
Hernia	12	-	-	3	3	6	-	-	2	2	-	-	-	1	-	1	-	-	-	1	1
Intestinal Obstruction	15	1	1	5	1	8	2	-	2	1	5	-	-	-	1	1	-	-	-	-	-
Other Diseases of Intestines	8	1	-	3	1	5	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-
Peritonitis (not Puerperal)	4	1	1	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cirrhosis of Liver	4	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Other Diseases of Liver and Gall Bladder	11	-	-	2	4	6	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
Other Dis. of Digestive System	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.																					
Diseases of Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Dis. of Lymphatic Syst.	6	-	-	2	-	2	2	-	-	-	2	-	-	-	-	-	1	-	-	-	1
Diseases of Thyroid Body	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Supra-renal Capsules	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF URINARY SYSTEM.																					
Acute Nephritis, Uremia	26	-	-	11	6	17	-	-	2	-	2	-	-	-	-	-	-	-	-	2	2
Chronic Bright's Disease, Albuminuria	53	-	-	16	6	22	-	1	6	9	16	-	-	1	1	2	-	-	1	4	5
Calculus (not Biliary)	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dis. of Bladder and of Prostate	15	-	-	-	6	6	-	-	-	4	4	-	-	-	1	1	-	-	-	4	4
Other Dis. of Urinary System	6	-	-	3	1	4	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1

189

189

[illegible]

MONTHLY ABSTRACT OF BIRTHS, MARRIAGES, AND DEATHS, in selected Registration Districts; with the Numbers of Deaths in each from the Principal Epidemic Diseases, from Pneumonia and other Inflammatory Diseases of the Respiratory Organs, and from Tuberculous Diseases, &c.—DECEMBER 1910.

REGISTRATION DISTRICTS.	Population.		Total Births.	Total Marriages.	Total Deaths.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Fevers—Typhus and Enteric.	All Diarrheal Diseases.	Croup and Laryngitis.	Pneumonia, Bronchitis, and Pleurisy.	All Tuberculous Diseases.
	Census 1891.	Census 1901.													
Arbroath,	22,984	22,569	33	17	25	-	-	-	-	1	-	-	-	4	2
Ayr,	24,944	28,697	64	17	50	-	-	1	-	-	-	-	-	13	5
Banff, with Macduff,	8,927	8,398	25	20	8	-	-	-	-	-	-	-	-	-	-
Blairstown,	4,510	4,282	4	3	8	-	-	-	-	-	-	-	-	1	-
Callander,	2,279	2,171	0	0	2	-	-	-	-	-	-	-	-	-	-
Campbeltown,	10,260	10,236	21	10	11	-	-	-	-	-	-	1	-	-	4
Cathcart,*	4,552	7,375	14	5	11	-	-	-	-	-	-	1	-	-	1
Coatbridge,	32,709	39,030	126	30	64	-	3	3	1	1	-	-	-	22	6
Crieff,	5,413	5,706	11	2	6	-	-	-	-	-	-	-	-	1	-
Dumbarton,	18,021	20,205	36	4	25	-	-	1	1	1	-	1	-	9	2
Dumfries, with Troqueer,	23,765	24,745	50	18	44	-	-	-	-	1	-	1	1	8	5
Dunfermline,	28,667	31,697	76	34	43	-	-	2	-	2	-	-	1	7	1
Dunoon,	7,287	8,924	5	2	9	-	-	-	-	-	1	-	-	2	-
Eastwood,*	13,744	15,366	39	10	40	-	6	1	-	3	-	1	-	10	1
Elgin,	10,473	11,560	26	22	14	-	-	-	-	-	-	-	-	3	1
Falkirk,	24,007	33,815	100	17	73	-	8	4	10	2	-	1	-	9	7
Forfar,	13,665	12,879	15	14	16	-	-	-	1	-	-	-	-	1	-
Galashiels,	17,785	13,969	17	18	23	-	-	-	-	-	-	-	-	4	2
Govan—(1) Plantation,	22,571	27,228	58	14	32	-	-	-	2	-	-	2	-	7	3
(2) Govan,	41,187	56,602	154	30	114	-	-	-	8	1	2	2	-	25	25
(3) Partick,	36,538	54,298	134	32	54	-	-	-	-	1	-	1	-	6	7
Haddington,	5,216	5,126	13	2	7	-	-	-	-	-	-	-	-	2	1
Hawick,	20,556	18,502	21	15	19	-	-	-	-	1	-	-	-	1	3
Inverness,	24,186	27,046	42	33	61	-	-	-	8	2	-	-	-	8	10
Kilmarnock, with Riccarton,	31,433	37,170	73	33	38	-	-	-	-	-	1	1	-	8	4
Kilmore and Kilbride (Oban),	5,729	6,301	6	3	9	-	-	-	-	-	-	-	-	3	1
Kirkcaldy and Abbotshall,	17,975	22,997	46	22	28	-	-	1	-	-	-	2	-	3	2
Kirkcudbright,	3,477	3,309	7	2	4	-	-	-	-	-	-	-	-	-	2
Largs, with Skelmorlie,	5,320	5,501	5	3	11	-	-	-	-	1	-	-	-	2	-
Logie (Bridge of Allan),	4,252	4,432	2	3	6	-	-	-	-	-	-	-	-	1	-
Moffat,	2,977	2,799	2	2	9	-	-	-	-	-	-	-	-	-	-
Montrose,	14,591	14,027	24	10	25	-	-	-	-	-	-	2	-	3	2
Moulin (Pitlochry),	2,001	2,192	2	0	5	-	-	-	-	-	-	-	-	2	1
Nairn,	5,250	5,732	16	11	8	-	-	-	-	1	-	1	-	-	1
New Monkland (Airdrie),	33,743	36,786	88	31	37	-	-	-	6	-	-	2	-	8	2
North Berwick,	3,038	3,649	2	2	4	-	-	-	-	-	-	1	-	1	-
Peterhead, with Boddam	15,830	15,146	37	28	18	-	-	-	-	1	-	1	-	5	2
Rothsay,	9,108	9,378	18	4	10	-	-	-	-	1	-	-	-	2	3
St Andrews and St Leonards,	8,755	9,410	13	6	11	-	-	-	-	-	-	-	-	-	1
Shettleston,	12,538	21,955	74	14	30	-	-	1	-	1	1	-	-	9	5
Stirling,	17,002	18,609	46	18	31	-	-	-	-	-	1	-	-	5	2
Stranraer,	6,193	6,036	11	4	9	-	-	-	-	-	-	-	-	2	-
Wick,	12,063	11,326	26	11	16	-	-	-	-	-	-	-	-	4	2

* Excluding portion within the Burgh of Glasgow.

THE METEOROLOGICAL RETURNS

FOR

EIGHT OF THE PRINCIPAL TOWNS IN SCOTLAND,

Reduced and corrected as heretofore for instrumental errors, give for their mean position, *i.e.*, Lat. $56^{\circ}12'$ N., and Long. $3^{\circ}30'$ W., and height 151 feet above the sea-level,

For the month of DECEMBER 1910.

Mean barometric pressure, 29.572 inches; less than the average of 1856-1905 by 0.227 inch.

Mean temperature, $42^{\circ}3$; greater by $3^{\circ}5$.

Mean daily range of temperature, $8^{\circ}3$; less by $0^{\circ}8$.

Rain, number of days, 23; greater by 6 days.

Rain, depth in inches, 3.11; less by 0.59 inch.

Wind, direction of: a 6 days' excess of winds from between E. and S.

Hence the month of December 1910 was characterised by an extremely low mean pressure; a very high mean temperature, with a slightly low mean daily range; a somewhat low mean rainfall; and a considerable excess of winds from between E. and S.

The mean pressure of 29.572 inches was 0.227 inch below the normal, and the lowest mean for December since 1901. The barometer at sea-level at Leith was above 30 inches from 1st to 3rd, on 19th and 22nd, and from 29th to 31st, and fell below 29 inches on 9th and 10th, 13th and 16th. The extreme readings there were 30.322 inches on 30th, and 28.772 inches on 9th.

The mean temperature of $42^{\circ}3$, or $3^{\circ}5$ above the normal, was in striking contrast to the low mean of $36^{\circ}7$ for November. The month was thus a very mild one, though less mild than the Decembers, in recent years, of 1905, 1900 and 1898. The cold of November continued during the first two or three days of December, but thereafter temperature remained decidedly above the normal, and during the third and part of the fourth week conditions were exceptionally mild, the night temperatures being especially high. At Leith the mean temperature of the week ending 24th was nearly 7° above the normal, and highest than that of any week since October. As regards the chief towns the extremes were 55° at Perth on 23rd, and 22° at Glasgow on 1st and at Perth on 1st and 28th.

The mean rainfall was 3.11 inches, or 16 per cent. below the normal. Dundee and Paisley had their average amounts, but the other towns a deficiency ranging from 9 per cent. at Greenock to more than 50 per cent. at Edinburgh. Whilst "days of rain" were much above the normal, many of the amounts registered were quite nominal, and from 17th onwards no fall of as much as one-tenth of an inch was recorded at Edinburgh, Leith, Perth, or Dundee. The heaviest fall was 0.79 inch at Greenock on 5th, and none of the eastern towns had as much as half an inch on any one day.

High winds were experienced at times, but there was an absence of wintry weather such as may be looked for in the month of December.

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of DECEMBER 1910.

OBSERVERS	Height of Station above Sea-level.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.											WIND FORCE.	
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Maximum (A).	Minimum (B).	Mean of A and B (Mean Tem- perature).	Difference from Average.	Absolute Maximum and Minimum.				Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.									
									Maximum.	Day of Month.	Minimum.	Day of Month.								N	NE	E	SE	S	SW	W	NW		Calm or Variable.
GLASGOW Medical Officer of Health, Glasgow.	54	29.499	29.560	46.9	38.7	42.8	+3.5	53	23rd	22	1st	43.2	1.9	.238	85	26	3.03	-0.84	2	11	6	10	2	15	6	5	5	..	
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.091	29.583	45.5	37.8	41.7	+3.6	53	23rd	29	28th	41.8	2.0	.225	85	15	0.99	-1.25	2	2	8	10	9	11	17	3	0	3.4	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.399	29.583	45.0	37.4	41.2	+3.8	53	23rd	27	28th	41.3	1.2	.234	91	19	2.70	0.00	0	5	9	15	1	16	12	4	0	2.7	
ABERDEEN,* PETER HARPER, Superin- tendent, Duthie Park.	44	25	2.67	-0.39	
PAISLEY DONALD MACLEAN, The Coats Observatory.	107	29.446	29.536	47.1	38.6	42.9	+3.4	52	23rd	23	1st, 28th	43.3	1.9	.239	85	28	4.82	+0.6	4	1	16	4	10	1	17	5	4	2.1	
LEITH, JAMES BOLAM, Nautical Col- lege, and GEORGE REDFATH, GREENOCK,	76	29.488	29.573	46.7	39.5	43.1	+3.5	54	23rd	27	28th	43.4	2.1	.236	83	19	1.22	-1.07	2	2	18	6	4	4	20	2	4	3.9	
DANIEL MACALLISTER, C.E., Greenock Waterworks.	233	29.305	29.561	46.7	37.8	42.3	+2.9	52	23rd	28	28th	43.2	1.7	.243	87	29	6.81	-0.67	0	3	9	16	0	7	22	5	0	3.6	
PERTH, ALEX. M. RODGER, The Museum.	85	29.479	29.575	46.8	37.2	42.0	+4.1	55	23rd	22	1st, 28th	42.0	2.2	.221	84	22	2.62	-0.54	4	4	13	9	5	10	8	7	2	3.1	
Means	151	29.387	29.572	46.4	38.1	42.3	+3.5	42.6	1.9	.234	86	23	3.11	-0.59	2	4	11	10	5	9	15	4	2	3.1	
North Latitude.—Glasgow, 56° 58'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 12'. West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 2° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 5° 30'; Mean, 3° 30'.																													

North Latitude.—Glasgow, 55° 53'; Edinburgh, 55° 57'; Dundee, 56° 31'; Aberdeen, 57° 9'; Leith, 55° 58'; Paisley, 55° 50'; Greenock, 55° 57'; Perth, 56° 28'; Mean, 56° 12'.
West Longitude.—Glasgow, 4° 18'; Edinburgh, 3° 11'; Dundee, 3° 35'; Aberdeen, 2° 6'; Leith, 3° 8'; Paisley, 4° 27'; Greenock, 4° 45'; Perth, 3° 36'; Mean, 3° 30'.

* Rainfall for King's College.